

Cucumber Report

19-Dec-2025, 1:50:43 PM

Start : Dec 19, 1:49:10.258 PM

End : Dec 19, 1:50:41.182 PM

Duration : 1 m 30.924 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 29
FAILED - 1
SKIPPED - 42




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 30.924 s	3	2	1	0	72	29	1	42

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Dedupe scenario</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	3	2	1	0	1	0	1	0
@loan_details	3	2	1	0	1	0	1	0
@sanity	3	2	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	3	2	1	0	1 m 30.924 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Lead scenario</u>	20	20	0	0	26.005 s
2		<u>AML scenario</u>	1	1	0	0	0.497 s
3		<u>Dedupe scenario</u>	51	8	1	42	1 m 4.361 s

Credit feature

FAILED	DURATION - 1 m 30.924 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 72 Pass - 29 Fail - 1 Skip - 42	
/ 1:49:10.258 PM // 1:50:41.182 PM /					

Lead scenario

<div>PASSED</div>	<div>DURATION - 26.005 s</div>	<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 20</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:49:10.264 PM // 1:49:36.269 PM /</div>				
<div>Credit feature</div>				
<div>@regression @loan_details @sanity</div>				

#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.428 s
2	And wait 2 sec	PASSED	2.003 s
3	And set location permission to allow	PASSED	0.020 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.195 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.151 s
6	And wait 3 sec	PASSED	3.002 s
7	And click "Sign in"	PASSED	0.400 s
8	And click "Credit" inside span	PASSED	4.891 s
9	And click "Loan Detail" with exact phrase	PASSED	0.849 s
10	And wait 3 sec	PASSED	3.003 s
11	And enter "APP1766050944138" into "Type to search"	PASSED	0.188 s
12	And wait 2 sec	PASSED	2.003 s
13	And click on the element with class "view_button_loan_list"	PASSED	0.744 s
14	And wait 2 sec	PASSED	2.003 s
15	And switch to last opened tab	PASSED	0.016 s



#	Step / Hook Details	Status	Duration
16	And click "View Detailed Progress "	PASSED	0.949 s
17	And check that screen contains "Application Stages"	PASSED	0.915 s
18	And check that screen contains "Lead"	PASSED	0.351 s
19	And check that screen contains "Completed"	PASSED	0.937 s
20	And wait 2 sec	PASSED	2.002 s

AML scenario

<div><div>PASSED</div><div>DURATION - 0.497 s</div></div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:49:36.298 PM // 1:49:36.795 PM /				
Credit feature				
@regression @loan_details @sanity				

#	Step / Hook Details	Status	Duration
1	And check that screen contains following	PASSED	0.482 s
	<div>AML</div> <div>Completed (Positive)</div>		

Dedupe scenario

<div>FAILED</div> <div>DURATION - 1 m 4.361 s</div>			<div>Steps</div> <div>Total - 51</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 42</div>	
/ 1:49:36.821 PM // 1:50:41.182 PM /				
Credit feature				
@regression @loan_details @sanity				

#	Step / Hook Details	Status	Duration
1	And check that screen contains following	PASSED	0.442 s
	Dedupe		

#	Step / Hook Details	Status	Duration
	Initiated		
2	And click on the element with class "stage_icons" at index 2	PASSED	0.196 s
3	And click on the element with id as "user"	PASSED	0.460 s
4	And enter "Farheen"	PASSED	0.059 s
5	And click "Farheen Ansari (EMP03384)"	PASSED	30.459 s
6	And click on the element with id as "reason"	PASSED	0.244 s
7	And enter "reason"	PASSED	0.055 s
8	And click "Submit"	PASSED	0.839 s
9	And click on the 2nd child with class "form_header"	FAILED	30.021 s
	<p>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13508742467599672979/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13508742467599672979/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13508742467599672979/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("xpath=child::*[contains(@class, 'form_header')][2]") to be visible</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625) at com.microsoft.playwright.Locator.waitFor(Locator.java:5418) at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:483) at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:330) at ?.click on the 2nd child with class "form_header"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251219_134845/src/test/java/com/nimble/feature/LoanProcessing.feature:58)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13508742467599672979/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13508742467599672979/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13508742467599672979/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("xpath=child::*[contains(@class, 'form_header')][2]") to be visible</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)</p>		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625) at com.microsoft.playwright.Locator.waitFor(Locator.java:5418) at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:483) at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:330) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
10	And click "{el:profile_element}"	SKIPPED	0.008 s
11	And click "Log Out"	SKIPPED	0.004 s
12	And wait 5 sec	SKIPPED	0.000 s
13	And click "Allow" inside span	SKIPPED	0.006 s
14	And wait 2 sec	SKIPPED	0.000 s
15	And set location permission to allow	SKIPPED	0.005 s
16	And enter "hema.mahajan@vastuhfc.com" into "Enter your email"	SKIPPED	0.006 s
17	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.006 s
18	And wait 3 sec	SKIPPED	0.000 s
19	And click "Sign in"	SKIPPED	0.004 s
20	And click "Credit" inside span	SKIPPED	0.005 s
21	And click "Loan Detail" with exact phrase	SKIPPED	0.004 s
22	And wait 3 sec	SKIPPED	0.000 s
23	And enter "value" into "Type to search"	SKIPPED	0.007 s
24	And wait 2 sec	SKIPPED	0.000 s
25	And check that screen contains "forward"	SKIPPED	0.006 s
26	And click "Forward"	SKIPPED	0.007 s

#	Step / Hook Details	Status	Duration
27	And check that screen contains following	SKIPPED	0.006 s
	Loan Account Number		
	Matched LAN's		
28	And click "Link"	SKIPPED	0.004 s
29	And check that screen contains "Are you sure you want to link lan?"	SKIPPED	0.005 s
30	And click "OK"	SKIPPED	0.005 s
31	And wait 2 sec	SKIPPED	0.000 s
32	And check that screen contains "Linked"	SKIPPED	0.006 s
33	And click "Overall Status"	SKIPPED	0.005 s
34	And click on the 2nd "Overall Status"	SKIPPED	0.008 s
35	And click "positive"	SKIPPED	0.010 s
36	And click "Remark"	SKIPPED	0.006 s
37	And enter "add-remark"	SKIPPED	0.005 s
38	And click "submit"	SKIPPED	0.005 s
39	And switch to main tab	SKIPPED	0.007 s
40	And check that screen contains "completed"	SKIPPED	0.005 s
41	And check that "Completed" is a link	SKIPPED	0.005 s
42	And click on the 2nd child with class "form_header"	SKIPPED	0.005 s
43	And click "{el:profile_element}"	SKIPPED	0.007 s
44	And click "Log Out"	SKIPPED	0.004 s
45	And click "Allow" inside span	SKIPPED	0.005 s
46	And wait 2 sec	SKIPPED	0.000 s
47	And set location permission to allow	SKIPPED	0.006 s
48	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.007 s
49	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.007 s
50	And wait 3 sec	SKIPPED	0.000 s
51	And click "Sign in"	SKIPPED	0.006 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	1.047 s
	Dedupe_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		

#	Step / Hook Details	Status	Duration
			