

# Cucumber Report

19-Dec-2025, 1:20:05 PM

Start : Dec 19, 1:18:33.144 PM

End : Dec 19, 1:20:03.844 PM

Duration : 1 m 30.700 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 2  
SKIPPED - 0


PASSED - 21  
FAILED - 2  
SKIPPED - 51




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 30.700 s	3	1	2	0	74	21	2	51

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>AML scenario</u>
2		<u>Dedupe scenario</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@regression	3	1	2	0	1	0	1	0
@loan_details	3	1	2	0	1	0	1	0
@sanity	3	1	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	3	1	2	0	1 m 30.700 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Lead scenario</u>	20	20	0	0	27.456 s
2		<u>AML scenario</u>	2	1	1	0	31.457 s
3		<u>Dedupe scenario</u>	52	0	1	51	31.704 s

## Credit feature

<b>FAILED</b>	DURATION - 1 m 30.700 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 74 Pass - 21 Fail - 2 Skip - 51	
/ 1:18:33.144 PM // 1:20:03.844 PM /					



## Lead scenario

<div>PASSED</div>	<div>DURATION - 27.456 s</div>	<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 20</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:18:33.148 PM // 1:19:00.604 PM /</div>				
<div>Credit feature</div>				
<div>@regression @loan_details @sanity</div>				

#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.347 s
2	And wait 2 sec	PASSED	2.003 s
3	And set location permission to allow	PASSED	0.010 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.134 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.223 s
6	And wait 3 sec	PASSED	3.002 s
7	And click "Sign in"	PASSED	0.219 s
8	And click "Credit" inside span	PASSED	5.801 s
9	And click "Loan Detail" with exact phrase	PASSED	0.814 s
10	And wait 3 sec	PASSED	3.002 s
11	And enter "APP1766050944138" into "Type to search"	PASSED	0.658 s
12	And wait 2 sec	PASSED	2.002 s
13	And click on the element with class "view_button_loan_list"	PASSED	1.318 s
14	And wait 2 sec	PASSED	2.002 s
15	And switch to last opened tab	PASSED	0.008 s

#	Step / Hook Details	Status	Duration
16	And click "View Detailed Progress "	PASSED	0.966 s
17	And check that screen contains "Application Stages"	PASSED	0.409 s
18	And check that screen contains "Lead"	PASSED	0.562 s
19	And check that screen contains "Completed"	PASSED	0.726 s
20	And wait 2 sec	PASSED	2.002 s

### AML scenario


<b>FAILED</b> DURATION - 31.457 s / 1:19:00.626 PM // 1:19:32.083 PM / Credit feature @regression @loan_details @sanity		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	And check that screen contains following AML Completed (Positive)	PASSED	0.487 s
2	And click on the 2nd child with class "form_header" <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("xpath=child::*[contains(@class, 'form_header')][2]") to be visible at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625) at com.microsoft.playwright.Locator.waitFor(Locator.java:5418) at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:483) at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:330)</pre>	FAILED	30.029 s





#	Step / Hook Details	Status	Duration
	<p>at ?.click on the 2nd child with class "form_header"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251219_131759/src/test/java/com/nimble/feature/LoanProcessing.feature:45)            Caused by: com.microsoft.playwright.TimeoutError: Error { message="Timeout 30000ms exceeded. name="TimeoutError            stack="TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("xpath=child::*[contains(@class, 'form_header')][2]") to be visible            at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)            at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)            at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)            at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)            at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)            at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)            at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625)            at com.microsoft.playwright.Locator.waitFor(Locator.java:5418)            at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:483)            at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:330)            at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)            at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)            at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)            at java.base/java.lang.reflect.Method.invoke(Method.java:566)            at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)            at io.cucumber.java.Invoker.invoke(Invoker.java:24)            at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)            at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)            at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)            at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)            at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)            at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)            at io.cucumber.core.runner.TestStep.run(TestStep.java:57)            at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)            at io.cucumber.core.runner.TestCase.run(TestCase.java:95)            at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)            at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)            at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)            at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)            at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)            at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)            at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p><b>AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</b></p> <p>AML_scenario</p> <p>java.lang.RuntimeException: Teardown step failed because scenario failed  at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)</p>	FAILED	0.898 s

#	Step / Hook Details	Status	Duration
			

## Dedupe scenario

<b>FAILED</b> <b>DURATION - 31.704 s</b> <b>/ 1:19:32.140 PM // 1:20:03.844 PM /</b> <b>Credit feature</b> <b>@regression @loan_details @sanity</b>		<b>Steps</b> <b>Total - 52</b> <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 51</b>	
---	--	---	---

#	Step / Hook Details	Status	Duration
1	<b>And click "View Detailed Progress "</b> <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))   //label[contains(normalize-space(text()), 'View Detailed Progress')]   //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]]/@for").first() - - locator resolved to &lt;u&gt; View Detailed Progress &lt;/u&gt; - - attempting click action - 2 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="ant-drawer-body"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;td class="ant-table-cell"&gt;Gaurav geet&lt;/td&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - 2 x retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - 13 x retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="ant-drawer-body"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;td class="ant-table-cell"&gt;Gaurav</pre>	<b>FAILED</b>	30.416 s

#	Step / Hook Details	Status	Duration
	<p>geet&lt;/td&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="ant-drawer-body"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;td class="ant-table-cell"&gt;Gaurav geet&lt;/td&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)  at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)  at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)  at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)  at com.microsoft.playwright.Locator.click(Locator.java:2500)  at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93)  at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83)  at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186)  at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251219_131759/src/test/java/com/nimble/feature/LoanProcessing.feature:49)  Caused by: com.microsoft.playwright.TimeoutError: Error { message="Timeout 30000ms exceeded. name="TimeoutError  stack="TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-13382601845715351137/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))]   //label[contains(normalize-space(text()), 'View Detailed Progress')]   //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to &lt;u&gt; View Detailed Progress &lt;/u&gt; - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="ant-drawer-body"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;td class="ant-table-cell"&gt;Gaurav geet&lt;/td&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - 2 × retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - 13 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="ant-drawer-body"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree</p>		

#	Step / Hook Details	Status	Duration
	<p>intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;td class="ant-table-cell"&gt;Gaurav geet&lt;/td&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="ant-drawer-body"&gt;...&lt;/div&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;td class="ant-table-cell"&gt;Gaurav geet&lt;/td&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;h3 class="form_title"&gt;Application Stages&lt;/h3&gt; from &lt;div&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)  at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)  at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)  at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)  at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)  at com.microsoft.playwright.Locator.click(Locator.java:2500)  at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93)  at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83)  at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:95)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And check that screen contains "Application Stages"	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
3	And check that screen contains following Dedupe initiated	SKIPPED	0.004 s
4	And click "{el:forward}"	SKIPPED	0.007 s
5	And click on the element with id as "user"	SKIPPED	0.007 s
6	And click "Swati Singanjude (VIOM)"	SKIPPED	0.006 s
7	And click on the element with id as "reason"	SKIPPED	0.005 s
8	And enter "reason"	SKIPPED	0.004 s
9	And click "Submit"	SKIPPED	0.006 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.012 s
11	And click "{el:profile_element}"	SKIPPED	0.005 s
12	And click "Log Out"	SKIPPED	0.005 s
13	And wait 5 sec	SKIPPED	0.000 s
14	And click "Allow" inside span	SKIPPED	0.009 s
15	And wait 2 sec	SKIPPED	0.000 s
16	And set location permission to allow	SKIPPED	0.004 s
17	And enter "hema.mahajan@vastuhfc.com" into "Enter your email"	SKIPPED	0.004 s
18	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.005 s
19	And wait 3 sec	SKIPPED	0.000 s
20	And click "Sign in"	SKIPPED	0.007 s
21	And click "Credit" inside span	SKIPPED	0.006 s
22	And click "Loan Detail" with exact phrase	SKIPPED	0.004 s
23	And wait 3 sec	SKIPPED	0.000 s
24	And enter "value" into "Type to search"	SKIPPED	0.005 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And check that screen contains "forward"	SKIPPED	0.006 s
27	And click "Forward"	SKIPPED	0.006 s
28	And check that screen contains following Loan Account Number Matched LAN's	SKIPPED	0.005 s
29	And click "Link"	SKIPPED	0.004 s
30	And check that screen contains "Are you sure you want to link lan?"	SKIPPED	0.006 s
31	And click "OK"	SKIPPED	0.006 s



#	Step / Hook Details	Status	Duration
32	And wait 2 sec	SKIPPED	0.000 s
33	And check that screen contains "Linked"	SKIPPED	0.006 s
34	And click "Overall Status"	SKIPPED	0.005 s
35	And click on the 2nd "Overall Status"	SKIPPED	0.004 s
36	And click "positive"	SKIPPED	0.005 s
37	And click "Remark"	SKIPPED	0.013 s
38	And enter "add-remark"	SKIPPED	0.007 s
39	And click "submit"	SKIPPED	0.006 s
40	And switch to main tab	SKIPPED	0.005 s
41	And check that screen contains "completed"	SKIPPED	0.005 s
42	And check that "Completed" is a link	SKIPPED	0.011 s
43	And click on the 2nd child with class "form_header"	SKIPPED	0.011 s
44	And click "{el:profile_element}"	SKIPPED	0.007 s
45	And click "Log Out"	SKIPPED	0.005 s
46	And click "Allow" inside span	SKIPPED	0.004 s
47	And wait 2 sec	SKIPPED	0.000 s
48	And set location permission to allow	SKIPPED	0.006 s
49	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.009 s
50	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.005 s
51	And wait 3 sec	SKIPPED	0.000 s
52	And click "Sign in"	SKIPPED	0.007 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.479 s
	Dedupe_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
	