Cucumber Report

| Start : Jun 25, 11:14:28.280 AM	End : Jun 25, 11:14:36.323 AM	Duration : 8.043 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 5 SKIPPED - 0	PASSED - 18 FAILED - 5 SKIPPED - 1

Features: 1

Scenarios: 6

Steps: 24

Pass %: 0 %

Pass %: 16 %

Pass %: 75 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Contact Us Feature Testing	8.043 s	6	1	5	0	24	18	5	1

#	Feature Name	Scenario Name
1	Contact Us Feature Testing	Validate submission failure, if no data is provided
2		Validate if only Firstname is provided, then submission fails.
3		Validate after phone is provided, then submission fails.
4		Validate after email is provide, then also submission fails
5		Validate after subject is provided, then also submission fails

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@NetsContactUs	6	1	5	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Contact Us Feature Testing	6	1	5	0	8.043 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Contact Us Feature Testing	"Land to contact Us Page"	4	4	0	0	6.240 s
2		Validate submission failure, if no data is provided	3	2	1	0	0.587 s
3		Validate if only Firstname is provided, then submission fails.	4	3	1	0	0.207 s
4		Validate after phone is provided, then submission fails.	4	3	1	0	0.655 s
5		Validate after email is provide, then also submission fails	4	3	1	0	0.172 s
6		Validate after subject is provided, then also submission fails	5	3	1	1	0.095 s

Contact Us Feature Testing

FAILED	DURATION - 8.043 s
/ 11:14:28.280 AM // 11:14:36.323 AM /	

Scenarios
Total - 6
Pass - 1
Fail - 5
Skip - 0

Steps
Total - 24
Pass - 18
Fail - 5
Skip - 1

"Land to contact Us Page"

PASSED	DURATION - 6.240 s
/ 11:14:28.283 AM // 11:14:34.523 AM /	
Contact Us Feature Testing	
@NetsContactUs	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When scroll up until screen contains "Contact Us"	PASSED	0.218 s
2	And click "Contact Us"	PASSED	2.668 s
3	And wait 3 secs	PASSED	3.013 s
4	And click "Send us an enquiry" inside button with class "kt-blocks-accordion-header"	PASSED	0.298 s

## Validate submission failure, if no data is provided

FAILED	DURATION - 0.587 s
/ 11:14:34.558 AM // 11:14:35.145 AM /	
Contact Us Feature Testing	
@NetsContactUs	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When scroll up until screen contains "Submit"	PASSED	0.408 s
2	And click "Submit"	PASSED	0.156 s
3	And check that screen contains "This is a required field."	FAILED	0.007 s

io.cucumber.core.exception.CucumberException: Step [^check that screen (contains|does not contain) "([^"]*)"(with exact phrase)?(and save it as "([^"]*)")?(and continue)?$] is defined with 6 parameters at 'com.nimble.stepDefinitions.CheckSteps.checkTextOnScreen(java.lang.String, java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 5 arguments: * contains * This is a required field. * null * null * null Step text: check that screen contains "This is a required field."
  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)
  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
  at io.cucumber.core.runner.TestCase.run(TestCase.java:95)
  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)
  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)
  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  at java.base/java.lang.reflect.Method.invoke(Method.java:566)
  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)
  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)
  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)
  at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)
  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)
  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)
  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)
  at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)
  at org.testng.TestRunner.privateRun(TestRunner.java:829)
  at org.testng.TestRunner.run(TestRunner.java:602)
  at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)
  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)
  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)
  at org.testng.SuiteRunner.run(SuiteRunner.java:330)

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		

## Validate if only Firstname is provided, then submission fails.

FAILED	DURATION - 0.207 s
/ 11:14:35.167 AM // 11:14:35.374 AM /	
Contact Us Feature Testing	
@NetsContactUs	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	And click on the element with id as "nf-field-505"	PASSED	0.109 s
2	And enter "John"	PASSED	0.037 s
3	And press enter	PASSED	0.054 s
4	And check that screen contains "This is a required field."	FAILED	0.003 s

	io.cucumber.core.exception.CucumberException: Step [^check that screen (contains|does not contain) "([^"]*)"(with exact phrase)?(and save it as "([^"]*)")?(and continue)?$] is defined with 6 parameters at 'com.nimble.stepDefinitions.CheckSteps.checkTextOnScreen(java.lang.String, java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 5 arguments: * contains * This is a required field. * null * null * null Step text: check that screen contains "This is a required field."
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		

Validate after phone is provided, then submission fails.

FAILED	DURATION - 0.655 s
/ 11:14:35.382 AM // 11:14:36.037 AM /	
Contact Us Feature Testing	
@NetsContactUs	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	And click "phone" inside input	PASSED	0.629 s
2	And enter "81337620"	PASSED	0.012 s
3	And press enter	PASSED	0.007 s
4	And check that screen contains "This is a required field."	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [^check that screen (contains|does not contain) "([^"]*)"(with exact phrase)?(and save it as "([^"]*)")?(and continue)?$] is defined with 6 parameters at 'com.nimble.stepDefinitions.CheckSteps.checkTextOnScreen(java.lang.String, java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 5 arguments: * contains * This is a required field. * null * null * null Step text: check that screen contains "This is a required field." at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		

Validate after email is provide, then also submission fails

FAILED	DURATION - 0.172 s

/ 11:14:36.045 AM // 11:14:36.217 AM /

Contact Us Feature Testing

@NetsContactUs

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	And click "email" inside input	PASSED	0.142 s
2	And enter "john@gmail.com"	PASSED	0.014 s
3	And press enter	PASSED	0.009 s
4	And check that screen contains "This is a required field."	FAILED	0.002 s

io.cucumber.core.exception.CucumberException: Step [^check that screen (contains|does not contain) "([^"]*)"(with exact phrase)?(and save it as "([^"]*)")?(and continue)?$] is defined with 6 parameters at 'com.nimble.stepDefinitions.CheckSteps.checkTextOnScreen(java.lang.String, java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 5 arguments: * contains * This is a required field. * null * null * null Step text: check that screen contains "This is a required field."
  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)
  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
  at io.cucumber.core.runner.TestCase.run(TestCase.java:95)
  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)
  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)
  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  at java.base/java.lang.reflect.Method.invoke(Method.java:566)
  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)
  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)
  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		

Validate after subject is provided, then also submission fails

FAILED	DURATION - 0.095 s		Steps
/ 11:14:36.228 AM // 11:14:36.323 AM /			Total - 5
			Pass - 3
Contact Us Feature Testing			Fail - 1
@NetsContactUs			Skip - 1

#	Step / Hook Details	Status	Duration
1	And click on the element with id as "nf-field-512"	PASSED	0.070 s
2	And enter "Facing issues with eNets service"	PASSED	0.014 s

#	Step / Hook Details	Status	Duration
3	And press enter	PASSED	0.005 s
4	And check that screen contains "This is a required field."	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [^check that screen (contains|does not contain) "([^"]*)"(with exact phrase)?(and save it as "([^"]*)")?(and continue)?$] is defined with 6 parameters at 'com.nimble.stepDefinitions.CheckSteps.checkTextOnScreen(java.lang.String, java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 5 arguments: * contains * This is a required field. * null * null * null Step text: check that screen contains "This is a required field."		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
5	And wait 5 secs	SKIPPED	0.000 s