

Cucumber Report

29-Dec-2025, 12:57:54 PM

Start : Dec 29, 12:56:10.749 PM

End : Dec 29, 12:57:52.781 PM

Duration : 1 m 42.032 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 30
FAILED - 1
SKIPPED - 11




| Feature | | Scenario | | | | Step | | | |
|-----------------------|--------------|----------|---|---|---|------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Credit feature</u> | 1 m 42.032 s | 1 | 0 | 1 | 0 | 42 | 30 | 1 | 11 |

| # | Feature Name | Scenario Name |
|---|-----------------------|--------------------|
| 1 | <u>Credit feature</u> | <u>PD scenario</u> |

| TAG | Scenario | | | | Feature | | | |
|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @pdsmoke | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @loan_details | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------|---|---|---|---|--------------|
| 1 | <u>Credit feature</u> | 1 | 0 | 1 | 0 | 1 m 42.032 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------|--------------------|----|----|---|----|--------------|
| 1 | <u>Credit feature</u> | <u>PD scenario</u> | 42 | 30 | 1 | 11 | 1 m 42.029 s |

Credit feature

| | | | | | | | | | |
|--|--|---|--|--|--|--|--|--|--|
| <div>FAILED</div> <div>DURATION - 1 m 42.032 s</div> | | <div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div> | | <div></div> | | <div>Steps</div> <div>Total - 42</div> <div>Pass - 30</div> <div>Fail - 1</div> <div>Skip - 11</div> | | <div></div> | |
| <div>/ 12:56:10.749 PM // 12:57:52.781 PM /</div> | | | | | | | | | |
| | | | | | | | | | |

PD scenario

| | | | | |
|--|-------------------------|--|---|---|
| FAILED | DURATION - 1 m 42.029 s |  | Steps Total - 42 Pass - 30 Fail - 1 Skip - 11 |  |
| / 12:56:10.752 PM // 12:57:52.781 PM / | | | | |
| Credit feature | | | | |
| @pdsmoke @regression @loan_details | | | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | And click "Allow" inside span | PASSED | 0.227 s |
| 2 | And wait 2 sec | PASSED | 2.001 s |
| 3 | And set location permission to allow | PASSED | 0.013 s |
| 4 | And enter "gaurav.g@vastuhfc.com" into "Enter your email" | PASSED | 0.144 s |
| 5 | And enter "Vastu@123" into "Enter your password" | PASSED | 0.095 s |
| 6 | And wait 3 sec | PASSED | 3.001 s |
| 7 | And click "Sign in" | PASSED | 0.200 s |
| 8 | And click "Credit" inside span | PASSED | 5.102 s |
| 9 | And click "Loan Detail" with exact phrase | PASSED | 0.615 s |
| 10 | And wait 3 sec | PASSED | 3.001 s |
| 11 | And enter "APP1762944190784" into "Type to search" | PASSED | 0.130 s |
| 12 | And wait 2 sec | PASSED | 2.002 s |
| 13 | And click on the element with class "view_button_loan_list" | PASSED | 0.150 s |
| 14 | And wait 2 sec | PASSED | 2.001 s |
| 15 | And switch to last opened tab | PASSED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 16 | And click on the element with id as "rc_select_0" | PASSED | 0.192 s |
| 17 | And wait 2 sec | PASSED | 2.002 s |
| 18 | And click on the 1st "PD" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 0.457 s |
| 19 | And click on the element with class "go_button_div" | PASSED | 0.208 s |
| 20 | And click on the element with id as "pd_type" | PASSED | 0.488 s |
| 21 | And click on the 1st "Tele Pd" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 30.383 s |
| 22 | And wait 2 sec | PASSED | 2.002 s |
| 23 | And click on the element with id as "assign_to" | PASSED | 0.061 s |
| 24 | And click on the 1st "Farheen Ansari (EMP03384)" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 0.559 s |
| 25 | And wait 2 sec | PASSED | 2.002 s |
| 26 | And click on the element with id as "customer_name" | PASSED | 0.065 s |
| 27 | And click on the 1st "Vastu LMS" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 0.608 s |
| 28 | And wait 2 sec | PASSED | 2.002 s |
| 29 | And click on the 2nd "Initiate" inside span | PASSED | 0.603 s |
| 30 | And wait 10 sec | PASSED | 10.001 s |
| 31 | And click "View Detailed Progress " | FAILED | 30.382 s |
| | <p>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8685380792898371664/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8685380792898371664/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8685380792898371664/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))] //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - Vastu LMS from <div>...</div> subtree intercepts pointer events - 2 × retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">PD (HL0000000085026)</h3> from <div>...</div> subtree intercepts pointer events - 14 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - Vastu LMS from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">PD (HL0000000085026)</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">PD (HL0000000085026)</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1766569826551/test-suite-1765783670576/execution_20251229_125546/src/test/java/com/nimble/feature/LoanProcessing.feature:154) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8685380792898371664/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8685380792898371664/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-8685380792898371664/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))] //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - 2 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - Vastu LMS from <div>...</div> subtree intercepts pointer events - 2 x retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">PD (HL0000000085026)</h3> from <div>...</div> subtree intercepts pointer events - 14 x retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - Vastu LMS from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">PD (HL0000000085026)</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>scrolling - - <h3 class="form_title">PD (HL0000000085026)</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 32 | And check that screen contains "Application Stages" | SKIPPED | 0.005 s |
| 33 | And check that screen contains "Initiated" | SKIPPED | 0.004 s |
| 34 | And click on the element with class "stage_icons" at index 2 | SKIPPED | 0.004 s |
| 35 | And check that screen contains "Tele Pd" | SKIPPED | 0.004 s |
| 36 | And click on the element with id as "pd_status" | SKIPPED | 0.004 s |
| 37 | And wait 2 sec | SKIPPED | 0.000 s |
| 38 | And click on the 1st "Positive" inside div with class "ant-select-item-option-content" with exact phrase | SKIPPED | 0.004 s |
| 39 | And enter "DONE" into "Please enter Credit Comments" | SKIPPED | 0.004 s |
| 40 | And wait 2 sec | SKIPPED | 0.000 s |
| 41 | And click "Submit" inside span | SKIPPED | 0.004 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 42 | And wait 5 sec | SKIPPED | 0.000 s |
| | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.238 s |
| | PD_scenario | | |
| | java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) | | |
| |  | | |