Cucumber Report

| Start : Dec 18, 11:55:48.440 AM	End : Dec 18, 11:57:34.724 AM	Duration : 1 m 46.284 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 12 FAILED - 4 SKIPPED - 70

1

4

86

Pass % 0 %

Pass % 0 %

Pass % 13 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	1 m 46.284 s	4	0	4	0	86	12	4	70

#	Feature Name	Scenario Name
1	Credit feature	Lead scenario
2		Qc scenario
3		AML scenario
4		Dedupe scenario

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@lms_regression	4	0	4	0	1	0	1	0
@regression	4	0	4	0	1	0	1	0
@view_loan_details	4	0	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Credit feature	4	0	4	0	1 m 46.284 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	Lead scenario	19	12	1	6	1 m 22.915 s
2		Qc scenario	10	0	1	9	22.545 s
3		AML scenario	4	0	1	3	0.090 s
4		Dedupe scenario	53	0	1	52	0.630 s

Credit feature

FAILED	DURATION - 1 m 46.284 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 86 Pass - 12 Fail - 4 Skip - 70	86
/ 11:55:48.440 AM // 11:57:34.724 AM /					

Lead scenario

FAILED	DURATION - 1 m 22.915 s		Steps Total - 19 Pass - 12 Fail - 1 Skip - 6	19
/ 11:55:48.443 AM // 11:57:11.358 AM /				
Credit feature				
@lms_regression @regression @view_loan_details				

| #	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.371 s
2	And wait 2 sec	PASSED	2.003 s
3	And set location permission to allow	PASSED	0.011 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.113 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.283 s
6	And wait 3 sec	PASSED	3.003 s
7	And click "Sign in"	PASSED	0.294 s
8	And click "Credit" inside span	PASSED	6.487 s
9	And click "Loan Detail" with exact phrase	PASSED	1.392 s
10	And wait 3 sec	PASSED	3.008 s
11	And enter "APP1765870764327" into "Type to search"	PASSED	2.167 s
12	And wait 2 sec	PASSED	2.002 s
13	And click on the element with class "ant-space css-1tbz80h ant-space-horizontal ant-space-align-center ant-space-gap-row-middle ant-space-gap-col-middle" com.microsoft.playwright.TimeoutError: Error { message='Timeout 60000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout	FAILED	1 m 0.014 s

#	Step / Hook Details	Status	Duration

	60000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator(".ant-space css-1tbz80h ant-space-horizontal ant-space-align-center ant-space-gap-row-middle ant-space-gap-col-middle")
	   at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)
	   at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
	   at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
	   at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
	   at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)
	   at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)
	   at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)
	   at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80)
	   at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)
	   at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)
	   at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)
	   at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)
	   at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)
	   at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:33)
	   at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:413)
	   at ?.click on the element with class "ant-space css-1tbz80h ant-space-horizontal ant-space-align-center ant-space-gap-row-middle ant-space-gap-col-middle"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115524/src/test/java/com/nimble/feature/LoanProcessing.feature:18)
	Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 60000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator(".ant-space css-1tbz80h ant-space-horizontal ant-space-align-center ant-space-gap-row-middle ant-space-gap-col-middle")
	   at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)
	   at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)
	   at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)
	   at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
	   at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
	   at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)
	   at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)
	   at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)
	   at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80)
	   at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)
	   at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)		
	at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:33)		
	at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:413)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		

| #	Step / Hook Details	Status	Duration
	at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
14	And click "View Detailed Progress "	SKIPPED	0.004 s
15	And check that screen contains "Application Stages"	SKIPPED	0.004 s
16	And check that screen contains "Lead"	SKIPPED	0.004 s
17	And check that screen contains "Completed"	SKIPPED	0.005 s
18	And click on the element with class "stage_icons"	SKIPPED	0.006 s
19	And wait 2 sec	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) Lead_scenario java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) 	FAILED	0.786 s

Qc scenario

FAILED	DURATION - 22.545 s
/ 11:57:11.397 AM // 11:57:33.942 AM /	
Credit feature	
@lms_regression @regression @view_loan_details	

Steps
Total - 10
Pass - 0
Fail - 1
Skip - 9

10

#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress "	FAILED	22.352 s
	com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/cli/driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115524/src/test/java/com/nimble/feature/LoanProcessing.feature:28) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/cli/driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)		
	at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)		
	at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265)		
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
	* Not displayable characters are replaced by '?'.		
2	And check that screen contains "Application Stages"	SKIPPED	0.006 s
3	And check that screen contains "QC"	SKIPPED	0.006 s
4	And check that screen contains "initiated"	SKIPPED	0.008 s
5	And click "{el:qc-complete}"	SKIPPED	0.004 s
6	And click "{el:select-manager}"	SKIPPED	0.004 s
7	And click "Hema Mahajan (004765)"	SKIPPED	0.006 s
8	And click "OK" with exact phrase	SKIPPED	0.008 s
9	And check that screen contains "Completed"	SKIPPED	0.006 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		

AML scenario

FAILED	DURATION - 0.090 s

/ 11:57:33.972 AM // 11:57:34.062 AM /

Credit feature

@lms_regression @regression @view_loan_details

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress "	FAILED	0.012 s

com.microsoft.playwright.impl.TargetClosedError: Error {   message='Target page, context or browser has been closed   name='TargetClosedError   stack='TargetClosedError: Target page, context or browser has been closed   at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:260:69)   at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/cli/driver.js:53:59)   at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/utils/pipeTransport.js:76:16)   at process.processImmediate (node:internal/timers:504:21) }
    at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)
    at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
    at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
    at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
    at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)
    at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)
    at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326)
    at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)
    at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265)
    at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185)
    at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115524/src/test/java/com/nimble/feature/LoanProcessing.feature:40)
Caused by: com.microsoft.playwright.impl.TargetClosedError: Error {   message='Target page, context or browser has been closed   name='TargetClosedError   stack='TargetClosedError: Target page, context or browser has been closed   at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:260:69)   at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/cli/driver.js:53:59)   at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/utils/pipeTransport.js:76:16)   at process.processImmediate (node:internal/timers:504:21) }
    at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259)
    at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)
    at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)
    at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)		
	at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)		
	at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265)		
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And check that screen contains "Application Stages"	SKIPPED	0.004 s
3	And check that screen contains following AML Completed (Positive)	SKIPPED	0.007 s
4	And click on the 2nd child with class "form_header"	SKIPPED	0.007 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)	FAILED	0.010 s

Dedupe scenario

FAILED	DURATION - 0.630 s
/ 11:57:34.094 AM // 11:57:34.724 AM /	
Credit feature	
@lms_regression @regression @view_loan_details	

Steps
Total - 53
Pass - 0
Fail - 1
Skip - 52

53

#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress "	FAILED	0.008 s

com.microsoft.playwright.impl.TargetClosedError: Error {   message='Target page, context or browser has been closed   name='TargetClosedError   stack='TargetClosedError: Target page, context or browser has been closed   at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:260:69)   at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/cli/driver.js:53:59)   at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/utils/pipeTransport.js:76:16)   at process.processImmediate (node:internal/timers:504:21) }

    at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)
    at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
    at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
    at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
    at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)
    at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)
    at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326)
    at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)
    at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265)
    at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185)
    at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_115524/src/test/java/com/nimble/feature/LoanProcessing.feature:48)
Caused by: com.microsoft.playwright.impl.TargetClosedError: Error {   message='Target page, context or browser has been closed   name='TargetClosedError   stack='TargetClosedError: Target page, context or browser has been closed   at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/dispatchers/dispatcher.js:260:69)   at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/cli/driver.js:53:59)   at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4538207496274483710/package/lib/server/utils/pipeTransport.js:76:16)   at process.processImmediate (node:internal/timers:504:21) }

    at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259)
    at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)
    at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)
    at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)		
	at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)		
	at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:265)		
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:185)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And check that screen contains "Application Stages"	SKIPPED	0.006 s
3	And check that screen contains following Dedupe initiated	SKIPPED	0.007 s
4	And click "{el:forward}"	SKIPPED	0.004 s
5	And click on the element with id as "user"	SKIPPED	0.005 s
6	And click "Swati Singanjude (VIOM)"	SKIPPED	0.004 s
7	And click on the element with id as "reason"	SKIPPED	0.006 s
8	And enter "reason"	SKIPPED	0.004 s
9	And click "Submit"	SKIPPED	0.004 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.005 s
11	And click "{el:profile_element}"	SKIPPED	0.004 s
12	And click "Log Out"	SKIPPED	0.006 s
13	And wait 5 sec	SKIPPED	0.000 s
14	And click "Allow" inside span	SKIPPED	0.005 s
15	And wait 2 sec	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
16	And set location permission to allow	SKIPPED	0.003 s
17	And enter "hema.mahajan@vastuhfc.com" into "Enter your email"	SKIPPED	0.003 s
18	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
19	And wait 3 sec	SKIPPED	0.000 s
20	And click "Sign in"	SKIPPED	0.008 s
21	And click "Credit" inside span	SKIPPED	0.004 s
22	And click "Loan Detail" with exact phrase	SKIPPED	0.005 s
23	And wait 3 sec	SKIPPED	0.000 s
24	And enter "value" into "Type to search"	SKIPPED	0.003 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And click on the element with class "ant-space css-1tbz80h ant-space-horizontal ant-space-align-center ant-space-gap-row-middle ant-space-gap-col-middle"	SKIPPED	0.007 s
27	And check that screen contains "forward"	SKIPPED	0.006 s
28	And click "Forward"	SKIPPED	0.005 s
29	And check that screen contains following Loan Account Number Matched LAN's	SKIPPED	0.004 s
30	And click "Link"	SKIPPED	0.004 s
31	And check that screen contains "Are you sure you want to link lan?"	SKIPPED	0.007 s
32	And click "OK"	SKIPPED	0.005 s
33	And wait 2 sec	SKIPPED	0.000 s
34	And check that screen contains "Linked"	SKIPPED	0.004 s
35	And click "Overall Status"	SKIPPED	0.004 s
36	And click on the 2nd "Overall Status"	SKIPPED	0.005 s
37	And click "positive"	SKIPPED	0.004 s
38	And click "Remark"	SKIPPED	0.005 s
39	And enter "add-remark"	SKIPPED	0.004 s
40	And click "submit"	SKIPPED	0.004 s
41	And switch to main tab	SKIPPED	0.004 s
42	And check that screen contains "completed"	SKIPPED	0.006 s
43	And check that "Completed" is a link	SKIPPED	0.004 s
44	And click on the 2nd child with class "form_header"	SKIPPED	0.005 s
45	And click "{el:profile_element}"	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
46	And click "Log Out"	SKIPPED	0.004 s
47	And click "Allow" inside span	SKIPPED	0.005 s
48	And wait 2 sec	SKIPPED	0.000 s
49	And set location permission to allow	SKIPPED	0.006 s
50	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.005 s
51	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
52	And wait 3 sec	SKIPPED	0.000 s
53	And click "Sign in"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)	FAILED	0.007 s