

# Cucumber Report

Dec 22, 2025, 11:43:34 PM

Start : Dec 22, 11:43:31.765 PM

End : Dec 22, 11:43:34.178 PM

Duration : 2.413 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 2  
FAILED - 1  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>vastu_api feature</u>	2.413 s	1	0	1	0	6	2	1	3

#	Feature Name	Scenario Name
1	<u>vastu_api feature</u>	<u>Auth_token scenario</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@lms_api	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>vastu_api feature</u>	1	0	1	0	2.413 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>vastu_api feature</u>	<u>Auth_token scenario</u>	6	2	1	3	2.410 s

**vastu\_api feature**

<b>FAILED</b>	<b>DURATION - 2.413 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 11:43:31.765 PM // 11:43:34.178 PM /					

**Auth\_token scenario**

<div>FAILED</div> <div>DURATION - 2.410 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 11:43:31.768 PM // 11:43:34.178 PM /</div>				
<div>vastu_api feature</div>				
<div>@lms_api @regression</div>				

#	Step / Hook Details	Status	Duration	
1	And compose a post request to "https://lmsstaging.vastucorp.com/api/v1/userauth/login" with headers	PASSED	0.039 s	
	Content-Type			application/json
	Content-Length			
	Host			
	User-Agent			PostmanRuntime/7.51.0
	Accept			*/*
	Accept-Encoding			gzip, deflate, br
	Connection			keep-alive
2	And with the below JSON request	PASSED	0.027 s	
	{ "email": "gaurav.g@vastuhfc.com", "password": "Vastu@123", "remember": true, "latitude": 10.3022592, "longitude": 76.873728, "time_sheet_event_type": "MTSETNNH" }			

#	Step / Hook Details	Status	Duration
3	<p>And execute and save the response as "api__response"</p> <pre> org.apache.http.client.ClientProtocolException   at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:839)   at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83)   at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:56)   at org.apache.http.client.HttpClient\$execute\$0.call(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148)   at io.restassured.internal.RequestSpecificationImpl\$RestAssuredHttpBuilder.doRequest(RequestSpecificationImpl.groovy:2072)   at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:350)   at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148)   at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1183)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:566)   at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)   at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)   at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)   at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)   at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)   at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)   at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)   at io.restassured.filter.Filter\$filter.call(Unknown Source)   at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)   at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)   at io.restassured.filter.Filter\$filter.call(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:157) </pre>	FAILED	1.259 s



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1672) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:177) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at com.nimble.utils.ApiClient.callRestfulAPI(ApiClient.java:68) at com.nimble.stepDefinitions.ApiSteps.saveTheResponse(ApiSteps.java:101)		

#	Step / Hook Details	Status	Duration
	<p>at ?.execute and save the response as "api__response"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1766396917199/test-suite-1765783670576/execution_20251222_234309/src/test/java/com/nimble/feature/loanProcessing_api.feature:24)</p> <p>Caused by: org.apache.http.ProtocolException: Content-Length header already present</p> <p>at org.apache.http.protocol.RequestContent.process(RequestContent.java:97)</p> <p>at org.apache.http.protocol.ImmutableHttpProcessor.process(ImmutableHttpProcessor.java:133)</p> <p>at org.apache.http.protocol.HttpRequestExecutor.preProcess(HttpRequestExecutor.java:167)</p> <p>at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:479)</p> <p>at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835)</p> <p>at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83)</p> <p>at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:56)</p> <p>at org.apache.http.client.HttpClient\$execute\$0.call(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148)</p> <p>at io.restassured.internal.RequestSpecificationImpl\$RestAssuredHttpBuilder.doRequest(RequestSpecificationImpl.groovy:2072)</p> <p>at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:350)</p> <p>at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148)</p> <p>at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1183)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)</p> <p>at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)</p> <p>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)</p> <p>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)</p> <p>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)</p> <p>at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)</p> <p>at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)</p> <p>at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)</p> <p>at io.restassured.filter.Filter\$filter.call(Unknown Source)</p> <p>at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)</p> <p>at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)</p>		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:157) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1672) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:177) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at com.nimble.utils.ApiClient.callRestfulAPI(ApiClient.java:68) at com.nimble.stepDefinitions.ApiSteps.saveTheResponse(ApiSteps.java:101) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And check that response {api__response} has "200" as status code	SKIPPED	0.020 s
5	And read value from "access" and save it as "token"	SKIPPED	0.015 s
6	And check that API response {api__response} contains "{token}" at "\$.data.access"	SKIPPED	0.021 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.016 s
	<pre> java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) </pre>		