

Cucumber Report

10 Oct 2025, 14:41:40

Start : Oct 10, 2:40:45.386 pm

End : Oct 10, 2:41:39.936 pm

Duration : 54.550 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 35




| Feature | | Scenario | | | | Step | | | |
|----------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>login feature</u> | 54.550 s | 1 | 0 | 1 | 0 | 44 | 8 | 1 | 35 |

| # | Feature Name | Scenario Name |
|---|----------------------|-------------------------------|
| 1 | <u>login feature</u> | <u>Unhappy login scenario</u> |

| <i>TAG</i> | <i>Scenario</i> | | | | <i>Feature</i> | | | |
|--------------------|------------------------|-----------------|-----------------|-----------------|-----------------------|-----------------|-----------------|-----------------|
| <i>Name</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @smoke | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|----------------------|---|---|---|---|----------|
| 1 | <u>login feature</u> | 1 | 0 | 1 | 0 | 54.550 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------|-------------------------------|----|---|---|----|----------|
| 1 | <u>login feature</u> | <u>Unhappy login scenario</u> | 44 | 8 | 1 | 35 | 54.547 s |

login feature

| | | | | | |
|--------------------------------------|---------------------|--|---|--|---|
| FAILED | DURATION - 54.550 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 44 Pass - 8 Fail - 1 Skip - 35 |  |
| / 2:40:45.386 pm // 2:41:39.936 pm / | | | | | |
| | | | | | |

Unhappy login scenario

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 54.547 s</div> | |  | <div>Steps</div> <div>Total - 44</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 35</div> |  |
| / 2:40:45.389 pm // 2:41:39.936 pm / | | | | |
| login feature | | | | |
| @smoke @regression | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When hover over "Login" | PASSED | 1.258 s |
| 2 | And click "MYSINGLIFE" | PASSED | 0.741 s |
| 3 | And wait 8 sec | PASSED | 8.005 s |
| 4 | And switch to last opened tab | PASSED | 0.015 s |
| 5 | And wait for "Hello there" | PASSED | 0.037 s |
| 6 | And wait 10 secs | PASSED | 10.001 s |
| 7 | And click "{el:LoginWithEmail}" | PASSED | 2.016 s |
| 8 | And wait 2 sec | PASSED | 2.002 s |
| 9 | And click on the element with id as "input28" | FAILED | 30.061 s |
| | com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-530744091635848365/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-530744091635848365/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-530744091635848365/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("#input28").first() - - locator resolved to <input value="" type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 100ms - 14 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:96) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:85) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:287) at ?.click on the element with id as "input28"(file:///Users/ amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1752403830282/execution_20251010_144033/src/test/java/com/nimble/feature/login.feature:13)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1m vb0tn11c189gl2trbspnp00000gn/T/playwright-java-530744091635848365/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1m vb0tn11c189gl2trbspnp00000gn/T/playwright-java-530744091635848365/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1m vb0tn11c189gl2trbspnp00000gn/T/playwright-java-530744091635848365/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("#input28").first() - - locator resolved to <input value="" type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 100ms -</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>14 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:96) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:85) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:287) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'. | | |
| 10 | And enter "Test123" | SKIPPED | 0.002 s |
| 11 | And click on the element with id as "input36" | SKIPPED | 0.001 s |
| 12 | And enter "Test123" | SKIPPED | 0.001 s |
| 13 | And click "Sign in" | SKIPPED | 0.001 s |
| 14 | And wait 2 sec | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 15 | And check that screen contains "Incorrect username or password." | SKIPPED | 0.002 s |
| 16 | And check that screen contains "Please try again!" | SKIPPED | 0.001 s |
| 17 | And click "Help" | SKIPPED | 0.001 s |
| 18 | And wait 2 sec | SKIPPED | 0.000 s |
| 19 | And switch to last opened tab | SKIPPED | 0.003 s |
| 20 | And click "I can't login to MySinglife portal using Singpass. What should I do?" | SKIPPED | 0.002 s |
| 21 | And wait 2 sec | SKIPPED | 0.000 s |
| 22 | And click on the 1st "here" inside a with exact phrase | SKIPPED | 0.001 s |
| 23 | And wait 5 sec | SKIPPED | 0.000 s |
| 24 | And scroll down until screen contains "Your feedback matters" with exact phrase | SKIPPED | 0.001 s |
| 25 | And click "Lodge a complaint" | SKIPPED | 0.001 s |
| 26 | And wait 5 sec | SKIPPED | 0.000 s |
| 27 | And wait for "Salutation" with exact phrase | SKIPPED | 0.000 s |
| 28 | And scroll down until screen contains "Salutation" with exact phrase | SKIPPED | 0.001 s |
| 29 | And click "Please select..." with exact phrase | SKIPPED | 0.001 s |
| 30 | And click "Mr" | SKIPPED | 0.001 s |
| 31 | And click on the element with id as "firstName" | SKIPPED | 0.001 s |
| 32 | And enter "firstName" | SKIPPED | 0.001 s |
| 33 | And click on the element with id as "surname" | SKIPPED | 0.001 s |
| 34 | And enter "surname" | SKIPPED | 0.001 s |
| 35 | And click on the element with id as "email" | SKIPPED | 0.001 s |
| 36 | And enter "email@test.com" | SKIPPED | 0.002 s |
| 37 | And click on the element with id as "phoneNumber" | SKIPPED | 0.001 s |
| 38 | And enter "98765432" | SKIPPED | 0.001 s |
| 39 | And click on the element with id as "nationalIdentifier" | SKIPPED | 0.001 s |
| 40 | And enter "121" | SKIPPED | 0.001 s |
| 41 | And click "I have read and agree to the terms and conditions above. " | SKIPPED | 0.001 s |
| 42 | And click "Submit" | SKIPPED | 0.001 s |
| 43 | And check that screen contains "We're sorry our service standard has fallen short of your expectations, or members of our team have not handled your concerns to your satisfaction." | SKIPPED | 0.001 s |
| 44 | And wait 5 secs | SKIPPED | 0.000 s |
| | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.348 s |
| | Unhappy_login_scenario | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202) | | |
| |  | | |