

# Cucumber Report

10 Oct 2025, 14:38:25

Start : Oct 10, 2:37:04.946 pm

End : Oct 10, 2:38:24.025 pm

Duration : 1 m 19.079 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 9  
FAILED - 1  
SKIPPED - 35




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>login feature</u>	1 m 19.079 s	1	0	1	0	45	9	1	35

#	Feature Name	Scenario Name
1	<u>login feature</u>	<u>Unhappy login scenario</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>login feature</u>	1	0	1	0	1 m 19.079 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>login feature</u>	<u>Unhappy login scenario</u>	45	9	1	35	1 m 19.078 s

## login feature

<b>FAILED</b>	DURATION - 1 m 19.079 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 45 Pass - 9 Fail - 1 Skip - 35	
/ 2:37:04.946 pm // 2:38:24.025 pm /					

## Unhappy login scenario

FAILED	DURATION - 1 m 19.078 s		Steps Total - 45 Pass - 9 Fail - 1 Skip - 35	
/ 2:37:04.947 pm // 2:38:24.025 pm /				
login feature				
@smoke @regression				

#	Step / Hook Details	Status	Duration
1	When hover over "Login"	PASSED	25.088 s
2	And click "MYSINGLIFE"	PASSED	1.282 s
3	And wait 8 sec	PASSED	8.002 s
4	And switch to last opened tab	PASSED	0.016 s
5	And wait for "Hello there"	PASSED	0.040 s
6	And wait 10 secs	PASSED	10.016 s
7	And wait for "Log in with email"	PASSED	0.027 s
8	And click "{el:LoginWithEmail}"	PASSED	2.183 s
9	And wait 2 sec	PASSED	2.002 s
10	And click on the element with id as "input28"	FAILED	30.034 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-5487983739142787950/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-5487983739142787950/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-5487983739142787950/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("#input28").first() - - locator resolved to <input value=""		

#	Step / Hook Details	Status	Duration
	<p>type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/&gt; - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 20ms -</p> <p>- waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - 2 × retrying click action - - waiting 100ms -</p> <p>- waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - 14 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 500ms -</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)</p> <p>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)</p> <p>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)</p> <p>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)</p> <p>at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)</p> <p>at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)</p> <p>at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)</p> <p>at com.microsoft.playwright.Locator.click(Locator.java:2500)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:96)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:85)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:287)</p> <p>at ?.click on the element with id as "input28"(file:///Users/ amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1752403830282/execution_20251010_143652/src/test/java/com/nimble/feature/login.feature:14)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message="Timeout 30000ms exceeded. name="TimeoutError stack="TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-5487983739142787950/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-5487983739142787950/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-5487983739142787950/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("#input28").first() - - locator resolved to &lt;input value="" type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/&gt; - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 20ms -</p> <p>- waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling -</p> <p>- &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - 2 × retrying click action - - waiting 100ms -</p> <p>- waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view</p>		



#	Step / Hook Details	Status	Duration
	<p>if needed - - done scrolling - - &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - 14 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;div class="separation-line"&gt;...&lt;/div&gt; from &lt;div class="o-form-button-bar"&gt;...&lt;/div&gt; subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - &lt;button type="button" class="email-login"&gt;Log in with email&lt;/button&gt; intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)  at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)  at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)  at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)  at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)  at com.microsoft.playwright.Locator.click(Locator.java:2500)  at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:96)  at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:85)  at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:287)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:95)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
11	And enter "Test123"	SKIPPED	0.002 s
12	And click on the element with id as "input36"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
13	And enter "Test123"	SKIPPED	0.001 s
14	And click "Sign in"	SKIPPED	0.002 s
15	And wait 2 sec	SKIPPED	0.000 s
16	And check that screen contains "Incorrect username or password."	SKIPPED	0.001 s
17	And check that screen contains "Please try again!"	SKIPPED	0.001 s
18	And click "Help"	SKIPPED	0.000 s
19	And wait 2 sec	SKIPPED	0.000 s
20	And switch to last opened tab	SKIPPED	0.001 s
21	And click "I can't login to MySinglife portal using Singpass. What should I do?"	SKIPPED	0.001 s
22	And wait 2 sec	SKIPPED	0.000 s
23	And click on the 1st "here" inside a with exact phrase	SKIPPED	0.001 s
24	And wait 5 sec	SKIPPED	0.000 s
25	And scroll down until screen contains "Your feedback matters" with exact phrase	SKIPPED	0.001 s
26	And click "Lodge a complaint"	SKIPPED	0.001 s
27	And wait 5 sec	SKIPPED	0.000 s
28	And wait for "Salutation" with exact phrase	SKIPPED	0.000 s
29	And scroll down until screen contains "Salutation" with exact phrase	SKIPPED	0.001 s
30	And click "Please select..." with exact phrase	SKIPPED	0.001 s
31	And click "Mr"	SKIPPED	0.002 s
32	And click on the element with id as "firstName"	SKIPPED	0.001 s
33	And enter "firstName"	SKIPPED	0.001 s
34	And click on the element with id as "surname"	SKIPPED	0.000 s
35	And enter "surname"	SKIPPED	0.001 s
36	And click on the element with id as "email"	SKIPPED	0.001 s
37	And enter "email@test.com"	SKIPPED	0.001 s
38	And click on the element with id as "phoneNumber"	SKIPPED	0.001 s
39	And enter "98765432"	SKIPPED	0.001 s
40	And click on the element with id as "nationalIdentifier"	SKIPPED	0.001 s
41	And enter "121"	SKIPPED	0.001 s
42	And click "I have read and agree to the terms and conditions above. "	SKIPPED	0.000 s
43	And click "Submit"	SKIPPED	0.000 s
44	And check that screen contains "We're sorry our service standard has fallen short of your expectations, or members of our team have not handled your concerns to your satisfaction."	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
45	And wait 5 secs	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.335 s
	Unhappy_login_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)		
	