

# Cucumber Report

05-Jan-2026, 12:29:04 PM

**Start : Jan 05, 12:26:47.199 PM**

**End : Jan 05, 12:29:01.456 PM**

**Duration : 2 m 14.257 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 1**

**SKIPPED - 0**

**PASSED - 23**

**FAILED - 1**


**SKIPPED - 6**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	2 m 14.257 s	1	0	1	0	30	23	1	6

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Dedupe</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@regression	1	0	1	0	1	0	1	0
@dedupetest	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	1	0	1	0	2 m 14.257 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Dedupe</u>	30	23	1	6	2 m 14.248 s

## Credit feature

FAILED	DURATION - 2 m 14.257 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 30 Pass - 23 Fail - 1 Skip - 6	
/ 12:26:47.199 PM // 12:29:01.456 PM /					

## Dedupe

FAILED	DURATION - 2 m 14.248 s		Steps Total - 30 Pass - 23 Fail - 1 Skip - 6	
/ 12:26:47.208 PM // 12:29:01.456 PM /				
Credit feature				
@regression @dedupetest @loan_details				

#	Step / Hook Details	Status	Duration
1	And enter "farheen.ansari@vastuhfc.com" into "Enter your email"	PASSED	0.233 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.313 s
3	And wait 3 sec	PASSED	3.004 s
4	And click "Sign in"	PASSED	0.252 s
5	And click "Credit" inside span	PASSED	6.258 s
6	And click "Loan Detail" with exact phrase	PASSED	1.038 s
7	And wait 3 sec	PASSED	3.002 s
8	And enter "APP1766128675338" into "Type to search"	PASSED	1.325 s
9	And wait 2 sec	PASSED	2.002 s
10	And click on the element with class "view_button_loan_list"	PASSED	0.874 s
11	And wait 2 sec	PASSED	2.002 s
12	And switch to last opened tab	PASSED	0.006 s
13	And click "View Detailed Progress "	PASSED	1.614 s
14	And check that screen contains "Application Stages"	PASSED	1.883 s
15	And check that screen contains "Initiated"	PASSED	2.227 s

#	Step / Hook Details	Status	Duration
16	And wait 2 sec	PASSED	2.002 s
17	And click "Initiated"	PASSED	0.563 s
18	And switch to last opened tab	PASSED	0.031 s
19	And wait 10 sec	PASSED	10.005 s
20	And check that screen contains "Loan Account Number"	PASSED	0.521 s
21	And wait 3 sec	PASSED	3.002 s
22	And click "{el:OverallStatus}"	PASSED	56.944 s
23	And wait 2 sec	PASSED	2.001 s
24	And click on the 1st child with class "tab_form_sub_edit_dedupe"	FAILED	30.013 s
<p>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-15164017640624565685/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-15164017640624565685/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-15164017640624565685/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("text=null").first() to be visible</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)  at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)  at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625)  at com.microsoft.playwright.Locator.waitFor(Locator.java:5418)  at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:456)  at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:322)  at ?.click on the 1st child with class "tab_form_sub_edit_dedupe"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1767091758999/test-suite-1765783670576/execution_20260105_122618/src/test/java/com/nimble/feature/loanPorcessing.feature:113)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-15164017640624565685/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-15164017640624565685/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-15164017640624565685/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("text=null").first() to be visible</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)  at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)  at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)  at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625)</p>			

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.Locator.waitFor(Locator.java:5418) at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:456) at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:322) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
25	And click on the element with id as "status"	SKIPPED	0.005 s
26	And click on the 4th "Positive"	SKIPPED	0.004 s
27	And click on the element with id as "remark"	SKIPPED	0.007 s
28	And enter "testing"	SKIPPED	0.006 s
29	And click "Submit"	SKIPPED	0.006 s
30	And Wait 5 sec	SKIPPED	0.005 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	1.799 s
	Dedupe		
	<pre> java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) </pre>		
	