

Cucumber Report

26-Dec-2025, 1:47:58 PM

Start : Dec 26, 1:46:50.196 PM

End : Dec 26, 1:47:57.092 PM

Duration : 1 m 6.896 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 40




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 6.896 s	1	0	1	0	47	6	1	40

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Rcu scenario</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@rcu	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	1	0	1	0	1 m 6.896 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Rcu scenario</u>	47	6	1	40	1 m 6.892 s

Credit feature

FAILED	DURATION - 1 m 6.896 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 47 Pass - 6 Fail - 1 Skip - 40	
/ 1:46:50.196 PM // 1:47:57.092 PM /					

Rcu scenario

<div>FAILED</div>	<div>DURATION - 1 m 6.892 s</div>	<div></div>	<div>Steps</div> <div>Total - 47</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 40</div>	<div></div>
<div>/ 1:46:50.200 PM // 1:47:57.092 PM /</div>				
<div>Credit feature</div>				
<div>@rcu @regression @loan_details</div>				

#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.300 s
2	And wait 2 sec	PASSED	2.002 s
3	And set location permission to allow	PASSED	0.011 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.081 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.093 s
6	And wait 3 sec	PASSED	3.001 s
7	And click "Sign in"	FAILED	1 m 0.141 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 60000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1891193230943723077/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1891193230943723077/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1891193230943723077/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'Sign in') or contains(@aria-label, 'Sign in') or contains(@title, 'Sign in') or contains(@value, 'Sign in') or contains(@placeholder, 'Sign in') or contains(@alt, 'Sign in') or contains(@name, 'Sign in') or contains(@class, 'Sign in') or (@aria-labelledby and contains(., 'Sign in'))] //label[contains(normalize-space(text()), 'Sign in')] //*[@id=//label[contains(normalize-space(text()), 'Sign in')]/@for]").first() - - locator resolved to Sign in - - attempting click action - 2 x waiting for element to be visible, enabled and stable - - element is not		

#	Step / Hook Details	Status	Duration
	<p>enabled - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 100ms - 116 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at ?.click "Sign in"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1766569826551/test-suite-1765783670576/execution_20251226_134626/src/test/java/com/nimble/feature/loanPorcessing.feature:12)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message="Timeout 60000ms exceeded. name="TimeoutError stack="TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1891193230943723077/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1891193230943723077/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1891193230943723077/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'Sign in') or contains(@aria-label, 'Sign in') or contains(@title, 'Sign in') or contains(@value, 'Sign in') or contains(@placeholder, 'Sign in') or contains(@alt, 'Sign in') or contains(@name, 'Sign in') or contains(@class, 'Sign in') or (@aria-labelledby and contains(., 'Sign in'))] //label[contains(normalize-space(text()), 'Sign in')] //*[@id=//label[contains(normalize-space(text()), 'Sign in')]/@for]").first() - - locator resolved to Sign in - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 100ms - 116 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:178) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
8	And click "Credit" inside span	SKIPPED	0.004 s
9	And click "Loan Detail" with exact phrase	SKIPPED	0.003 s
10	And wait 3 sec	SKIPPED	0.001 s
11	And enter "APP1762944190784" into "Type to search"	SKIPPED	0.005 s
12	And wait 2 sec	SKIPPED	0.000 s
13	And click on the element with class "view_button_loan_list"	SKIPPED	0.004 s
14	And wait 2 sec	SKIPPED	0.000 s
15	And switch to last opened tab	SKIPPED	0.004 s
16	And click on the element with id as "rc_select_0"	SKIPPED	0.004 s
17	And wait 2 sec	SKIPPED	0.000 s
18	And click on the 1st "RCU" inside div with class "ant-select-item-option-content" with exact phrase	SKIPPED	0.004 s
19	And click on the element with class "go_button_div"	SKIPPED	0.004 s
20	And check that screen contains "Attach Application Form"	SKIPPED	0.004 s
21	And click on the element with id as "check_type"	SKIPPED	0.004 s
22	And click "Internal"	SKIPPED	0.004 s
23	And check that screen contains "Internal RCU Manager"	SKIPPED	0.004 s
24	And click on the element with id as "user"	SKIPPED	0.004 s
25	And click "jeeevan patil (456666)"	SKIPPED	0.004 s
26	And click on the element with id as "type_of_check"	SKIPPED	0.004 s
27	And wait 5 sec	SKIPPED	0.000 s
28	And click on the 1st "Documents" inside div with class "ant-select-item-option-content" with exact phrase	SKIPPED	0.004 s
29	And wait 3 sec	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
30	And click on the element with id as "dropdown_8405"	SKIPPED	0.004 s
31	And click "Sampled"	SKIPPED	0.005 s
32	And click on the element with id as "add_cc"	SKIPPED	0.004 s
33	And type "farheen.ansari@vastuhfc.com"	SKIPPED	0.004 s
34	And wait 3 sec	SKIPPED	0.000 s
35	And click "Please Enter Remark"	SKIPPED	0.004 s
36	And enter "Doing for the testing purpose" into "Please Enter Remark"	SKIPPED	0.005 s
37	And click on the element with class "ant-checkbox-input" at index 3	SKIPPED	0.004 s
38	And click on the element with id as "document_category"	SKIPPED	0.004 s
39	And click on the 1st "RCU" inside div with class "ant-select-item-option-content" with exact phrase	SKIPPED	0.003 s
40	And check that screen contains "Document Type"	SKIPPED	0.007 s
41	And click on the element with id as "document_type"	SKIPPED	0.003 s
42	And click "Rcu Doc"	SKIPPED	0.004 s
43	And wait 2 sec	SKIPPED	0.000 s
44	And upload file "/Users/mac/Desktop/NewDoc.png" to "input[id='document_path']"	SKIPPED	0.004 s
45	And wait 10 sec	SKIPPED	0.001 s
46	And click on the 2nd "Initiate" inside span	SKIPPED	0.004 s
47	And wait 3 sec	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.302 s
	Rcu_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
	