Cucumber Report

| Start : Sep 23, 4:23:54.540 PM	End : Sep 23, 4:31:31.950 PM	Duration : 7 m 37.410 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 1

1

1

11

Pass %
0 %

Pass %
0 %

Pass %
81 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
New feature	7 m 37.410 s	1	0	1	0	11	9	1	1

#	Feature Name	Scenario Name
1	New feature	First scenario

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@regression	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	New feature	1	0	1	0	7 m 37.410 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	New feature	First scenario	11	9	1	1	7 m 37.405 s

New feature

FAILED	DURATION - 7 m 37.410 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 9 Fail - 1 Skip - 1	
/ 4:23:54.540 PM // 4:31:31.950 PM /			1		11

First scenario

FAILED	DURATION - 7 m 37.405 s		Steps Total - 11 Pass - 9 Fail - 1 Skip - 1	
/ 4:23:54.545 PM // 4:31:31.950 PM /				11
New feature				
@regression				

#	Step / Hook Details	Status	Duration
1	And enter "user_4650@vastuhfc.com" into "Email"	PASSED	0.153 s
2	And enter "123456" into "Password"	PASSED	0.062 s
3	And click on the 2nd "Login"	PASSED	0.188 s
4	And wait 2 sec	PASSED	2.005 s
5	And click "View"	PASSED	0.799 s
6	And wait 5 sec	PASSED	5.001 s
7	And switch to last opened tab	PASSED	2.236 s
8	And wait 1 sec	PASSED	1.013 s
9	And check that screen contains "Application Details"	PASSED	3 m 22.983 s
10	And click "Basic"	FAILED	2 m 44.491 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\AMITGU~1\AppData\Local\Temp\playwright-java-1708707136612000112\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\AMITGU~1\AppData\Local\Temp\playwright-java-1708707136612000112\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\AMITGU~1\AppData\Local\Temp\playwright-java-1708707136612000112\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-		

#	Step / Hook Details	Status	Duration
	space(text()), 'Basic') or contains(@aria-label, 'Basic') or contains(@title, 'Basic') or contains(@value, 'Basic') or contains(@placeholder, 'Basic') or contains(@alt, 'Basic') or contains(@name, 'Basic') or contains(@class, 'Basic') or (@aria-labelledby and contains(., 'Basic'))]	//label[contains(normalize-space(text()), 'Basic')]	//*[@id=//label[contains(normalize-space(text()), 'Basic')]/@for]").nth(2)		
	at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)		
	at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)		
	at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)		
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)		
	at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)		
	at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80)		
	at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)		
	at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)		
	at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:136)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)		
	at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:212)		
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:160)		
	at ?.click "Basic"(file:///C:/Users/amitgupta/Downloads/viom-studio/test_suite_repositories/sample-test-suites-repo-1758637527669/test-suite-1758477660315/execution_20250923_162337/src/test/java/com/nimble/feature/1.feature:14)		
	Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\AMITGU~1\AppData\Local\Temp\playwright-java-1708707136612000112\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\AMITGU~1\AppData\Local\Temp\playwright-java-1708707136612000112\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\AMITGU~1\AppData\Local\Temp\playwright-java-1708707136612000112\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Basic') or contains(@aria-label, 'Basic') or contains(@title, 'Basic') or contains(@value, 'Basic') or contains(@placeholder, 'Basic') or contains(@alt, 'Basic') or contains(@name, 'Basic') or contains(@class, 'Basic') or (@aria-labelledby and contains(., 'Basic'))]	//label[contains(normalize-space(text()), 'Basic')]	//*[@id=//label[contains(normalize-space(text()), 'Basic')]/@for]").nth(2)		
	at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)		
	at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)		
	at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)		
	at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)		
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)		
	at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)		
	at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80)		
	at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)		
	at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:136)		
	at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)		
	at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:212)		
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:160)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
11	And check that screen contains "Tenure Requested (In months - Max: 240)"	SKIPPED	0.028 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)	FAILED	1 m 18.371 s