Cucumber Report

| Start : Sep 26, 9:42:13.777 am	End : Sep 26, 9:42:16.888 am	Duration : 3.111 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 42
1	1	44
0 %	0 %	2 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
login feature	*3.111 s*	*1*	*0*	*1*	*0*	*44*	*1*	*1*	*42*

#	*Feature Name*	*Scenario Name*
1	*login feature*	*Unhappy login scenario*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@unhappy-login	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	login feature	1	0	1	0	3.111 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*login feature*	*Unhappy login scenario*	*44*	*1*	*1*	*42*	*3.109 s*

login feature

FAILED	DURATION - 3.111 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 44 Pass - 1 Fail - 1 Skip - 42	44
/ 9:42:13.777 am // 9:42:16.888 am /					

Unhappy login scenario

FAILED	DURATION - 3.109 s		Steps Total - 44 Pass - 1 Fail - 1 Skip - 42	44
/ 9:42:13.779 am // 9:42:16.888 am /				
login feature				
@unhappy-login				

#	Step / Hook Details	Status	Duration
1	When hover over "Login"	PASSED	0.847 s
2	And click "MYSINGLIFE"	FAILED	2.201 s

	com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/hy/1mvb0tn11c189gl2trbspnp00000gn/T/playwright-java-16192173540120939565/package/lib/server/dispatchers/dispatcher.js:340:15) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'MYSINGLIFE') or contains(@aria-label, 'MYSINGLIFE') or contains(@title, 'MYSINGLIFE') or contains(@value, 'MYSINGLIFE') or contains(@placeholder, 'MYSINGLIFE') or contains(@alt, 'MYSINGLIFE') or contains(@name, 'MYSINGLIFE') or contains(@class, 'MYSINGLIFE') or (@aria-labelledby and contains(., 'MYSINGLIFE'))] | //label[contains(normalize-space(text()), 'MYSINGLIFE')] | //*[@id=//label[contains(normalize-space(text()), 'MYSINGLIFE')]/@for]").first() - - locator resolved to MYSINGLIFE? - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 100ms - 3 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 500ms
	
	   at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)
	   at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
	   at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
	   at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
	   at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)		
	at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)		
	at com.microsoft.playwright.Locator.click(Locator.java:2500)		
	at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:70)		
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:161)		
	at ?.click "MYSINGLIFE"(file:///Users/amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1758699308415/test-suite-1752403830282/execution_20250926_094201/src/test/java/com/nimble/feature/login.feature:6)		
	Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/hy/1mvb0tn11c189gl2trbspnp00000gn/T/playwright-java-16192173540120939565/package/lib/server/dispatchers/dispatcher.js:340:15) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'MYSINGLIFE') or contains(@aria-label, 'MYSINGLIFE') or contains(@title, 'MYSINGLIFE') or contains(@value, 'MYSINGLIFE') or contains(@placeholder, 'MYSINGLIFE') or contains(@alt, 'MYSINGLIFE') or contains(@name, 'MYSINGLIFE') or contains(@class, 'MYSINGLIFE') or (@aria-labelledby and contains(., 'MYSINGLIFE'))]	//label[contains(normalize-space(text()), 'MYSINGLIFE')]	//*[@id=//label[contains(normalize-space(text()), 'MYSINGLIFE')]/@for]").first() - - locator resolved to MYSINGLIFE? - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 100ms - 3 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 500ms		
	at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259)		
	at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)		
	at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)		
	at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)		
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)		
	at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)		
	at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)		
	at com.microsoft.playwright.Locator.click(Locator.java:2500)		
	at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:70)		
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:161)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
3	And wait 8 sec	SKIPPED	0.000 s
4	And switch to last opened tab	SKIPPED	0.001 s
5	And wait for "Hello there"	SKIPPED	0.001 s
6	And wait for "Log in with email"	SKIPPED	0.000 s
7	And click "Log in with email"	SKIPPED	0.001 s
8	And wait 2 sec	SKIPPED	0.000 s
9	And click on the element with id as "input28"	SKIPPED	0.002 s
10	And enter "Test123"	SKIPPED	0.002 s
11	And click on the element with id as "input36"	SKIPPED	0.001 s
12	And enter "Test123"	SKIPPED	0.003 s
13	And click "Sign in"	SKIPPED	0.002 s
14	And wait 2 sec	SKIPPED	0.000 s
15	And check that screen contains "Incorrect username or password."	SKIPPED	0.002 s
16	And check that screen contains "Please try again!"	SKIPPED	0.002 s
17	And click "Help"	SKIPPED	0.001 s
18	And wait 2 sec	SKIPPED	0.000 s
19	And switch to last opened tab	SKIPPED	0.001 s
20	And click "I can't login to MySinglife portal using Singpass. What should I do?"	SKIPPED	0.001 s
21	And wait 2 sec	SKIPPED	0.000 s
22	And click on the 1st "here" inside a with exact phrase	SKIPPED	0.001 s
23	And wait 5 sec	SKIPPED	0.000 s
24	And scroll down until screen contains "Your feedback matters" with exact phrase	SKIPPED	0.001 s
25	And click "Lodge a complaint"	SKIPPED	0.000 s
26	And wait 5 sec	SKIPPED	0.000 s
27	And wait for "Salutation" with exact phrase	SKIPPED	0.000 s
28	And scroll down until screen contains "Salutation" with exact phrase	SKIPPED	0.001 s
29	And click "Please select..." with exact phrase	SKIPPED	0.000 s
30	And click "Mr"	SKIPPED	0.001 s
31	And click on the element with id as "firstName"	SKIPPED	0.002 s
32	And enter "firstName"	SKIPPED	0.001 s
33	And click on the element with id as "surname"	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
34	And enter "surname"	SKIPPED	0.001 s
35	And click on the element with id as "email"	SKIPPED	0.001 s
36	And enter "email@test.com"	SKIPPED	0.001 s
37	And click on the element with id as "phoneNumber"	SKIPPED	0.001 s
38	And enter "98765432"	SKIPPED	0.000 s
39	And click on the element with id as "nationalIdentifier"	SKIPPED	0.001 s
40	And enter "121"	SKIPPED	0.001 s
41	And click "I have read and agree to the terms and conditions above. "	SKIPPED	0.002 s
42	And click "Submit"	SKIPPED	0.001 s
43	And check that screen contains "We're sorry our service standard has fallen short of your expectations, or members of our team have not handled your concerns to your satisfaction."	SKIPPED	0.002 s
44	And wait 5 secs	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)		