

Cucumber Report

19-Dec-2025, 9:10:07 PM

Start : Dec 19, 9:08:44.553 PM

End : Dec 19, 9:10:06.507 PM

Duration : 1 m 21.954 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 31
FAILED - 1
SKIPPED - 21




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 21.954 s	1	0	1	0	53	31	1	21

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Dedupe</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@regression	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	1	0	1	0	1 m 21.954 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Dedupe</u>	53	31	1	21	1 m 21.952 s

Credit feature

FAILED	DURATION - 1 m 21.954 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 53 Pass - 31 Fail - 1 Skip - 21	
/ 9:08:44.553 PM // 9:10:06.507 PM /					

Dedupe

FAILED		DURATION - 1 m 21.952 s			Steps Total - 53 Pass - 31 Fail - 1 Skip - 21	
/ 9:08:44.555 PM // 9:10:06.507 PM /						
Credit feature						
@regression @loan_details @sanity						

#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.256 s
2	And wait 2 sec	PASSED	2.003 s
3	And set location permission to allow	PASSED	0.011 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.073 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.090 s
6	And wait 3 sec	PASSED	3.001 s
7	And click "Sign in"	PASSED	8.796 s
8	And click "Credit" inside span	PASSED	5.703 s
9	And click "Loan Detail" with exact phrase	PASSED	0.642 s
10	And wait 3 sec	PASSED	3.002 s
11	And enter "APP1766050944138" into "Type to search"	PASSED	0.129 s
12	And wait 2 sec	PASSED	2.002 s
13	And click on the element with class "view_button_loan_list"	PASSED	0.148 s
14	And wait 2 sec	PASSED	2.001 s
15	And switch to last opened tab	PASSED	0.006 s

#	Step / Hook Details	Status	Duration
16	And click on the element with class "dropdown_img"	PASSED	0.126 s
17	And click "Log Out"	PASSED	0.387 s
18	And wait 5 sec	PASSED	5.002 s
19	And enter "farheen.ansari@vastuhfc.com" into "Enter your email"	PASSED	0.090 s
20	And enter "Vastu@123" into "Enter your password"	PASSED	0.134 s
21	And wait 3 sec	PASSED	3.002 s
22	And click "Sign in"	PASSED	0.165 s
23	And wait 3 sec	PASSED	3.002 s
24	And click "View Detailed Progress "	PASSED	3.143 s
25	And check that screen contains "Application Stages"	PASSED	0.341 s
26	And check that screen contains "Forward"	PASSED	1.029 s
27	And click "Forward"	PASSED	0.428 s
28	And switch to last opened tab	PASSED	0.005 s
29	And wait 3 sec	PASSED	3.003 s
30	And check that screen contains "Loan Account Number"	PASSED	0.212 s
31	And wait 3 sec	PASSED	3.001 s
32	And click on the 3rd child with class "ant-tabs-tab" with attr "role" value "tab"	FAILED	30.020 s
	<div>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1383130706242538275/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1383130706242538275/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1383130706242538275/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("xpath=child::*[contains(@class, 'ant-tabs-tab')][@role='tab']") to be visible at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625) at com.microsoft.playwright.Locator.waitFor(Locator.java:5418) at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:483) at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:330) at ?.click on the 3rd child with class "ant-tabs-tab" with attr "role" value "tab"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251219_210826/src/test/java/com/nimble/feature/LoanProcessing.feature:94) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/</div>		

#	Step / Hook Details	Status	Duration
	<p>playwright-java-1383130706242538275/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1383130706242538275/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-1383130706242538275/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("xpath=child::*[contains(@class,'ant-tabs-tab')][@role='tab']") to be visible</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:625) at com.microsoft.playwright.Locator.waitFor(Locator.java:5418) at com.nimble.interactors.WebAppInteractor.getRelativeElement(WebAppInteractor.java:483) at com.nimble.stepDefinitions.UserActionSteps.clickRelativeToElementExtended(UserActionSteps.java:330) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
33	And check that screen contains "Overall Status"	SKIPPED	0.005 s
34	And wait 2 sec	SKIPPED	0.000 s
35	And click on the 1st child with class "tab_form_sub_edit_dedupe"	SKIPPED	0.005 s
36	And click on the element with id as "status"	SKIPPED	0.006 s
37	And click on the 4th "Positive"	SKIPPED	0.004 s
38	And click on the element with id as "remark"	SKIPPED	0.004 s
39	And enter "testing"	SKIPPED	0.004 s
40	And click "Submit"	SKIPPED	0.004 s
41	And switch to main tab	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
42	And check that screen contains "completed"	SKIPPED	0.004 s
43	And check that "Completed" is a link	SKIPPED	0.004 s
44	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
45	And click "{el:profile_element}"	SKIPPED	0.003 s
46	And click "Log Out"	SKIPPED	0.004 s
47	And click "Allow" inside span	SKIPPED	0.004 s
48	And wait 2 sec	SKIPPED	0.000 s
49	And set location permission to allow	SKIPPED	0.004 s
50	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.004 s
51	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
52	And wait 3 sec	SKIPPED	0.001 s
53	And click "Sign in"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.198 s
	Dedupe		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
	