

Cucumber Report

18-Dec-2025, 2:04:18 PM

Start : Dec 18, 2:02:21.620 PM

End : Dec 18, 2:04:17.027 PM

Duration : 1 m 55.407 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 19
FAILED - 4
SKIPPED - 64




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Credit feature</u>	1 m 55.407 s	4	0	4	0	87	19	4	64

#	Feature Name	Scenario Name
1	<u>Credit feature</u>	<u>Lead scenario</u>
2		<u>Qc scenario</u>
3		<u>AML scenario</u>
4		<u>Dedupe scenario</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@lms_regression	4	0	4	0	1	0	1	0
@regression	4	0	4	0	1	0	1	0
@view_loan_details	4	0	4	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Credit feature</u>	4	0	4	0	1 m 55.407 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Credit feature</u>	<u>Lead scenario</u>	21	19	1	1	23.283 s
2		<u>Qc scenario</u>	10	0	1	9	30.428 s
3		<u>AML scenario</u>	4	0	1	3	30.524 s
4		<u>Dedupe scenario</u>	52	0	1	51	31.079 s

Credit feature

FAILED	DURATION - 1 m 55.407 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 87 Pass - 19 Fail - 4 Skip - 64	
/ 2:02:21.620 PM // 2:04:17.027 PM /					

Lead scenario


<div>FAILED</div> <div>DURATION - 23.283 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:02:21.622 PM // 2:02:44.905 PM /</div>				
<div>Credit feature</div>				
<div>@lms_regression @regression @view_loan_details</div>				

#	Step / Hook Details	Status	Duration
1	And click "Allow" inside span	PASSED	0.268 s
2	And wait 2 sec	PASSED	2.004 s
3	And set location permission to allow	PASSED	0.010 s
4	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.132 s
5	And enter "Vastu@123" into "Enter your password"	PASSED	0.122 s
6	And wait 3 sec	PASSED	3.002 s
7	And click "Sign in"	PASSED	0.195 s
8	And click "Credit" inside span	PASSED	7.072 s
9	And click "Loan Detail" with exact phrase	PASSED	0.604 s
10	And wait 3 sec	PASSED	3.001 s
11	And enter "APP1765870764327" into "Type to search"	PASSED	0.094 s
12	And wait 2 sec	PASSED	2.001 s
13	And click on the element with class "view_button_loan_list"	PASSED	0.369 s
14	And wait 2 sec	PASSED	2.001 s
15	And switch to last opened tab	PASSED	0.006 s



#	Step / Hook Details	Status	Duration
16	And click "View Detailed Progress "	PASSED	0.249 s
17	And check that screen contains "Application Stages"	PASSED	0.333 s
18	And check that screen contains "Lead"	PASSED	0.095 s
19	And check that screen contains "Completed"	PASSED	0.096 s
20	And click on the element with class "stage_icons"	FAILED	0.818 s
	<p>com.microsoft.playwright.PlaywrightException: Error { message='Error: strict mode violation: locator(".stage_icons") resolved to 2 elements: 1) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Send Back Icon")) 2) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Complete Icon")) name='Error stack='Error: Error: strict mode violation: locator(".stage_icons") resolved to 2 elements: 1) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Send Back Icon")) 2) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Complete Icon")) at CRExecutionContext.evaluateWithArguments (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/chromium/crExecutionContext.js:80:13) at async LongStandingScope._race (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/utils/isomorphic/manualPromise.js:94:14) at async evaluateExpression (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/javascript.js:217:12) at async /private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/frames.js:623:22 at async Frame.retryWithProgressAndTimeouts (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/frames.js:880:24) at async FrameDispatcher.waitForSelector (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/frameDispatcher.js:82:98) at async ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/progress.js:78:22) at async FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:14) at async DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:22) } Call log: - - waiting for locator(".stage_icons")</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:56) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:33)</p>		

#	Step / Hook Details	Status	Duration
	<p>at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:413)</p> <p>at ?.click on the element with class "stage_icons"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_140205/src/test/java/com/nimble/feature/LoanProcessing.feature:27)</p> <p>Caused by: com.microsoft.playwright.impl.DriverException: Error { message="Error: strict mode violation: locator(".stage_icons") resolved to 2 elements: 1) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Send Back Icon")) 2) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Complete Icon")) name="Error" stack="Error: Error: strict mode violation: locator(".stage_icons") resolved to 2 elements: 1) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Send Back Icon")) 2) aka getByRole(AriaRole.IMG, new Page.GetByRoleOptions().setName("Complete Icon"))" at CReExecutionContext.evaluateWithArguments (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/chromium/crExecutionContext.js:80:13) at async LongStandingScope._race (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/utis/isomorphic/manualPromise.js:94:14) at async evaluateExpression (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/javascript.js:217:12) at async /private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/frames.js:623:22 at async Frame.retryWithProgressAndTimeouts (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/frames.js:880:24) at async FrameDispatcher.waitForSelector (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/frameDispatcher.js:82:98) at async ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/progress.js:78:22) at async FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:14) at async DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:22) } Call log: - - waiting for locator(".stage_icons")</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:262)</p> <p>at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)</p> <p>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)</p> <p>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)</p> <p>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)</p> <p>at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)</p> <p>at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)</p> <p>at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)</p> <p>at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:80)</p> <p>at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)</p> <p>at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)</p> <p>at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)</p> <p>at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)</p> <p>at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:33)</p> <p>at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:413)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
21	And wait 2 sec	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.187 s
	Lead_scenario		
	<pre> java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) </pre> 		


Qc scenario

FAILED	DURATION - 30.428 s		<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 2:02:44.932 PM // 2:03:15.360 PM /				
Credit feature				
@lms_regression @regression @view_loan_details				



#	Step / Hook Details	Status	Duration
1	<p>And click "View Detailed Progress "</p> <pre> com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java- 10929640161047404235/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/ w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java- 10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize- space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress')) //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 × retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 14 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo- 1765884081593/test-suite-1765783670576/execution_20251218_140205/src/test/java/com/nimble/feature/LoanProcessing.feature:31) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/ </pre>	FAILED	30.194 s

#	Step / Hook Details	Status	Duration
	<p>playwright-java-10929640161047404235/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))] //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 × retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 14 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067)		

#	Step / Hook Details	Status	Duration
	<pre> at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And check that screen contains "Application Stages"	SKIPPED	0.003 s
3	And check that screen contains "QC"	SKIPPED	0.004 s
4	And check that screen contains "initiated"	SKIPPED	0.004 s
5	And click "{el:qc-complete}"	SKIPPED	0.003 s
6	And click "{el:select-manager}"	SKIPPED	0.003 s
7	And click "Hema Mahajan (004765)"	SKIPPED	0.004 s
8	And click "OK" with exact phrase	SKIPPED	0.004 s
9	And check that screen contains "Completed"	SKIPPED	0.004 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.108 s
	Qc_scenario		
	<pre> java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) </pre> 		


AML scenario

<div>FAILED</div> <div>DURATION - 30.524 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 2:03:15.380 PM // 2:03:45.904 PM /</div>				
<div>Credit feature</div>				
<div>@lms_regression @regression @view_loan_details</div>				



#	Step / Hook Details	Status	Duration
1	And click "View Detailed Progress " <pre> com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java- 10929640161047404235/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/ w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java- 10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize- space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress')))] //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]".first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 x retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 14 x retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) </pre>	FAILED	30.289 s

#	Step / Hook Details	Status	Duration
	<p>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_140205/src/test/java/com/nimble/feature/LoanProcessing.feature:43) Caused by: com.microsoft.playwright.TimeoutError: Error { message="Timeout 30000ms exceeded. name="TimeoutError stack="TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))] //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 × retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 14 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)</p>		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And check that screen contains "Application Stages"	SKIPPED	0.003 s
3	And check that screen contains following	SKIPPED	0.006 s
	<div>AML</div> <div>Completed (Positive)</div>		
4	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.171 s
	AML_scenario		
	<pre> java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) </pre>		
			

Dedupe scenario

<div>FAILED</div> <div>DURATION - 31.079 s</div>			<div>Steps</div> <div>Total - 52</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 51</div>	
/ 2:03:45.948 PM // 2:04:17.027 PM /				
Credit feature				
@lms_regression @regression @view_loan_details				

#	Step / Hook Details	Status	Duration
1	<p>And click "View Detailed Progress "</p> <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))] //label[contains(normalize-space(text()), 'View Detailed Progress')] /*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]".first() - - locator resolved to <u>View Detailed Progress </u> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 x retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 14 x retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</pre> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)</p>	FAILED	30.375 s

#	Step / Hook Details	Status	Duration
	<pre> at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at ?.click "View Detailed Progress "(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1765884081593/test-suite-1765783670576/execution_20251218_140205/src/test/java/com/nimble/feature/LoanProcessing.feature:51) Caused by: com.microsoft.playwright.TimeoutError: Error { message="Timeout 30000ms exceeded. name="TimeoutError stack="TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-10929640161047404235/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@contains(normalize-space(text()), 'View Detailed Progress') or contains(@aria-label, 'View Detailed Progress') or contains(@title, 'View Detailed Progress') or contains(@value, 'View Detailed Progress') or contains(@placeholder, 'View Detailed Progress') or contains(@alt, 'View Detailed Progress') or contains(@name, 'View Detailed Progress') or contains(@class, 'View Detailed Progress') or (@aria-labelledby and contains(., 'View Detailed Progress'))] //label[contains(normalize-space(text()), 'View Detailed Progress')] //*[@id=//label[contains(normalize-space(text()), 'View Detailed Progress')]/@for]").first() - - locator resolved to <u> View Detailed Progress </u> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - 2 × retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - 14 × retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="ant-drawer-body">...</div> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <h3 class="form_title">Application Stages</h3> from <div>...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms </pre>		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:186) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And check that screen contains "Application Stages"	SKIPPED	0.004 s
3	And check that screen contains following	SKIPPED	0.004 s
	<div>Dedupe initiated</div>		
4	And click "{el:forward}"	SKIPPED	0.005 s
5	And click on the element with id as "user"	SKIPPED	0.004 s
6	And click "Swati Singanjude (VIOM)"	SKIPPED	0.004 s
7	And click on the element with id as "reason"	SKIPPED	0.005 s
8	And enter "reason"	SKIPPED	0.004 s
9	And click "Submit"	SKIPPED	0.004 s
10	And click on the 2nd child with class "form_header"	SKIPPED	0.005 s
11	And click "{el:profile_element}"	SKIPPED	0.005 s
12	And click "Log Out"	SKIPPED	0.004 s
13	And wait 5 sec	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And click "Allow" inside span	SKIPPED	0.004 s
15	And wait 2 sec	SKIPPED	0.000 s
16	And set location permission to allow	SKIPPED	0.004 s
17	And enter "hema.mahajan@vastuhfc.com" into "Enter your email"	SKIPPED	0.004 s
18	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
19	And wait 3 sec	SKIPPED	0.000 s
20	And click "Sign in"	SKIPPED	0.005 s
21	And click "Credit" inside span	SKIPPED	0.004 s
22	And click "Loan Detail" with exact phrase	SKIPPED	0.003 s
23	And wait 3 sec	SKIPPED	0.000 s
24	And enter "value" into "Type to search"	SKIPPED	0.005 s
25	And wait 2 sec	SKIPPED	0.000 s
26	And check that screen contains "forward"	SKIPPED	0.004 s
27	And click "Forward"	SKIPPED	0.004 s
28	And check that screen contains following	SKIPPED	0.005 s
	Loan Account Number		
	Matched LAN's		
29	And click "Link"	SKIPPED	0.004 s
30	And check that screen contains "Are you sure you want to link lan?"	SKIPPED	0.004 s
31	And click "OK"	SKIPPED	0.004 s
32	And wait 2 sec	SKIPPED	0.000 s
33	And check that screen contains "Linked"	SKIPPED	0.004 s
34	And click "Overall Status"	SKIPPED	0.005 s
35	And click on the 2nd "Overall Status"	SKIPPED	0.004 s
36	And click "positive"	SKIPPED	0.004 s
37	And click "Remark"	SKIPPED	0.006 s
38	And enter "add-remark"	SKIPPED	0.004 s
39	And click "submit"	SKIPPED	0.005 s
40	And switch to main tab	SKIPPED	0.005 s
41	And check that screen contains "completed"	SKIPPED	0.004 s
42	And check that "Completed" is a link	SKIPPED	0.004 s
43	And click on the 2nd child with class "form_header"	SKIPPED	0.004 s
44	And click "{el:profile_element}"	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration
45	And click "Log Out"	SKIPPED	0.004 s
46	And click "Allow" inside span	SKIPPED	0.003 s
47	And wait 2 sec	SKIPPED	0.000 s
48	And set location permission to allow	SKIPPED	0.004 s
49	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.005 s
50	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.004 s
51	And wait 3 sec	SKIPPED	0.000 s
52	And click "Sign in"	SKIPPED	0.004 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.121 s
	Dedupe_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
	