

Cucumber Report

16 Dec 2025, 08:36:19

Start : Dec 16, 8:35:21.356 am

End : Dec 16, 8:36:19.166 am

Duration : 57.810 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 8
FAILED - 1
SKIPPED - 35




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>login feature</u>	57.810 s	1	0	1	0	44	8	1	35

#	Feature Name	Scenario Name
1	<u>login feature</u>	<u>Unhappy login scenario</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>login feature</u>	1	0	1	0	57.810 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>login feature</u>	<u>Unhappy login scenario</u>	44	8	1	35	57.805 s

login feature

FAILED	DURATION - 57.810 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 44 Pass - 8 Fail - 1 Skip - 35	
/ 8:35:21.356 am // 8:36:19.166 am /					

Unhappy login scenario

<div>FAILED</div> <div>DURATION - 57.805 s</div>			<div>Steps</div> <div>Total - 44</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 35</div>	
/ 8:35:21.361 am // 8:36:19.166 am /				
login feature				
@smoke @regression				

#	Step / Hook Details	Status	Duration
1	When hover over "Login"	PASSED	1.083 s
2	And click "MYSINGLIFE"	PASSED	1.556 s
3	And wait 8 sec	PASSED	8.004 s
4	And switch to last opened tab	PASSED	0.006 s
5	And wait for "Hello there"	PASSED	0.082 s
6	And wait 10 secs	PASSED	10.004 s
7	And click "{el:LoginWithEmail}"	PASSED	2.160 s
8	And wait 2 sec	PASSED	2.002 s
9	And click "{el:email}"	FAILED	30.055 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-8062982178672001136/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-8062982178672001136/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1mnb0tn11c189gl2trbspnp00000gn/T/playwright-java-8062982178672001136/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@id=\"input28\"]").first() - - locator resolved to <input value="" type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div		

#	Step / Hook Details	Status	Duration
	<p>class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 100ms - 14 x waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms</p> <p>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:169) at ?.click "{el:email}"(file:///Users/ amitgupta/Viom/Products/viom-studio/test_suite_repositories/sample-test-suites-repo-1765797350540/test-suite-1752403830282/execution_20251216_083508/src/test/java/com/nimble/feature/login.feature:13)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/hy/1m vb0tn11c189gl2trbspnp00000gn/T/playwright-java-8062982178672001136/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/hy/1m vb0tn11c189gl2trbspnp00000gn/T/playwright-java-8062982178672001136/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/hy/1m vb0tn11c189gl2trbspnp00000gn/T/playwright-java-8062982178672001136/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[@id="input28"]').first() - - locator resolved to <input value="" type="text" id="input28" aria-label="" placeholder="" name="identifier" autocomplete="off"/> - - attempting click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 20ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 100ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 100ms -</p>		

#	Step / Hook Details	Status	Duration
	<p>14 × waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <button type="button" class="email-login">Log in with email</button> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="o-form-button-bar">...</div> intercepts pointer events - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable - - element is visible, enabled and stable - - scrolling into view if needed - - done scrolling - - <div class="separation-line">...</div> from <div class="o-form-button-bar">...</div> subtree intercepts pointer events - - retrying click action - - waiting 500ms at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:93) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:83) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:169) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
10	And enter "{userid}"	SKIPPED	0.003 s
11	And click on the element with id as "input36"	SKIPPED	0.002 s
12	And enter "{password}"	SKIPPED	0.003 s
13	And click "Sign in"	SKIPPED	0.003 s
14	And wait 2 sec	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	And check that screen contains "Incorrect username or password."	SKIPPED	0.003 s
16	And check that screen contains "Please try again!"	SKIPPED	0.004 s
17	And click "Help"	SKIPPED	0.002 s
18	And wait 2 sec	SKIPPED	0.000 s
19	And switch to last opened tab	SKIPPED	0.004 s
20	And click "I can't login to MySinglife portal using Singpass. What should I do?"	SKIPPED	0.003 s
21	And wait 2 sec	SKIPPED	0.000 s
22	And click on the 1st "here" inside a with exact phrase	SKIPPED	0.002 s
23	And wait 5 sec	SKIPPED	0.000 s
24	And scroll down until screen contains "Your feedback matters" with exact phrase	SKIPPED	0.003 s
25	And click "Lodge a complaint"	SKIPPED	0.002 s
26	And wait 5 sec	SKIPPED	0.000 s
27	And wait for "Salutation" with exact phrase	SKIPPED	0.000 s
28	And scroll down until screen contains "Salutation" with exact phrase	SKIPPED	0.004 s
29	And click "Please select..." with exact phrase	SKIPPED	0.002 s
30	And click "Mr"	SKIPPED	0.003 s
31	And click on the element with id as "firstName"	SKIPPED	0.005 s
32	And enter "firstName"	SKIPPED	0.003 s
33	And click on the element with id as "surname"	SKIPPED	0.003 s
34	And enter "surname"	SKIPPED	0.006 s
35	And click on the element with id as "email"	SKIPPED	0.003 s
36	And enter "email@test.com"	SKIPPED	0.004 s
37	And click on the element with id as "phoneNumber"	SKIPPED	0.003 s
38	And enter "98765432"	SKIPPED	0.006 s
39	And click on the element with id as "nationalIdentifier"	SKIPPED	0.003 s
40	And enter "121"	SKIPPED	0.002 s
41	And click "I have read and agree to the terms and conditions above. "	SKIPPED	0.003 s
42	And click "Submit"	SKIPPED	0.003 s
43	And check that screen contains "We're sorry our service standard has fallen short of your expectations, or members of our team have not handled your concerns to your satisfaction."	SKIPPED	0.049 s
44	And wait 5 secs	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.367 s
	Unhappy_login_scenario		

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		
	