Cucumber Report

Jan 13, 2026, 10:18:58 PM

Start : Jan 13, 10:17:18.767 PM	End : Jan 13, 10:18:56.948 PM	Duration : 1 m 38.181 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 30 FAILED - 1 SKIPPED - 36







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	1 m 38.181 s	1	0	1	0	67	30	1	36

#	Feature Name	Scenario Name
1	Credit feature	income Evaluation execution

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@income	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	1	0	1	0	1 m 38.181 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	income Evaluation execution	67	30	1	36	1 m 38.176 s

Credit feature

FAILED	DURATION - 1 m 38.181 s	Scenarios		Steps	
/ 10:17:18.767 PM // 10:18:56.948 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 67 Pass - 30 Fail - 1 Skip - 36	

income Evaluation execution

FAILED	DURATION - 1 m 38.176 s		Steps	
/ 10:17:18.772 PM // 10:18:56.948 PM /			Total - 67 Pass - 30 Fail - 1 Skip - 36	
Credit feature				
@regression @income @loan_details				

#	Step / Hook Details	Status	Duration
1	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.161 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.090 s
3	And wait 3 sec	PASSED	3.002 s
4	And click "Sign in"	PASSED	0.186 s
5	And click "Credit" inside span	PASSED	4.743 s
6	And click "Loan Detail" with exact phrase	PASSED	0.462 s
7	And wait 3 sec	PASSED	3.004 s
8	And enter "APP1760164698507" into "Type to search"	PASSED	0.139 s
9	And wait 2 sec	PASSED	2.002 s
10	And click on the element with class "view_button_loan_list"	PASSED	0.117 s
11	And wait 2 sec	PASSED	2.001 s
12	And switch to last opened tab	PASSED	0.020 s
13	And wait 2 sec	PASSED	2.002 s
14	And click "Underwriting"	PASSED	0.322 s
15	And click "Credit Analysis"	PASSED	0.392 s

#	Step / Hook Details	Status	Duration
16	And wait 3 sec	PASSED	3.002 s
17	And check that screen contains "Sanction Condition" with exact phrase	PASSED	0.330 s
18	And wait 2 sec	PASSED	2.002 s
19	And click "Add Sanction Condition" inside span	PASSED	0.573 s
20	And wait 2 sec	PASSED	2.003 s
21	And click on the element with id as "sanction_condition_id"	PASSED	0.090 s
22	And click "Coapplicant to be added"	PASSED	0.560 s
23	And wait 3 sec	PASSED	3.001 s
24	And enter "test condition " into "Please enter other condition"	PASSED	0.270 s
25	And wait 3 sec	PASSED	3.002 s
26	And click on the element with id as "status"	PASSED	0.086 s
27	And wait 5 sec	PASSED	5.002 s
28	And click "Completed" inside div	PASSED	31.153 s
29	And wait 2 sec	PASSED	2.000 s
30	And click "Submit" inside span	PASSED	6.925 s
31	And click on the element with class "ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid"	FAILED	0.053 s
	com.microsoft.playwright.PlaywrightException: Error { message='Error: strict mode violation: locator(".ant-btn.css-4hvg6c.ant-btn-primary.ant-btn-color-primary.ant-btn-variant-solid") resolved to 2 elements: 1) <button type="button" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid go_button_div">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Go")) 2) <button type="submit" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Submit")) name='Error stack='Error: Error: strict mode violation: locator(".ant-btn.css-4hvg6c.ant-btn-primary.ant-btn-color-primary.ant-btn-variant-solid") resolved to 2 elements: 1) <button type="button" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid go_button_div">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Go")) 2) <button type="submit" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Submit")) at CRExecutionContext.evaluateWithArguments (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\chromium\crExecutionContext.js:80:13) at async LongStandingScope._race (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\utils\isomorphic\manualPromise.js:94:14) at async evaluateExpression (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\javascript.js:217:12) at async C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\frames.js:623:22 at async Frame.retryWithProgressAndTimeouts (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\frames.js:880:24) at async FrameDispatcher.waitForSelector (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\dispatchers\frameDispatcher.js:82:98) at async ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\progress.js:78:22) at async FrameDispatcher._runCommand (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\dispatchers\dispatcher.js:95:14) at async DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\dispatchers\dispatcher.js:329:22) } Call log: - - waiting for locator(".ant-btn.css-4hvg6c.ant-btn-primary.ant-btn-color-primary.ant-btn-variant-solid") at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:56)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:50) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:504) at ?.click on the element with class "ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1768288367390/test-suite-1765783670576/execution_20260113_221637/src/test/java/com/nimble/feature/LoanProcessing.feature:39) Caused by: com.microsoft.playwright.impl.DriverException: Error { message='Error: strict mode violation: locator(".ant-btn.css-4hvg6c.ant-btn-primary.ant-btn-color-primary.ant-btn-variant-solid") resolved to 2 elements: 1) <button type="button" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid go_button_div">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Go")) 2) <button type="submit" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Submit")) name='Error stack='Error: Error: strict mode violation: locator(".ant-btn.css-4hvg6c.ant-btn-primary.ant-btn-color-primary.ant-btn-variant-solid") resolved to 2 elements: 1) <button type="button" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid go_button_div">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Go")) 2) <button type="submit" class="ant-btn css-4hvg6c ant-btn-primary ant-btn-color-primary ant-btn-variant-solid">…</button> aka getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Submit")) at CRExecutionContext.evaluateWithArguments (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\chromium\crExecutionContext.js:80:13) at async LongStandingScope._race (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\utils\isomorphic\manualPromise.js:94:14) at async evaluateExpression (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\javascript.js:217:12) at async C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\frames.js:623:22 at async Frame.retryWithProgressAndTimeouts (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\frames.js:880:24) at async FrameDispatcher.waitForSelector (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\dispatchers\frameDispatcher.js:82:98) at async ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\progress.js:78:22) at async FrameDispatcher._runCommand (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\dispatchers\dispatcher.js:95:14) at async DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-14305335187578503648\package\lib\server\dispatchers\dispatcher.js:329:22) } Call log: - - waiting for locator(".ant-btn.css-4hvg6c.ant-btn-primary.ant-btn-color-primary.ant-btn-variant-solid") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:262) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:50) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:504) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
32	And wait 5 sec	SKIPPED	0.000 s
33	And click on the 2nd "Add Sanction Condition" inside span	SKIPPED	0.022 s
34	And wait 2 sec	SKIPPED	0.000 s
35	And enter "test condition" into "Please enter other condition"	SKIPPED	0.021 s
36	And wait 3 sec	SKIPPED	0.000 s
37	And enter "condition remark" into the 2nd "Please enter other condition"	SKIPPED	0.022 s
38	And wait 2 sec	SKIPPED	0.000 s
39	And enter "test condition " into "Please enter other condition"	SKIPPED	0.020 s
40	And wait 3 sec	SKIPPED	0.000 s
41	And click	SKIPPED	0.019 s
42	And click "Please Select"	SKIPPED	0.027 s
43	And wait 3 sec	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
44	And click "Completed"	SKIPPED	0.020 s
45	And wait 2 sec	SKIPPED	0.000 s
46	And click "Submit" inside span	SKIPPED	0.022 s
47	And click "Loan & Insurance"	SKIPPED	0.020 s
48	And check that screen contains "Loan Amount (Include Insurance)"	SKIPPED	0.020 s
49	And read value from "? 18,00,000" and save it as "LoanAmount"	SKIPPED	0.022 s
50	And click "Disbursement Tranche"	SKIPPED	0.020 s
51	And wait 2 sec	SKIPPED	0.000 s
52	And click on the element with class "add-button"	SKIPPED	0.019 s
53	And wait 3 sec	SKIPPED	0.000 s
54	And click on the element with id as "tranche_amount"	SKIPPED	0.021 s
55	And enter "{LoanAmount}"	SKIPPED	0.019 s
56	And click on the element with id as "disb_start_date"	SKIPPED	0.023 s
57	And wait 2 sec	SKIPPED	0.000 s
58	And click "13" with exact phrase	SKIPPED	0.028 s
59	And wait 5 sec	SKIPPED	0.000 s
60	And click on the element with id as "disb_end_date"	SKIPPED	0.026 s
61	And click "7" with exact phrase	SKIPPED	0.033 s
62	And wait 3 sec	SKIPPED	0.000 s
63	And click "Please select"	SKIPPED	0.023 s
64	And wait 2 sec	SKIPPED	0.000 s
65	And enter "remark" into "Enter remark"	SKIPPED	0.031 s
66	And wait 2 sec	SKIPPED	0.000 s
67	And click "Submit" inside span	SKIPPED	0.033 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	11.475 s
	income_Evaluation_execution		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)