# Cucumber Report

12-Jan-2026, 1:55:05 PM

| Start : Jan 12, 1:50:29.383 PM | End : Jan 12, 1:55:01.467 PM | Duration : 4 m 32.084 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 32<br>FAILED - 1<br>SKIPPED - 5 |









| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Credit feature | 4 m 32.084 s | 1 | 0 | 1 | 0 | 38 | 32 | 1 | 5 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | Credit feature | Legal Scenario |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @legal | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @loan_details | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Credit feature | 1 | 0 | 1 | 0 | 4 m 32.084 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Credit feature | Legal Scenario | 38 | 32 | 1 | 5 | 4 m 32.082 s |

## Credit feature

| FAILED | DURATION - 4 m 32.084 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 1:50:29.383 PM // 1:55:01.467 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Total - 38<br>Pass - 32<br>Fail - 1<br>Skip - 5 | |

### Legal Scenario

| FAILED | DURATION - 4 m 32.082 s | | Steps | |
|---|---|---|---|---|
| / 1:50:29.385 PM // 1:55:01.467 PM / | |   | Total - 38<br>Pass - 32<br>Fail - 1<br>Skip - 5 | |
| Credit feature | | | | |
| @legal @regression @loan_details | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | And enter "gaurav.g@vastuhfc.com" into "Enter your email" | PASSED | 0.178 s |
| 2 | And enter "Vastu@123" into "Enter your password" | PASSED | 0.101 s |
| 3 | And wait 3 sec | PASSED | 3.003 s |
| 4 | And click "Sign in" | PASSED | 0.190 s |
| 5 | And click "Credit" inside span | PASSED | 5.154 s |
| 6 | And click "Loan Detail" with exact phrase | PASSED | 0.733 s |
| 7 | And wait 3 sec | PASSED | 3.001 s |
| 8 | And enter "APP1766840122355" into "Type to search" | PASSED | 0.193 s |
| 9 | And wait 2 sec | PASSED | 2.002 s |
| 10 | And click on the element with class "view_button_loan_list" | PASSED | 0.224 s |
| 11 | And wait 2 sec | PASSED | 2.001 s |
| 12 | And switch to last opened tab | PASSED | 0.007 s |
| 13 | And click on the element with id as "rc_select_0" | PASSED | 0.155 s |
| 14 | And wait 2 sec | PASSED | 2.001 s |
| 15 | And click on the 1st "Legal" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 0.632 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 16 | And click on the element with class "go_button_div" | PASSED | 0.262 s |
| 17 | And check that screen contains "Legal" | PASSED | 0.581 s |
| 18 | And wait 5 sec | PASSED | 5.001 s |
| 19 | And click on the element with id as "check_type" | PASSED | 0.062 s |
| 20 | And click on the 1st "Internal" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 30.712 s |
| 21 | And click on the element with id as "user" | PASSED | 0.097 s |
| 22 | And click on the 1st "Farheen Ansari (EMP03384)" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 30.775 s |
| 23 | And click on the element with id as "transaction_type" | PASSED | 0.101 s |
| 24 | And click on the 1st "Fresh Transaction" inside div with class "ant-select-item-option-content" with exact phrase | PASSED | 30.875 s |
| 25 | And wait 2 sec | PASSED | 2.001 s |
| 26 | And click on the element with id as "add_cc" | PASSED | 0.152 s |
| 27 | And type "farheen.ansari@vastuhfc.com" | PASSED | 1.788 s |
| 28 | And click on the element with id as "remark" | PASSED | 0.091 s |
| 29 | And type "testing" | PASSED | 0.567 s |
| 30 | And click on the element with class "ant-checkbox-input" at index 2 | PASSED | 0.092 s |
| 31 | And wait 3 sec | PASSED | 3.003 s |
| 32 | And click on the element with id as "document_category" | PASSED | 0.077 s |
| 33 | And click on the 1st "Technical" inside div with class "ant-select-item-option-content" with exact phrase | FAILED | 2 m 23.483 s |
| | com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-651667449661285404/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-651667449661285404/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-651667449661285404/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Technical') or contains(@aria-label, 'Technical') or contains(@title, 'Technical') or contains(@value, 'Technical') or contains(@placeholder, 'Technical') or contains(@alt, 'Technical') or contains(@name, 'Technical') or contains(@class, 'Technical') or (@aria-labelledby and contains(., 'Technical'))] \| //label[contains(normalize-space(text()), 'Technical')] \| //*[@id=//label[contains(normalize-space(text()), 'Technical')]/@for]").nth(3)<br>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52)<br>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)<br>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)<br>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)<br>at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)<br>at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)<br>at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)<br>at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80)<br>at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)<br>at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)<br>at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)<br>at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:338)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)<br>at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277)<br>at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177)<br>at ?.click on the 1st "Technical" inside div with class "ant-select-item-option-content" with exact phrase(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1768199219003/test-suite-1765783670576/execution_20260112_135004/src/test/java/com/nimble/feature/LoanProcessing.feature:276)<br>Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-65166744966128540 4/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-65166744966128540 4/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-65166744966128540 4/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Technical') or contains(@aria-label, 'Technical') or contains(@title, 'Technical') or contains(@value, 'Technical') or contains(@placeholder, 'Technical') or contains(@alt, 'Technical') or contains(@name, 'Technical') or contains(@class, 'Technical') or (@aria-labelledby and contains(., 'Technical'))] \| //label[contains(normalize-space(text()), 'Technical')] \| //*[@id=//label[contains(normalize-space(text()), 'Technical')]/@for]").nth(3)<br>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257)<br>at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)<br>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)<br>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)<br>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)<br>at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)<br>at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)<br>at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)<br>at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80)<br>at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)<br>at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)<br>at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)<br>at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)<br>at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:338)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)<br>at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277)<br>at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:95)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br>at org.testng.TestRunner.privateRun(TestRunner.java:829)<br>at org.testng.TestRunner.run(TestRunner.java:602)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br>at org.testng.TestNG.runSuites(TestNG.java:1099) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.TestNG.run(TestNG.java:1067)<br>at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)<br>at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)<br>at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)<br>at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)<br>at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)<br>at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)<br>at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)<br>* Not displayable characters are replaced by '?'. | | |
| 34 | And click on the element with id as "document_type" | SKIPPED | 0.005 s |
| 35 | And click on the 1st "Boundary Certificates" inside div with class "ant-select-item-option-content" with exact phrase | SKIPPED | 0.005 s |
| 36 | And wait 3 sec | SKIPPED | 0.000 s |
| 37 | And click on the 2nd "Initiate" inside span | SKIPPED | 0.014 s |
| 38 | And wait 5 sec | SKIPPED | 0.000 s |
| | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 1.953 s |
| | Legal_Scenario | | |
| | java.lang.RuntimeException: Teardown step failed because scenario failed<br>at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) | | |
| | | | |