Cucumber Report

22-Jan-2026, 3:40:00 PM

Start : Jan 22, 3:39:05.172 PM	End : Jan 22, 3:39:58.864 PM	Duration : 53.692 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 21 FAILED - 1 SKIPPED - 0







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	53.692 s	1	0	1	0	22	21	1	0

#	Feature Name	Scenario Name
1	Credit feature	Lead scenario

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@testing	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	1	0	1	0	53.692 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	Lead scenario	22	21	1	0	53.688 s

Credit feature

FAILED	DURATION - 53.692 s	Scenarios		Steps	
/ 3:39:05.172 PM // 3:39:58.864 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 22 Pass - 21 Fail - 1 Skip - 0	

Lead scenario

FAILED	DURATION - 53.688 s		Steps	
/ 3:39:05.176 PM // 3:39:58.864 PM /			Total - 22 Pass - 21 Fail - 1 Skip - 0	
Credit feature				
@regression @testing @loan_details				

#	Step / Hook Details	Status	Duration
1	And enter "rohit.shinde@vastuhfc.com" into "Enter your email"	PASSED	0.182 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.121 s
3	And wait 3 sec	PASSED	3.003 s
4	And click "Sign in"	PASSED	0.170 s
5	And click "Credit" inside span	PASSED	5.817 s
6	And click "Loan Detail" with exact phrase	PASSED	0.636 s
7	And wait 3 sec	PASSED	3.002 s
8	And enter "APP1767368018471" into "Type to search"	PASSED	0.105 s
9	And wait 2 sec	PASSED	2.003 s
10	And click on the element with class "view_button_loan_list"	PASSED	0.187 s
11	And wait 2 sec	PASSED	2.002 s
12	And switch to last opened tab	PASSED	0.007 s
13	And click "View Detailed Progress"	PASSED	0.412 s
14	And check that screen contains "Application Stages"	PASSED	0.357 s
15	And check that screen contains "Lead"	PASSED	0.161 s

#	Step / Hook Details	Status	Duration
16	And wait 2 sec	PASSED	2.002 s
17	And click "{el:Stage_close}"	PASSED	19.648 s
18	And click in web table with class "ant-table-container" where column 2 equals "Dedupe" then column 5	PASSED	0.303 s
19	And wait 3 sec	PASSED	3.001 s
20	And switch to last opened tab	PASSED	0.007 s
21	And check that screen contains "Matched LAN's"	PASSED	0.107 s
22	And wait 10 sec	FAILED	9.662 s

com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at PageDispatcher._dispose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/dispatchers/dispatcher.js:109:30) at Page.<anonymous> (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/dispatchers/pageDispatcher.js:71:12) at Page.emit (node:events:508:28) at Page._didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/page.js:172:10) at CRPage.didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/chromium/crPage.js:135:16) at CRBrowser._onDetachedFromTarget (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/chromium/crBrowser.js:183:14) at CRSession.emit (node:events:508:28) at /private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/chromium/crConnection.js:138:14 }

```
    at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)
    at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
    at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
    at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
    at com.microsoft.playwright.impl.FrameImpl.waitForTimeout(FrameImpl.java:997)
    at com.microsoft.playwright.impl.PageImpl.waitForTimeout(PageImpl.java:1523)
    at com.nimble.interactors.WebAppInteractor.waitFor(WebAppInteractor.java:900)
    at com.nimble.stepDefinitions.WaitSteps.wait(WaitSteps.java:32)
    at ?.wait 10 sec(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1769071881762/test-suite-1765783670576/execution_20260122_153821/src/test/java/com/nimble/feature/LoanProcessing.feature:31)
```

Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at PageDispatcher._dispose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/dispatchers/dispatcher.js:109:30) at Page.<anonymous> (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/dispatchers/pageDispatcher.js:71:12) at Page.emit (node:events:508:28) at Page._didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/page.js:172:10) at CRPage.didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/chromium/crPage.js:135:16) at CRBrowser._onDetachedFromTarget (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/chromium/crBrowser.js:183:14) at CRSession.emit (node:events:508:28) at /private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9019305383259650008/package/lib/server/chromium/crConnection.js:138:14 }

```
    at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259)
    at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)
```

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForTimeout(FrameImpl.java:997) at com.microsoft.playwright.impl.PageImpl.waitForTimeout(PageImpl.java:1523) at com.nimble.interactors.WebAppInteractor.waitFor(WebAppInteractor.java:900) at com.nimble.stepDefinitions.WaitSteps.wait(WaitSteps.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.030 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		