Cucumber Report

13-Jan-2026, 3:41:02 PM

Start : Jan 13, 3:38:10.981 PM	End : Jan 13, 3:41:00.833 PM	Duration : 2 m 49.852 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 38 FAILED - 1 SKIPPED - 27







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	2 m 49.852 s	1	0	1	0	66	38	1	27

#	Feature Name	Scenario Name
1	Credit feature	Legal Complete

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0
@legalcom	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	1	0	1	0	2 m 49.852 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	Legal Complete	66	38	1	27	2 m 49.846 s

Credit feature

FAILED	DURATION - 2 m 49.852 s	Scenarios		Steps
/ 3:38:10.981 PM // 3:41:00.833 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 66 Pass - 38 Fail - 1 Skip - 27

Legal Complete

FAILED	DURATION - 2 m 49.846 s		Steps
/ 3:38:10.987 PM // 3:41:00.833 PM /			Total - 66 Pass - 38 Fail - 1 Skip - 27
Credit feature			
@regression @loan_details @legalcom			

#	Step / Hook Details	Status	Duration
1	And enter "farheen.ansari@vastuhfc.com" into "Enter your email"	PASSED	0.192 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.098 s
3	And wait 3 sec	PASSED	3.002 s
4	And click "Sign in"	PASSED	0.225 s
5	And click "Credit" inside span	PASSED	6.401 s
6	And click "Loan Detail" with exact phrase	PASSED	0.704 s
7	And wait 3 sec	PASSED	3.014 s
8	And enter "APP1766840122355" into "Type to search"	PASSED	0.205 s
9	And wait 2 sec	PASSED	2.002 s
10	And click on the element with class "view_button_loan_list"	PASSED	0.180 s
11	And wait 2 sec	PASSED	2.002 s
12	And switch to last opened tab	PASSED	0.008 s
13	And click "View Detailed Progress"	PASSED	0.387 s
14	And check that screen contains "Application Stages"	PASSED	0.344 s
15	And check that screen contains "Initiated"	PASSED	3.350 s

#	Step / Hook Details	Status	Duration
16	And wait 2 sec	PASSED	2.000 s
17	And click "{el:Legal_Initiated_2355}"	PASSED	0.191 s
18	And wait 3 sec	PASSED	3.024 s
19	And switch to last opened tab	PASSED	0.053 s
20	And wait 5 sec	PASSED	5.002 s
21	And check that screen contains "Property Description"	PASSED	0.366 s
22	And click "Please select"	PASSED	30.928 s
23	And click "ISHWAR BHIMA RATHOD (Applicant)"	PASSED	30.689 s
24	And wait 3 sec	PASSED	3.002 s
25	And enter "650" into "Please Enter Area of Property"	PASSED	0.425 s
26	And click on the element with id as "unit_type"	PASSED	0.095 s
27	And wait 2 sec	PASSED	2.002 s
28	And click "Sq.Yard"	PASSED	30.658 s
29	And wait 1 sec	PASSED	1.001 s
30	And enter "RD Circle Karmayogi Nagar Nashik" into "Please Enter Address Line 1"	PASSED	0.475 s
31	And enter "RD Circle Karmayogi Nagar Nashik" into "Please Enter Address Line 2"	PASSED	0.420 s
32	And enter "Nashik" into "Please Enter Landmark"	PASSED	0.404 s
33	And click on the element with id as "city"	PASSED	0.161 s
34	And type "Nashik"	PASSED	0.567 s
35	And click on the 1st "Nashik" inside div with class "ant-select-item-option-content" with exact phrase	PASSED	2.010 s
36	And click on the element with id as "taluka"	PASSED	0.114 s
37	And type "Nashik"	PASSED	0.403 s
38	And click on the element with id as "district"	PASSED	0.082 s
39	And click "Nashik"	FAILED	31.800 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-7179588977203425511/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-7179588977203425511/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-7179588977203425511/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Nashik') or contains(@aria-label, 'Nashik') or contains(@title, 'Nashik') or contains(@value, 'Nashik') or contains(@placeholder, 'Nashik') or contains(@alt, 'Nashik') or contains(@name, 'Nashik') or contains(@class, 'Nashik') or (@aria-labelledby and contains(., 'Nashik'))] | //label[contains(normalize-space(text()), 'Nashik')] | //*[@id=//label[contains(normalize-space(text()), 'Nashik')]/@for]").first() - - locator resolved to <input disabled type="text" id="address" aria-required="true" placeholder="Enter Property Address" value="Nashik, Nashik, Nashik, Nashik, Nashik, Nashik, 422005, Maharashtra, India" class="ant-input ant-input-disabled css-4hvg6c ant-input-outlined ant-input-status-success"/> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying		

#	Step / Hook Details	Status	Duration
	click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 100ms - 57 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:167) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:156) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:267) at ?.click "Nashik"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1768285813059/test-suite-1765783670576/execution_20260113_153745/src/test/java/com/nimble/feature/loanPorcessing.feature:220) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-7179588977203425511/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-7179588977203425511/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-7179588977203425511/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Nashik') or contains(@aria-label, 'Nashik') or contains(@title, 'Nashik') or contains(@value, 'Nashik') or contains(@placeholder, 'Nashik') or contains(@alt, 'Nashik') or contains(@name, 'Nashik') or contains(@class, 'Nashik') or (@aria-labelledby and contains(., 'Nashik'))]	//label[contains(normalize-space(text()), 'Nashik')]	//*[@id=//label[contains(normalize-space(text()), 'Nashik')]/@for]").first() - - locator resolved to <input disabled type="text" id="address" aria-required="true" placeholder="Enter Property Address" value="Nashik, Nashik, Nashik, Nashik, Nashik, Nashik, 422005, Maharashtra, India" class="ant-input ant-input-disabled css-4hvg6c ant-input-outlined ant-input-status-success"/> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 100ms - 57 × waiting for element to be visible, enabled and stable - - element is not enabled - - retrying click action - - waiting 500ms - - waiting for element to be visible, enabled and stable at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164) at com.microsoft.playwright.Locator.click(Locator.java:2500) at com.nimble.stepDefinitions.UserActionSteps.performNormalClick(UserActionSteps.java:167) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:156)		

#	Step / Hook Details	Status	Duration
	at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:267) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
40	And click on the element with id as "state"	SKIPPED	0.006 s
41	And click "Maharashtra"	SKIPPED	0.006 s
42	And click on the element with id as "country"	SKIPPED	0.004 s
43	And click "India"	SKIPPED	0.004 s
44	And wait 3 sec	SKIPPED	0.000 s
45	And enter "Remaining Property" into "Please Enter On East Side"	SKIPPED	0.005 s
46	And wait 1 sec	SKIPPED	0.000 s
47	And enter "Row House No. 212" into "Please Enter On West Side" with exact phrase	SKIPPED	0.006 s
48	And enter "Plot of Nirmla Devi etc. 45" into "Please Enter On North Side"	SKIPPED	0.008 s
49	And wait 2 sec Please	SKIPPED	0.000 s
50	And enter "Part B Harbans Singh 48" into "Enter On South Side"	SKIPPED	0.007 s
51	And wait 3 sec	SKIPPED	0.000 s
52	And enter "12-01-2026" into "DD-MM-YYYY"	SKIPPED	0.009 s
53	And wait 2 sec	SKIPPED	0.000 s
54	And click "{el:AddDocuments_LegalOpinion}"	SKIPPED	0.005 s
55	And enter "Document" into "Enter document" with exact phrase	SKIPPED	0.009 s
56	And click on the element wit id as "documents_0_document_type"	SKIPPED	0.011 s
57	And click on the 1st "Certified" inside div with class "ant-select-item-option-content" with exact phrase	SKIPPED	0.006 s
58	And wait 2 sec	SKIPPED	0.000 s
59	And click "{el:Legal_Opinion_Submit}"	SKIPPED	0.005 s
60	And wait 2 sec	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
61	And click "{el:AddDocuments_legal_Disbursement}"	SKIPPED	0.006 s
62	And enter "Document" into 2nd "Enter document" with exact phrase	SKIPPED	0.007 s
63	And click on the element wit id as "documents_0_document_type"	SKIPPED	0.006 s
64	And click on the 1st "Certified" inside div with class "ant-select-item-option-content" with exact phrase	SKIPPED	0.005 s
65	And wait 2 sec	SKIPPED	0.000 s
66	And click "{el:LegalDisbursement_Submit}"	SKIPPED	0.005 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.262 s
	Legal_Complete		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)