Cucumber Report

13-Jan-2026, 6:22:40 PM

Start : Jan 13, 6:14:33.757 PM	End : Jan 13, 6:22:39.134 PM	Duration : 8 m 5.377 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 28 FAILED - 1 SKIPPED - 11







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	8 m 5.377 s	1	0	1	0	40	28	1	11

#	Feature Name	Scenario Name
1	Credit feature	Dedupe scenario

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@dedupeflow	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	1	0	1	0	8 m 5.377 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	Dedupe scenario	40	28	1	11	8 m 5.359 s

Credit feature

FAILED	DURATION - 8 m 5.377 s	Scenarios		Steps	
/ 6:14:33.757 PM // 6:22:39.134 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 40 Pass - 28 Fail - 1 Skip - 11	

Dedupe scenario

FAILED	DURATION - 8 m 5.359 s		Steps	
/ 6:14:33.775 PM // 6:22:39.134 PM /			Total - 40 Pass - 28 Fail - 1 Skip - 11	
Credit feature				
@regression @dedupeflow @loan_details				

#	Step / Hook Details	Status	Duration
1	And enter "farheen.ansari@vastuhfc.com" into "Enter your email"	PASSED	0.319 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.233 s
3	And wait 3 sec	PASSED	3.005 s
4	And click "Sign in"	PASSED	0.317 s
5	And click "Credit" inside span	PASSED	6.934 s
6	And click "Loan Detail" with exact phrase	PASSED	2.771 s
7	And wait 3 sec	PASSED	3.003 s
8	And enter "APP1762846048118" into "Type to search"	PASSED	1.727 s
9	And wait 2 sec	PASSED	2.003 s
10	And click on the element with class "view_button_loan_list"	PASSED	1.958 s
11	And wait 2 sec	PASSED	2.002 s
12	And switch to last opened tab	PASSED	0.038 s
13	And click "View Detailed Progress"	PASSED	1.782 s
14	And check that screen contains "Application Stages"	PASSED	0.696 s
15	And check that screen contains "Forward"	PASSED	1.480 s

#	Step / Hook Details	Status	Duration
16	And click "Forward"	PASSED	2.092 s
17	And wait 5 sec	PASSED	5.013 s
18	And switch to last opened tab	PASSED	0.007 s
19	And wait 10 sec	PASSED	10.003 s
20	And check that screen contains "Loan Account Number"	PASSED	0.211 s
21	And check that screen contains "Matched LAN's"	PASSED	0.217 s
22	And wait 3 sec	PASSED	3.004 s
23	And click "{el:Dedupe_OverallStatus}"	PASSED	0.544 s
24	And wait 2 sec	PASSED	2.003 s
25	And click "{el:Dedupe_OverallSataus_addButton}"	PASSED	0.651 s
26	And wait 2 sec	PASSED	2.002 s
27	And click on the element with id as "status"	PASSED	0.616 s
28	And wait 5 sec	PASSED	5.002 s
29	And click on the 4th "Positive" inside div	FAILED	7 m 3.701 s
	com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at PageDispatcher._dispose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/dispatchers/dispatcher.js:109:30) at Page.<anonymous> (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/dispatchers/pageDispatcher.js:71:12) at Page.emit (node:events:508:28) at Page._didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/page.js:172:10) at CRPage.didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/chromium/crPage.js:135:16) at CRBrowser._onDetachedFromTarget (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/chromium/crBrowser.js:183:14) at CRSession.emit (node:events:508:28) at /private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/chromium/crConnection.js:138:14 } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Positive') or contains(@aria-label, 'Positive') or contains(@title, 'Positive') or contains(@value, 'Positive') or contains(@placeholder, 'Positive') or contains(@alt, 'Positive') or contains(@name, 'Positive') or contains(@class, 'Positive') or (@aria-labelledby and contains(., 'Positive'))] | //label[contains(normalize-space(text()), 'Positive')] | //*[@id=//label[contains(normalize-space(text()), 'Positive')]/@for]").first() at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:357) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:296) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:266) at ?.click on the 4th "Positive" inside div(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1768285813059/test-suite-1765783670576/execution_20260113_181356/src/test/java/com/nimble/feature/LoanProcessing.feature:77) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at PageDispatcher._dispose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/dispatchers/dispatcher.js:109:30) at Page.<anonymous> (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/dispatchers/pageDispatcher.js:71:12) at Page.emit (node:events:508:28) at Page._didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/page.js:172:10) at CRPage.didClose (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/chromium/crPage.js:135:16) at CRBrowser._onDetachedFromTarget (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/chromium/crBrowser.js:183:14) at CRSession.emit (node:events:508:28) at /private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-17327825017927058277/package/lib/server/chromium/crConnection.js:138:14 } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Positive') or contains(@aria-label, 'Positive') or contains(@title, 'Positive') or contains(@value, 'Positive') or contains(@placeholder, 'Positive') or contains(@alt, 'Positive') or contains(@name, 'Positive') or contains(@class, 'Positive') or (@aria-labelledby and contains(., 'Positive'))] | //label[contains(normalize-space(text()), 'Positive')] | //*[@id=//label[contains(normalize-space(text()), 'Positive')]/@for]").first() at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:357) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:296) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:266) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
30	And enter "testing" into "Please enter remark"	SKIPPED	0.009 s
31	And click "Submit"	SKIPPED	0.006 s
32	And wait 3 sec	SKIPPED	0.000 s
33	And check that screen contains "Completed"	SKIPPED	0.006 s
34	And click "{el:Stage_close}"	SKIPPED	0.008 s
35	And click "{el:profile_element}"	SKIPPED	0.007 s
36	And click "Log Out"	SKIPPED	0.007 s
37	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.004 s
38	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.006 s
39	And wait 3 sec	SKIPPED	0.001 s
40	And click "Sign in"	SKIPPED	0.006 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.064 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		