Cucumber Report

13-Jan-2026, 6:42:35 PM

Start : Jan 13, 6:38:53.974 PM	End : Jan 13, 6:42:34.503 PM	Duration : 3 m 40.529 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 29 FAILED - 1 SKIPPED - 10







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	3 m 40.529 s	1	0	1	0	40	29	1	10

#	Feature Name	Scenario Name
1	Credit feature	Dedupe scenario

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@dedupeflow	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	1	0	1	0	3 m 40.529 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	Dedupe scenario	40	29	1	10	3 m 40.527 s

Credit feature

FAILED	DURATION - 3 m 40.529 s	Scenarios		Steps
/ 6:38:53.974 PM // 6:42:34.503 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 40 Pass - 29 Fail - 1 Skip - 10



Dedupe scenario

FAILED	DURATION - 3 m 40.527 s		Steps
/ 6:38:53.976 PM // 6:42:34.503 PM /			Total - 40 Pass - 29 Fail - 1 Skip - 10
Credit feature			
@regression @dedupeflow @loan_details			



#	Step / Hook Details	Status	Duration
1	And enter "farheen.ansari@vastuhfc.com" into "Enter your email"	PASSED	0.145 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.100 s
3	And wait 3 sec	PASSED	3.002 s
4	And click "Sign in"	PASSED	0.171 s
5	And click "Credit" inside span	PASSED	6.375 s
6	And click "Loan Detail" with exact phrase	PASSED	0.648 s
7	And wait 3 sec	PASSED	3.001 s
8	And enter "APP1762846048118" into "Type to search"	PASSED	0.104 s
9	And wait 2 sec	PASSED	2.001 s
10	And click on the element with class "view_button_loan_list"	PASSED	1.991 s
11	And wait 2 sec	PASSED	2.002 s
12	And switch to last opened tab	PASSED	0.006 s
13	And click "View Detailed Progress"	PASSED	0.270 s
14	And check that screen contains "Application Stages"	PASSED	0.393 s
15	And check that screen contains "Forward"	PASSED	1.240 s

#	Step / Hook Details	Status	Duration
16	And click "Forward"	PASSED	0.584 s
17	And wait 5 sec	PASSED	5.007 s
18	And switch to last opened tab	PASSED	0.006 s
19	And wait 10 sec	PASSED	10.010 s
20	And check that screen contains "Loan Account Number"	PASSED	0.120 s
21	And check that screen contains "Matched LAN's"	PASSED	0.081 s
22	And wait 3 sec	PASSED	3.002 s
23	And click "{el:Dedupe_OverallStatus}"	PASSED	0.105 s
24	And wait 2 sec	PASSED	2.003 s
25	And click "{el:Dedupe_OverallSataus_addButton}"	PASSED	0.392 s
26	And wait 2 sec	PASSED	2.002 s
27	And click on the element with id as "status"	PASSED	0.304 s
28	And wait 2 sec	PASSED	2.002 s
29	And click "{el:Positive}"	PASSED	0.191 s
30	And enter "testing" into "Please enter remark"	FAILED	2 m 52.307 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9031331072499356283/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9031331072499356283/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9031331072499356283/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Please enter remark') or contains(@aria-label, 'Please enter remark') or contains(@title, 'Please enter remark') or contains(@value, 'Please enter remark') or contains(@placeholder, 'Please enter remark') or contains(@alt, 'Please enter remark') or contains(@name, 'Please enter remark') or contains(@class, 'Please enter remark') or (@aria-labelledby and contains(., 'Please enter remark'))] | //label[contains(normalize-space(text()), 'Please enter remark')] | //*[@id=//label[contains(normalize-space(text()), 'Please enter remark')]/@for]").first() at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:369) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:237) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:151) at com.nimble.stepDefinitions.UserActionSteps.enter(UserActionSteps.java:775) at ?.enter "testing" into "Please enter remark"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1768285813059/test-suite-1765783670576/execution_20260113_183833/src/test/java/com/nimble/feature/LoanProcessing.feature:78) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9031331072499356283/package/lib/server/progress.js:68:28) at FrameDispatcher._runCommand (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9031331072499356283/package/lib/server/dispatchers/dispatcher.js:95:31) at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-9031331072499356283/package/lib/server/dispatchers/dispatcher.js:329:39) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Please enter remark') or contains(@aria-label, 'Please enter remark') or contains(@title, 'Please enter remark') or contains(@value, 'Please enter remark') or contains(@placeholder, 'Please enter remark') or contains(@alt, 'Please enter remark') or contains(@name, 'Please enter remark') or contains(@class, 'Please enter remark') or (@aria-labelledby and contains(., 'Please enter remark'))] | //label[contains(normalize-space(text()), 'Please enter remark')] | //*[@id=//label[contains(normalize-space(text()), 'Please enter remark')]/@for]").first() at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:369) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:237) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:151) at com.nimble.stepDefinitions.UserActionSteps.enter(UserActionSteps.java:775) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
31	And click "Submit"	SKIPPED	0.005 s
32	And wait 3 sec	SKIPPED	0.001 s
33	And check that screen contains "Completed"	SKIPPED	0.006 s
34	And click "{el:Stage_close}"	SKIPPED	0.006 s
35	And click "{el:profile_element}"	SKIPPED	0.005 s
36	And click "Log Out"	SKIPPED	0.005 s
37	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	SKIPPED	0.005 s
38	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.006 s
39	And wait 3 sec	SKIPPED	0.001 s
40	And click "Sign in"	SKIPPED	0.006 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.253 s
	Dedupe_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)