# Cucumber Report

Jan 27, 2026, 6:45:36 PM

| Start : Jan 27, 6:44:10.601 PM | End : Jan 27, 6:45:34.570 PM | Duration : 1 m 23.969 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 5<br>FAILED - 1<br>SKIPPED - 51 |









| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Loan Proccessing | 1 m 23.969 s | 1 | 0 | 1 | 0 | 57 | 5 | 1 | 51 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | Loan Proccessing | final approval scenario |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @final | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Loan Proccessing | 1 | 0 | 1 | 0 | 1 m 23.969 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Loan Proccessing | final approval scenario | 57 | 5 | 1 | 51 | 1 m 23.966 s |

## Loan Proccessing

| FAILED | DURATION - 1 m 23.969 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 6:44:10.601 PM // 6:45:34.570 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Total - 57<br>Pass - 5<br>Fail - 1<br>Skip - 51 | |

### final approval scenario

| FAILED | DURATION - 1 m 23.966 s | | Steps | |
|---|---|---|---|---|
| / 6:44:10.604 PM // 6:45:34.570 PM / | |   | Total - 57<br>Pass - 5<br>Fail - 1<br>Skip - 51 |   |
| Loan Proccessing | | | | |
| @final | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | And enter "rohit.shinde@vastuhfc.com" into "Enter your email" | PASSED | 0.244 s |
| 2 | And enter "Vastu@123" into "Enter your password" | PASSED | 0.162 s |
| 3 | And wait 3 sec | PASSED | 3.011 s |
| 4 | And click "Sign in" | PASSED | 0.293 s |
| 5 | And click "Credit" inside span | PASSED | 5.682 s |
| 6 | And click "Loan Detail" with exact phrase | FAILED | 1 m 6.500 s |
| | com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-4339853796797942513\package\lib\server\dispatchers\dispatcher.js:340:15) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Loan Detail') or contains(@aria-label, 'Loan Detail') or contains(@title, 'Loan Detail') or contains(@value, 'Loan Detail') or contains(@placeholder, 'Loan Detail') or contains(@alt, 'Loan Detail') or contains(@name, 'Loan Detail') or contains(@class, 'Loan Detail') or (@aria-labelledby and contains(., 'Loan Detail'))] \| //label[contains(normalize-space(text()), 'Loan Detail')] \| //*[@id=//label[contains(normalize-space(text()), 'Loan Detail')]/@for]").first() - - locator resolved to <a href="/applications">Loan Detail</a> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 100ms - 11 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 500ms<br>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)<br>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)<br>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)<br>at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)<br>at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)<br>at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)<br>at com.microsoft.playwright.Locator.click(Locator.java:2500)<br>at com.nimble.stepDefinitions.UserActionSteps.safeClick(UserActionSteps.java:37)<br>at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:153)<br>at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:269)<br>at ?.click "Loan Detail" with exact phrase(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1769514469454/test-suite-1765783670576/execution_20260127_184339/src/test/java/com/nimble/feature/Swati_LMS.feature:11)<br>Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-4339853796797942513\package\lib\server\dispatchers\dispatcher.js:340:15) } Call log: - - waiting for locator("//*[contains(normalize-space(text()), 'Loan Detail') or contains(@aria-label, 'Loan Detail') or contains(@title, 'Loan Detail') or contains(@value, 'Loan Detail') or contains(@placeholder, 'Loan Detail') or contains(@alt, 'Loan Detail') or contains(@name, 'Loan Detail') or contains(@class, 'Loan Detail') or (@aria-labelledby and contains(., 'Loan Detail'))] \| //label[contains(normalize-space(text()), 'Loan Detail')] \| //*[@id=//label[contains(normalize-space(text()), 'Loan Detail')]/@for]").first() - - locator resolved to <a href="/applications">Loan Detail</a> - - attempting click action - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 20ms - 2 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 100ms - 11 × waiting for element to be visible, enabled and stable - - element is not visible - - retrying click action - - waiting 500ms<br>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259)<br>at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)<br>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)<br>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)<br>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)<br>at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:241)<br>at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:232)<br>at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:164)<br>at com.microsoft.playwright.Locator.click(Locator.java:2500)<br>at com.nimble.stepDefinitions.UserActionSteps.safeClick(UserActionSteps.java:37)<br>at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:153)<br>at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:269)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:95)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br>at org.testng.TestRunner.privateRun(TestRunner.java:829)<br>at org.testng.TestRunner.run(TestRunner.java:602)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br>at org.testng.TestNG.runSuites(TestNG.java:1099)<br>at org.testng.TestNG.run(TestNG.java:1067)<br>at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)<br>at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)<br>at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)<br>at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)<br>at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)<br>at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)<br>* Not displayable characters are replaced by '?'. | | |
| 7 | And wait 3 sec | SKIPPED | 0.000 s |
| 8 | And enter "APP1767368018496" into "Type to search" | SKIPPED | 0.056 s |
| 9 | And wait 2 sec | SKIPPED | 0.000 s |
| 10 | And click on the element with class "view_button_loan_list" | SKIPPED | 0.069 s |
| 11 | And wait 2 sec | SKIPPED | 0.000 s |
| 12 | And switch to last opened tab | SKIPPED | 0.065 s |
| 13 | And click on the element with id as "rc_select_0" | SKIPPED | 0.069 s |
| 14 | And wait 2 sec | SKIPPED | 0.000 s |
| 15 | And click on the 1st "Final Approval" inside div with class "ant-select-item-option-content" with exact phrase | SKIPPED | 0.068 s |
| 16 | And wait 3 sec | SKIPPED | 0.000 s |
| 17 | And click on the element with class "go_button_div" | SKIPPED | 0.062 s |
| 18 | And wait 2 sec | SKIPPED | 0.000 s |
| 19 | And click on the element with id as "assigned_to" | SKIPPED | 0.055 s |
| 20 | And wait 3 sec | SKIPPED | 0.000 s |
| 21 | And enter "Kalyani Deshmukh" | SKIPPED | 0.024 s |
| 22 | And wait 2 sec | SKIPPED | 0.000 s |
| 23 | And click "Kalyani Deshmukh" inside div with class "ant-select-item-option-content" | SKIPPED | 0.058 s |
| 24 | And wait 3 sec | SKIPPED | 0.000 s |
| 25 | And enter "Testing" into "Please Enter Remark" | SKIPPED | 0.026 s |
| 26 | And wait 2 sec | SKIPPED | 0.000 s |
| 27 | And click on the 2nd "Initiate" | SKIPPED | 0.061 s |
| 28 | And wait 10 sec | SKIPPED | 0.000 s |
| 29 | And click on the element with class "dropdown_img" | SKIPPED | 0.066 s |
| 30 | And wait 5 sec | SKIPPED | 0.000 s |
| 31 | And click "Log Out" | SKIPPED | 0.064 s |
| 32 | And wait 5 sec | SKIPPED | 0.000 s |
| 33 | And enter "kalyani.deshmukh@vastuhfc.com" into "Enter your email" | SKIPPED | 0.071 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 34 | And enter "Vastu@123" into "Enter your password" | SKIPPED | 0.064 s |
| 35 | And wait 3 sec | SKIPPED | 0.000 s |
| 36 | And click "Sign in" | SKIPPED | 0.059 s |
| 37 | And wait 3 sec | SKIPPED | 0.000 s |
| 38 | And click "View Detailed Progress" | SKIPPED | 0.065 s |
| 39 | And check that screen contains "Application Stages" | SKIPPED | 0.059 s |
| 40 | And wait 5 sec | SKIPPED | 0.000 s |
| 41 | And click on the element with class "stage_icons" at index 4 | SKIPPED | 0.068 s |
| 42 | And wait 5 sec | SKIPPED | 0.000 s |
| 43 | And click on the element with id as "loan_status" | SKIPPED | 0.049 s |
| 44 | And wait 3 sec | SKIPPED | 0.000 s |
| 45 | And click "Approved" inside div with class "ant-select-item-option-content" | SKIPPED | 0.021 s |
| 46 | And wait 3 sec | SKIPPED | 0.000 s |
| 47 | And click on the 2nd "{el:rateApprovalSubmit}" | SKIPPED | 0.065 s |
| 48 | And wait 3 sec | SKIPPED | 0.000 s |
| 49 | And click on the element with id as "skip_imd" | SKIPPED | 0.051 s |
| 50 | And wait 2 sec | SKIPPED | 0.000 s |
| 51 | And click "Yes" inside div with class "ant-select-item-option-content" | SKIPPED | 0.066 s |
| 52 | And wait 2 sec | SKIPPED | 0.000 s |
| 53 | And click on the element with id as "skip_imd_reason" | SKIPPED | 0.059 s |
| 54 | And enter "testing" | SKIPPED | 0.064 s |
| 55 | And wait 3 sec | SKIPPED | 0.000 s |
| 56 | And click "{el:finalApprovalComplete}" | SKIPPED | 0.051 s |
| 57 | And wait 5 sec | SKIPPED | 0.000 s |
| | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.056 s |
| | java.lang.RuntimeException: Teardown step failed because scenario failed<br>at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) | | |