Cucumber Report

Jan 27, 2026, 7:48:56 PM

Start : Jan 27, 7:47:32.012 PM	End : Jan 27, 7:48:55.022 PM	Duration : 1 m 23.010 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 31







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Loan Proccessing	1 m 23.010 s	1	0	1	0	41	9	1	31

#	Feature Name	Scenario Name
1	Loan Proccessing	final approval scenario

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@final	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Loan Proccessing	1	0	1	0	1 m 23.010 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Loan Proccessing	final approval scenario	41	9	1	31	1 m 23.006 s

Loan Proccessing

FAILED	DURATION - 1 m 23.010 s	Scenarios		Steps
/ 7:47:32.012 PM // 7:48:55.022 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 41 Pass - 9 Fail - 1 Skip - 31 

final approval scenario

FAILED	DURATION - 1 m 23.006 s		Steps
/ 7:47:32.016 PM // 7:48:55.022 PM /			Total - 41 Pass - 9 Fail - 1 Skip - 31 
Loan Proccessing			
@final			

#	Step / Hook Details	Status	Duration
1	And enter "rohit.shinde@vastuhfc.com" into "Enter your email"	PASSED	0.276 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.171 s
3	And wait 3 sec	PASSED	3.017 s
4	And click "Sign in"	PASSED	0.304 s
5	And click "Credit" inside span	PASSED	6.510 s
6	And click "Loan Detail" with exact phrase	PASSED	0.583 s
7	And wait 3 sec	PASSED	3.008 s
8	And enter "APP1767368018467" into "Type to search"	PASSED	0.223 s
9	And wait 2 sec	PASSED	2.012 s
10	And click on the element with class "view_button_loan_list"	FAILED	1 m 0.064 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 60000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-12179381806455584687\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\ASUS\AppData\Local\Temp\playwright-java-12179381806455584687\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-12179381806455584687\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator(".view_button_loan_list")		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:52) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:506) at ?.click on the element with class "view_button_loan_list"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1769514469454/test-suite-1765783670576/execution_20260127_194633/src/test/java/com/nimble/feature/Swati_LMS.feature:52) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 60000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-12179381806455584687\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\ASUS\AppData\Local\Temp\playwright-java-12179381806455584687\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-12179381806455584687\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator(".view_button_loan_list") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:52) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:506) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
11	And wait 2 sec	SKIPPED	0.000 s
12	And switch to last opened tab	SKIPPED	0.045 s
13	And wait 4 sec	SKIPPED	0.000 s
14	And click on the element with class "dropdown_img"	SKIPPED	0.096 s
15	And click "Log Out"	SKIPPED	0.025 s
16	And wait 5 sec	SKIPPED	0.000 s
17	And enter "kalyani.deshmukh@vastuhfc.com" into "Enter your email"	SKIPPED	0.066 s
18	And enter "Vastu@123" into "Enter your password"	SKIPPED	0.023 s
19	And wait 3 sec	SKIPPED	0.000 s
20	And click "Sign in"	SKIPPED	0.023 s
21	And wait 5 sec	SKIPPED	0.000 s
22	And click "View Detailed Progress"	SKIPPED	0.058 s
23	And check that screen contains "Application Stages"	SKIPPED	0.024 s
24	And wait 5 sec	SKIPPED	0.000 s
25	And click on the element with class "stage_icons" at index 2	SKIPPED	0.069 s
26	And wait 5 sec	SKIPPED	0.000 s
27	And click on the element with id as "loan_status"	SKIPPED	0.010 s
28	And wait 3 sec	SKIPPED	0.000 s
29	And click "Approved" inside div with class "ant-select-item-option-content"	SKIPPED	0.057 s
30	And wait 3 sec	SKIPPED	0.000 s
31	And click on the 2nd "{el:rateApprovalSubmit}"	SKIPPED	0.051 s
32	And wait 3 sec	SKIPPED	0.000 s
33	And click on the element with id as "skip_imd"	SKIPPED	0.048 s

#	Step / Hook Details	Status	Duration
34	And wait 2 sec	SKIPPED	0.000 s
35	And click "Yes" inside div with class "ant-select-item-option-content"	SKIPPED	0.048 s
36	And wait 2 sec	SKIPPED	0.000 s
37	And click on the element with id as "skip_imd_reason"	SKIPPED	0.064 s
38	And enter "testing"	SKIPPED	0.063 s
39	And wait 3 sec	SKIPPED	0.000 s
40	And click "{el:rateApprovalComplete}"	SKIPPED	0.064 s
41	And wait 5 sec	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.651 s
	final_approval_scenario		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)