Cucumber Report

12-Jan-2026, 3:43:13 PM

Start : Jan 12, 3:43:01.198 PM	End : Jan 12, 3:43:12.144 PM	Duration : 10.946 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 4 FAILED - 2 SKIPPED - 21







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	10.946 s	2	0	2	0	27	4	2	21

#	Feature Name	Scenario Name
1	Credit feature	Lead scenario
2		Qc scenario

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	2	0	2	0	1	0	1	0
@loan_details	2	0	2	0	1	0	1	0
@sanity	2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	2	0	2	0	10.946 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	Lead scenario	18	4	1	13	10.780 s
2		Qc scenario	9	0	1	8	0.133 s

Credit feature

FAILED	DURATION - 10.946 s
/ 3:43:01.198 PM // 3:43:12.144 PM /	

Scenarios
Total - 2
Pass - 0
Fail - 2
Skip - 0

Steps
Total - 27
Pass - 4
Fail - 2
Skip - 21



Lead scenario

FAILED	DURATION - 10.780 s
/ 3:43:01.201 PM // 3:43:11.981 PM /	
Credit feature	
@regression @loan_details @sanity	



Steps
Total - 18
Pass - 4
Fail - 1
Skip - 13



#	Step / Hook Details	Status	Duration
1	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.194 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.099 s
3	And wait 3 sec	PASSED	3.002 s
4	And click "Sign in"	PASSED	0.199 s
5	And click "Credit" inside span	FAILED	6.535 s

com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4118729425632404672/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4118729425632404672/package/lib/cli/driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4118729425632404672/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }

```
    at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)
    at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
    at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
    at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
    at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)
```

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177) at ?.click "Credit" inside span(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-1768199219003/test-suite-1765783670576/execution_20260112_154231/src/test/java/com/nimble/feature/LoanProcessing.feature:11) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4118729425632404672/package/lib/server/dispatchers/dispatcher.js:260:69) at transport.onmessage (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4118729425632404672/package/lib/cli/driver.js:53:59) at Immediate._onImmediate (/private/var/folders/mx/w_r54_q94792qv29z1963kyr0000gn/T/playwright-java-4118729425632404672/package/lib/server/utils/pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) } at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037) at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:326) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:277) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:177) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
6	And click "Loan Detail" with exact phrase	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
7	And wait 3 sec	SKIPPED	0.000 s
8	And enter "APP1767185201830" into "Type to search"	SKIPPED	0.005 s
9	And wait 2 sec	SKIPPED	0.000 s
10	And click on the element with class "view_button_loan_list"	SKIPPED	0.005 s
11	And wait 2 sec	SKIPPED	0.000 s
12	And switch to last opened tab	SKIPPED	0.005 s
13	And click "View Detailed Progress"	SKIPPED	0.005 s
14	And check that screen contains "Application Stages"	SKIPPED	0.005 s
15	And check that screen contains "Lead"	SKIPPED	0.005 s
16	And check that screen contains "Completed"	SKIPPED	0.005 s
17	And wait 2 sec	SKIPPED	0.001 s
18	And click "{el:StageClose}"	SKIPPED	0.005 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.015 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		

Qc scenario

FAILED	DURATION - 0.133 s
/ 3:43:12.011 PM // 3:43:12.144 PM /	
Credit feature	
@regression @loan_details @sanity	



Steps
Total - 9
Pass - 0
Fail - 1
Skip - 8

#	Step / Hook Details	Status	Duration
1	And check that screen contains "QC"	FAILED	0.023 s
	java.lang.AssertionError: Element 'QC' not found or not visible. expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at com.nimble.stepDefinitions.AssertSteps.assertCondition(AssertSteps.java:169) at com.nimble.stepDefinitions.AssertSteps.checkTextOnScreen(AssertSteps.java:147) at ?.check that screen contains "QC"(file:///Users/mac/Documents/viom-studio/test_suite_repositories/sample-test-suites-repo-		

#	Step / Hook Details	Status	Duration
	1768199219003/test-suite-1765783670576/execution_20260112_154231/src/test/java/com/nimble/feature/LoanProcessing.feature:30) * Not displayable characters are replaced by '?'.		
2	And check that screen contains "Initiated"	SKIPPED	0.006 s
3	And click on the element with class "stage_icons" at index 2	SKIPPED	0.007 s
4	And wait 2 sec	SKIPPED	0.000 s
5	And click on the element with id as "user"	SKIPPED	0.007 s
6	And click "lakhan (118)"	SKIPPED	0.005 s
7	And click on the element with class "ant-btn css-4hvg6c ant-btn-default ant-btn-dangerous ant-btn-color-dangerous ant-btn-variant-outlined fixed-width-button"	SKIPPED	0.006 s
8	And check that screen contains "Completed"	SKIPPED	0.005 s
9	And wait 3 sec	SKIPPED	0.000 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		