# Cucumber Report

Jan 13, 2026, 12:02:30 AM

| Start : Jan 13, 12:00:38.337 AM | End : Jan 13, 12:02:29.491 AM | Duration : 1 m 51.154 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 7<br>FAILED - 1<br>SKIPPED - 15 |









| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Credit feature | 1 m 51.154 s | 1 | 0 | 1 | 0 | 23 | 7 | 1 | 15 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | Credit feature | income Evaluation execution |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @income | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @loan_details | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Credit feature | 1 | 0 | 1 | 0 | 1 m 51.154 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Credit feature | income Evaluation execution | 23 | 7 | 1 | 15 | 1 m 51.150 s |

## Credit feature

| FAILED | DURATION - 1 m 51.154 s | Scenarios | | Steps |
|---|---|---|---|---|
| / 12:00:38.337 AM // 12:02:29.491 AM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Total - 23<br>Pass - 7<br>Fail - 1<br>Skip - 15 |

### income Evaluation execution

| FAILED | DURATION - 1 m 51.150 s | | Steps |
|---|---|---|---|
| / 12:00:38.341 AM // 12:02:29.491 AM / | |  | Total - 23<br>Pass - 7<br>Fail - 1<br>Skip - 15 |
| Credit feature | | | |
| @regression @income @loan_details | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | And enter "gaurav.g@vastuhfc.com" into "Enter your email" | PASSED | 0.131 s |
| 2 | And enter "Vastu@123" into "Enter your password" | PASSED | 0.077 s |
| 3 | And wait 3 sec | PASSED | 3.013 s |
| 4 | And click "Sign in" | PASSED | 0.152 s |
| 5 | And click "Credit" inside span | PASSED | 5.279 s |
| 6 | And click "Loan Detail" with exact phrase | PASSED | 0.411 s |
| 7 | And wait 3 sec | PASSED | 3.014 s |
| 8 | And enter "APP1760164698507" into "Type to search" | FAILED | 1 m 36.534 s |
| | com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-5790128516717745056\package\lib\server\dispatchers\dispatcher.js:260:69) at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-5790128516717745056\package\lib\cli\driver.js:53:59) at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-5790128516717745056\package\lib\server\utils\pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }<br>at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54)<br>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)<br>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)<br>at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)<br>at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:399)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:237)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)<br>at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:151)<br>at com.nimble.stepDefinitions.UserActionSteps.enter(UserActionSteps.java:775)<br>at ?.enter "APP1760164698507" into "Type to search"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1768288367390/test-suite-1765783670576/execution_20260113_000015/src/test/java/com/nimble/feature/LoanProcessing.feature:200)<br>Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-5790128516717745056\package\lib\server\dispatchers\dispatcher.js:260:69) at transport.onmessage (C:\Users\ASUS\AppData\Local\Temp\playwright-java-5790128516717745056\package\lib\cli\driver.js:53:59) at Immediate._onImmediate (C:\Users\ASUS\AppData\Local\Temp\playwright-java-5790128516717745056\package\lib\server\utils\pipeTransport.js:76:16) at process.processImmediate (node:internal/timers:504:21) }<br>at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259)<br>at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)<br>at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)<br>at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)<br>at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)<br>at com.microsoft.playwright.impl.FrameImpl.queryCount(FrameImpl.java:1037)<br>at com.microsoft.playwright.impl.LocatorImpl.count(LocatorImpl.java:169)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:399)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:237)<br>at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1)<br>at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:151)<br>at com.nimble.stepDefinitions.UserActionSteps.enter(UserActionSteps.java:775)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:95)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br>at org.testng.TestRunner.privateRun(TestRunner.java:829)<br>at org.testng.TestRunner.run(TestRunner.java:602)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br>at org.testng.TestNG.runSuites(TestNG.java:1099)<br>at org.testng.TestNG.run(TestNG.java:1067)<br>at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)<br>at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)<br>at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)<br>at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)<br>at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)<br>at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)<br>at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | * Not displayable characters are replaced by '?'. | | |
| 9 | And wait 2 sec | SKIPPED | 0.000 s |
| 10 | And click on the element with class "view_button_loan_list" | SKIPPED | 0.008 s |
| 11 | And wait 2 sec | SKIPPED | 0.000 s |
| 12 | And switch to last opened tab | SKIPPED | 0.016 s |
| 13 | And wait 2 sec | SKIPPED | 0.000 s |
| 14 | And click "Underwriting" | SKIPPED | 0.016 s |
| 15 | And click "Credit Analysis" | SKIPPED | 0.016 s |
| 16 | And wait 2 sec | SKIPPED | 0.000 s |
| 17 | And click on the element with id as "sanction_condition_id" | SKIPPED | 0.016 s |
| 18 | And click "Coapplicant to be added" | SKIPPED | 0.016 s |
| 19 | And Enter "test condition " into "Please enter other condition" | SKIPPED | 0.015 s |
| 20 | And click "Please Select" | SKIPPED | 0.014 s |
| 21 | And click "Completed" | SKIPPED | 0.014 s |
| 22 | And wait 2 sec | SKIPPED | 0.000 s |
| 23 | And Click "Submit" | SKIPPED | 0.015 s |
| | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.032 s |
| | java.lang.RuntimeException: Teardown step failed because scenario failed<br>at com.nimble.hooks.Hooks.tearDown(Hooks.java:212) | | |