Cucumber Report

Jan 13, 2026, 2:23:14 AM

Start : Jan 13, 2:22:34.975 AM	End : Jan 13, 2:23:13.292 AM	Duration : 38.317 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 8







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	38.317 s	1	0	1	0	27	18	1	8

#	Feature Name	Scenario Name
1	Credit feature	income Evaluation execution

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@income	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	1	0	1	0	38.317 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	income Evaluation execution	27	18	1	8	38.317 s

Credit feature

FAILED	DURATION - 38.317 s	Scenarios		Steps	
/ 2:22:34.975 AM // 2:23:13.292 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 27 Pass - 18 Fail - 1 Skip - 8	

income Evaluation execution

FAILED	DURATION - 38.317 s		Steps	
/ 2:22:34.975 AM // 2:23:13.292 AM /			Total - 27 Pass - 18 Fail - 1 Skip - 8	
Credit feature				
@regression @income @loan_details				

#	Step / Hook Details	Status	Duration
1	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.204 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.133 s
3	And wait 3 sec	PASSED	3.006 s
4	And click "Sign in"	PASSED	0.323 s
5	And click "Credit" inside span	PASSED	6.142 s
6	And click "Loan Detail" with exact phrase	PASSED	0.727 s
7	And wait 3 sec	PASSED	3.011 s
8	And enter "APP1760164698507" into "Type to search"	PASSED	0.376 s
9	And wait 2 sec	PASSED	2.014 s
10	And click on the element with class "view_button_loan_list"	PASSED	0.199 s
11	And wait 2 sec	PASSED	2.005 s
12	And switch to last opened tab	PASSED	0.063 s
13	And wait 2 sec	PASSED	2.017 s
14	And click "Underwriting"	PASSED	0.469 s
15	And click "Credit Analysis"	PASSED	0.765 s

#	Step / Hook Details	Status	Duration
16	And wait 3 sec	PASSED	3.018 s
17	And check that screen contains "Sanction Condition" with exact phrase	PASSED	0.572 s
18	And wait 2 sec	PASSED	2.011 s
19	And click on the element with class "add-sanction-button"	FAILED	0.204 s

com.microsoft.playwright.PlaywrightException: Error { message='Error: strict mode violation: locator(".add-sanction-button") resolved to 2 elements: 1) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(1) 2) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(3) name='Error stack='Error: Error: strict mode violation: locator(".add-sanction-button") resolved to 2 elements: 1) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(1) 2) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(3) at CRExecutionContext.evaluateWithArguments (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\chromium\crExecutionContext.js:80:13) at async LongStandingScope._race (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\utils\isomorphic\manualPromise.js:94:14) at async evaluateExpression (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\javascript.js:217:12) at async C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\frames.js:623:22 at async Frame.retryWithProgressAndTimeouts (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\frames.js:880:24) at async FrameDispatcher.waitForSelector (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\dispatchers\frameDispatcher.js:82:98) at async ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\progress.js:78:22) at async FrameDispatcher._runCommand (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\dispatchers\dispatcher.js:95:14) at async DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\dispatchers\dispatcher.js:329:22) } Call log: -- waiting for locator(".add-sanction-button")

```
    at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:56)
    at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138)
    at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)
    at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)
    at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)
    at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)
    at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)
    at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80)
    at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)
    at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)
    at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)
    at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)
    at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)
    at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:50)
    at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:504)
    at ?.click on the element with class "add-sanction-button"(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1768288367390/test-suite-1765783670576/execution_20260113_022158/src/test/java/com/nimble/feature/LoanProcessing.feature:213)
Caused by: com.microsoft.playwright.impl.DriverException: Error { message='Error: strict mode violation: locator(".add-sanction-button")
```

#	Step / Hook Details	Status	Duration
	resolved to 2 elements: 1) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(1) 2) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(3) name='Error stack='Error: Error: strict mode violation: locator(".add-sanction-button") resolved to 2 elements: 1) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(1) 2) … aka locator("div").filter(new Locator.FilterOptions().setHasText(Pattern.compile("^Add Sanction Condition$"))).nth(3) at CRExecutionContext.evaluateWithArguments (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\chromium\crExecutionContext.js:80:13) at async LongStandingScope._race (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\utils\isomorphic\manualPromise.js:94:14) at async evaluateExpression (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\javascript.js:217:12) at async C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\frames.js:623:22 at async Frame.retryWithProgressAndTimeouts (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\frames.js:880:24) at async FrameDispatcher.waitForSelector (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\dispatchers\frameDispatcher.js:82:98) at async ProgressController.run (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\progress.js:78:22) at async FrameDispatcher._runCommand (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\dispatchers\dispatcher.js:95:14) at async DispatcherConnection.dispatch (C:\Users\ASUS\AppData\Local\Temp\playwright-java-8842493016658637127\package\lib\server\dispatchers\dispatcher.js:329:22) } Call log: -- waiting for locator(".add-sanction-button") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:262) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:50) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:504) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
20	And wait 2 sec	SKIPPED	0.000 s
21	And click on the element with id as "sanction_condition_id"	SKIPPED	0.069 s
22	And click "Coapplicant to be added"	SKIPPED	0.058 s
23	And Enter "test condition " into "Please enter other condition"	SKIPPED	0.060 s
24	And click "Please Select"	SKIPPED	0.062 s
25	And click "Completed"	SKIPPED	0.063 s
26	And wait 2 sec	SKIPPED	0.000 s
27	And Click "Submit"	SKIPPED	0.067 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	7.080 s
	income_Evaluation_execution		
	java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)