Cucumber Report

Jan 14, 2026, 2:58:57 PM

Start : Jan 14, 2:58:34.216 PM	End : Jan 14, 2:58:56.300 PM	Duration : 22.084 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 14







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Credit feature	22.084 s	1	0	1	0	20	5	1	14

#	Feature Name	Scenario Name
1	Credit feature	income Evaluation executions

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@income	1	0	1	0	1	0	1	0
@loan_details	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Credit feature	1	0	1	0	22.084 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Credit feature	income Evaluation executions	20	5	1	14	22.072 s

Credit feature

FAILED	DURATION - 22.084 s	Scenarios		Steps	
/ 2:58:34.216 PM // 2:58:56.300 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 20 Pass - 5 Fail - 1 Skip - 14	

income Evaluation executions

FAILED	DURATION - 22.072 s		Steps	
/ 2:58:34.228 PM // 2:58:56.300 PM /			Total - 20 Pass - 5 Fail - 1 Skip - 14	
Credit feature				
@regression @income @loan_details				

#	Step / Hook Details	Status	Duration
1	And enter "gaurav.g@vastuhfc.com" into "Enter your email"	PASSED	0.241 s
2	And enter "Vastu@123" into "Enter your password"	PASSED	0.138 s
3	And wait 3 sec	PASSED	3.011 s
4	And click "Sign in"	PASSED	0.272 s
5	And click "Credit" inside span	PASSED	5.809 s
6	And click "Loan Detail" with exact phrase	FAILED	9.213 s
	com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at PageDispatcher._dispose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\dispatchers\dispatcher.js:109:30) at Page.<anonymous> (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\dispatchers\pageDispatcher.js:71:12) at Page.emit (node:events:508:28) at Page._didClose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\page.js:172:10) at CRPage.didClose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\chromium\crPage.js:135:16) at CRBrowser._onDetachedFromTarget (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\chromium\crBrowser.js:183:14) at CRSession.emit (node:events:508:28) at C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\chromium\crConnection.js:138:14 } Call log: - - attempting scroll into view action - 2 × waiting for element to be stable - - element is not stable - - retrying scroll into view action - - waiting 20ms - - waiting for element to be stable - - element is not stable - 2 × retrying scroll into view action - - waiting 100ms - - waiting for element to be stable - - element is not		

#	Step / Hook Details	Status	Duration
	visible - 16 × retrying scroll into view action - - waiting 500ms - - waiting for element to be stable - - element is not visible - - retrying scroll into view action - - waiting 500ms at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:54) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.ElementHandleImpl.scrollIntoViewIfNeeded(ElementHandleImpl.java:302) at com.microsoft.playwright.impl.LocatorImpl.lambda$scrollIntoViewIfNeeded$6(LocatorImpl.java:487) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:82) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.scrollIntoViewIfNeeded(LocatorImpl.java:486) at com.microsoft.playwright.Locator.scrollIntoViewIfNeeded(Locator.java:4440) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:427) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:296) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:266) at ?.click "Loan Detail" with exact phrase(file:///C:/viom-studio/test_suite_repositories/sample-test-suites-repo-1768288367390/test-suite-1765783670576/execution_20260114_145751/src/test/java/com/nimble/feature/LoanProcessing.feature:12) Caused by: com.microsoft.playwright.impl.TargetClosedError: Error { message='Target page, context or browser has been closed name='TargetClosedError stack='TargetClosedError: Target page, context or browser has been closed at PageDispatcher._dispose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\dispatchers\dispatcher.js:109:30) at Page.<anonymous> (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\dispatchers\pageDispatcher.js:71:12) at Page.emit (node:events:508:28) at Page._didClose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\page.js:172:10) at CRPage.didClose (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\chromium\crPage.js:135:16) at CRBrowser._onDetachedFromTarget (C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\chromium\crBrowser.js:183:14) at CRSession.emit (node:events:508:28) at C:\Users\ASUS\AppData\Local\Temp\playwright-java-1504770642615242035\package\lib\server\chromium\crConnection.js:138:14 } Call log: - - attempting scroll into view action - 2 × waiting for element to be stable - - element is not stable - - retrying scroll into view action - - waiting 20ms - - waiting for element to be stable - - element is not stable - 2 × retrying scroll into view action - - waiting 100ms - - waiting for element to be stable - - element is not visible - 16 × retrying scroll into view action - - waiting 500ms - - waiting for element to be stable - - element is not visible - - retrying scroll into view action - - waiting 500ms at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:259) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.ElementHandleImpl.scrollIntoViewIfNeeded(ElementHandleImpl.java:302) at com.microsoft.playwright.impl.LocatorImpl.lambda$scrollIntoViewIfNeeded$6(LocatorImpl.java:487) at com.microsoft.playwright.impl.LocatorImpl.lambda$withElement$0(LocatorImpl.java:82) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.scrollIntoViewIfNeeded(LocatorImpl.java:486) at com.microsoft.playwright.Locator.scrollIntoViewIfNeeded(Locator.java:4440) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:427) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:1) at com.nimble.stepDefinitions.BaseSteps.getElement(BaseSteps.java:296) at com.nimble.stepDefinitions.UserActionSteps.clickActionMerged(UserActionSteps.java:266) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
7	And wait 3 sec	SKIPPED	0.000 s
8	And enter "APP1760164698507" into "Type to search"	SKIPPED	0.075 s
9	And wait 2 sec	SKIPPED	0.000 s
10	And click on the element with class "view_button_loan_list"	SKIPPED	0.061 s
11	And wait 2 sec	SKIPPED	0.000 s
12	And switch to last opened tab	SKIPPED	0.059 s
13	And wait 2 sec	SKIPPED	0.000 s
14	And click "Underwriting"	SKIPPED	0.055 s
15	And wait 3 sec	SKIPPED	0.000 s
16	And click "Loan & Insurance"	SKIPPED	0.059 s
17	And check that screen contains "Loan Amount (Include Insurance)"	SKIPPED	0.059 s
18	And read value from "{el:LoanAmountIncludeInsurance}" and save it as "{Loan Amount}"	SKIPPED	0.069 s
19	And wait 2 sec	SKIPPED	0.016 s
20	And print value of "{Loan Amount}"	SKIPPED	0.016 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.065 s
	java.lang.RuntimeException: Teardown step failed because scenario failed		

#	Step / Hook Details	Status	Duration
	at com.nimble.hooks.Hooks.tearDown(Hooks.java:212)		