


Waidhofen/Ybbs, on 17.07.2026

## production protocol for batch 6757


|                 |                            |
|-----------------|----------------------------|
| linescanner ID: | <b>L2</b>                  |
| batch number:   | <b>6757</b>                |
| date/time:      | <b>30.06.2026 12:48:05</b> |
| operator:       |                            |
| batch size:     | <b>86.4m<sup>2</sup></b>   |
| glass sizes:    | <b>0.4m<sup>2</sup></b>    |
| used capacity:  | <b>0.4%</b>                |
| glass number:   | <b>1</b>                   |



## production protocol for batch 4057

---

|                      |                     |
|----------------------|---------------------|
| Scan-ID/Job-ID:      | 4057/6757           |
| production line:     | L2                  |
| date/time:           | 30.06.2026 12:47:35 |
| batch-ID:            |                     |
| product type:        |                     |
| order number:        |                     |
| commission:          |                     |
| product title:       |                     |
| product description: |                     |



| test result:                        |                |
|-------------------------------------|----------------|
| <input checked="" type="checkbox"/> | Shape          |
| <input checked="" type="checkbox"/> | Anisotropy     |
| <input checked="" type="checkbox"/> | overall result |

## anisotropy for scan 4057

---

|                       |                            |
|-----------------------|----------------------------|
| glass info:           |                            |
| date/time:            | 30.06.2026 12:47:35        |
| operator:             |                            |
| glass area:           | 0.4m <sup>2</sup>          |
| glass thickness:      | 8mm                        |
| quantile:             | 98% <= 84nm<br>95% <= 75nm |
| isotropy:             |                            |
| min. corner distance: | 75mm                       |
| min. border distance: | 25mm                       |
| edge stress:          |                            |
| min. corner distance: | 75mm                       |

