CENTRAL UNIVERSITY OF KERALA

Dept of Biochemistry and Molecular Biology Krishna Bldg Central University of Kerala PO Periye Kasaragod 4672309342

Laboratory is approved for COVID - 19 test by Indian Council of Medical Research, Govt of India through Department of Health and Family Welfare, Government of Kerala

COVID-19 TEST REPORT

Date and Time of Reporting:	26-04-2021 12:38 PM	
Address of the Referring Facility:	SELF	
Specimen Details		
Sample Collection Date:	26-04-2021 12:40 PM	
Date of Receipt of Specimen at the Lab:	26-04-2021	124.7
Sample Test Date:	28-04-2021	
Result Approved On:	28-04-2021 10:27 PM	
Condition of the Specimen Received/Quality on Arrival:	Good	
Reporting Details		
SRF ID:	13/KSD/2021042559	

Sl.no	Patient ID	Patient name & Address	Age	Gender	Type of Test	COVID-19 Result
1	P-13/2021042579	VIPIJITH-MALLAKKARA HOUSE PILICODE WARD 2	22	MALE	RTPCR	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings

Interpretation guidance:

- 1.Testing of referred clinical specimens was considered on the basis of request/referral received from/ through state surveillance officer(SSO) of concerned State Integrated Disease Surveillance Programme / any other health care facility affirming requirements of the case definition/s
- 2.A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- 3.A positive test result is only tentative, and will be reconfirmed by retesting.
- 4.Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2-4 days after the collection of the first specimen for additional testing if required*
- 5.A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- 6.Please note that these results are not to be used for any thesis or presentations or publication in any journal without the prior permission of the Director General, ICMR



This is a system generated Certificate which requires no signature.