Lineage trace evidence pack

Item	Value
Reference	TRC-20260630-0060
Data point	C 07.00 · Corporates · r0010 c0200
Reported value	1,240.5 EUR m
Reference date	2026-06-30
Result	EUR 1,240.5m traced to 3 systems of record
Hops	10 (7 proven, 3 code-derived, 0 unresolved)
Generated by	tracer user (tracer)
Generated at	2026-10-16 09:11 UTC

TRC-20260630-0060
tracer user (tracer) · 2026-10-16 09:11 UTC

Hops

Hop	Status	From -> To	Transformation	Evidence	Reconciliation
1	code-derived	market_data.db.fx_rates -> staging.public.ref_fx_rates	Loaded by ETL job load_fx_rates from fx_rates: rate_to_eur = rate_to_eur (copied unchanged).	OpenLineage job load_fx_rates · OpenLineage job load_fx_rates · pg_stat_statements · 15 calls · INSERT INTO public.ref_fx_rates (ccy, rate_date, rate_to_eur, rate_to_usd) VALUES ($1,$2,$3,$4)	Recalculated 12.43 agrees to stored value 12.43 (tolerance ±0.05) (logic known from OpenLineage events only)
2	proven	collateral_db.col.collateral -> staging.public.stg_collateral	Copied from c.haircut_pct.	staging: function etl.sp_load_stg_collateral lines 4–16 · read through foreign table fdw_col.collateral (foreign table fdw_col.collateral via server srv_collateral_db -> collateral_db.col.collateral (127.0.0.1:5432)) · definition sha256 d595ef429538… · captured 2026-10-16 · pg_stat_statements · 2 calls · CALL etl.sp_load_stg_collateral() · collateral_db: connected using credentials of staging	Recalculated 38.18 agrees to stored value 38.18 (tolerance ±0.05) [stg_collateral.haircut_pct]
3	proven	loans_db.los.facility -> staging.public.stg_facilities	Copied from f.provision_pct.	staging: function etl.sp_load_stg_facilities lines 4–19 · read through foreign table fdw_los.facility (foreign table fdw_los.facility via server srv_loans_db -> loans_db.los.facility (127.0.0.1:5432)) · definition sha256 8e337f2cb862… · captured 2026-10-16 · pg_stat_statements · 1 call · CALL etl.sp_load_stg_facilities()	Recalculated 16.04 agrees to stored value 16.04 (tolerance ±0.05) [stg_facilities.provision_pct]
4	code-derived	staging.public.stg_collateral -> dwh.public.dw_collateral_alloc	Calculated as ROUND(c.market_value * (1 - c.haircut_pct), 2).	dwh: function etl.sp_load_collateral_alloc lines 5–16 · read through foreign table fdw_stg.stg_collateral (foreign table fdw_stg.stg_collateral via server srv_staging -> staging.public.stg_collateral (127.0.0.1:5432)) · definition sha256 64c9a87c920c… · captured 2026-10-16 · pg_stat_statements · 1 call · INSERT INTO public.dw_collateral_alloc (collateral_id, facility_id, collateral_type, market_value_eur, haircu · staging: connected using credentials of dwh	Not reconciled: recalculated 799,965,000.48 vs stored 266,655,000.06 (tolerance ±0.05) [dw_collateral_alloc.allocated_value_eur]
5	proven	staging.public.ref_fx_rates -> dwh.public.dw_exposure	Copied from f.provision_pct; intragroup excluded.	dwh: function etl.sp_load_exposure lines 5–24 · read through foreign table fdw_stg.ref_fx_rates (foreign table fdw_stg.ref_fx_rates via server srv_staging -> staging.public.ref_fx_rates (127.0.0.1:5432)) · definition sha256 da7e5c59fed7… · captured 2026-10-16 · pg_stat_statements · 1 call · CALL etl.sp_load_exposure() · staging: connected using credentials of dwh	Recalculated 839.83 agrees to stored value 839.83 (tolerance ±0.05) [dw_exposure.fx_rate_to_eur]

TRC-20260630-0060 · tracer user (tracer) · 2026-10-16 09:11 UTC

Hop	Status	From -> To	Transformation	Evidence	Reconciliation
6	proven	staging.public.stg_facilities -> dwh.public.dw_exposure	Copied from f.provision_pct; intragroup excluded.	dwh: function etl.sp_load_exposure lines 5–24 · read through foreign table fdw_stg.stg_facilities (foreign table fdw_stg.stg_facilities via server srv_staging -> staging.public.stg_facilities (127.0.0.1:5432)) · definition sha256 da7e5c59fed7… · captured 2026-10-16 · pg_stat_statements · 1 call · CALL etl.sp_load_exposure() · staging: connected using credentials of dwh	Recalculated 13.53 agrees to stored value 13.53 (tolerance ±0.05) [dw_exposure.provision_pct]
7	proven	dwh.public.dw_exposure -> dwh.public.mart_sa_exposure	Copied from e.provision_pct.	dwh: function etl.sp_load_mart_sa_exposure lines 4–22 · definition sha256 e6cfdcf4b90c… · captured 2026-10-16 · pg_stat_statements · 1 call · CALL etl.sp_load_mart_sa_exposure() · dwh: connected using credentials of sa_engine	Recalculated 6.75 agrees to stored value 6.75 (tolerance ±0.05) [mart_sa_exposure.provision_pct]
8	code-derived	dwh.public.dw_collateral_alloc -> sa_engine.public.calc_sa_exposure	Calculated as ROUND(m.on_bal_eur * (1 - m.provision_pct), 2) - LEAST(COALESCE(a.crm_eur, 0), ROUND(m.on_bal_eur * (1 - m.provision_pct), 2)).	sa_engine: function etl.sp_calc_sa_exposure lines 6–31 · read through foreign table fdw_dwh.dw_collateral_alloc (foreign table fdw_dwh.dw_collateral_alloc via server srv_dwh -> dwh.public.dw_collateral_alloc (127.0.0.1:5432)) · definition sha256 0945ebe28c9e… · captured 2026-10-16 · pg_stat_statements · 1 call · CALL etl.sp_calc_sa_exposure() · dwh: connected using credentials of sa_engine	Not reconciled: recalculated 1,041,700,029.53 vs stored 1,041,400,029.58 (tolerance ±0.05) [calc_sa_exposure.ev_on_eur]
9	proven	dwh.public.mart_sa_exposure -> sa_engine.public.calc_sa_exposure	Calculated as ROUND(m.on_bal_eur * (1 - m.provision_pct), 2) - LEAST(COALESCE(a.crm_eur, 0), ROUND(m.on_bal_eur * (1 - m.provision_pct), 2)).	sa_engine: function etl.sp_calc_sa_exposure lines 6–31 · read through foreign table fdw_dwh.mart_sa_exposure (foreign table fdw_dwh.mart_sa_exposure via server srv_dwh -> dwh.public.mart_sa_exposure (127.0.0.1:5432)) · definition sha256 0945ebe28c9e… · captured 2026-10-16 · pg_stat_statements · 1 call · CALL etl.sp_calc_sa_exposure() · dwh: connected using credentials of sa_engine	Recalculated 1,061,900,000.06 agrees to stored value 1,061,900,000.06 (tolerance ±0.05) [calc_sa_exposure.orig_on_eur] (+5 more columns agree)
10	proven	sa_engine.public.calc_sa_exposure -> reporting_db.rpt.c0700_facts	Calculated as ROUND((g.ev_on + g.ev_off) / 1000000, 1).	reporting_db: function etl.sp_load_c0700_facts lines 4–67 · read through foreign table fdw_sa.calc_sa_exposure (foreign table fdw_sa.calc_sa_exposure via server srv_sa_engine -> sa_engine.public.calc_sa_exposure (127.0.0.1:5432)) · definition sha256 1089761b68b3… · captured 2026-10-16 · pg_stat_statements · 1 call · CALL etl.sp_load_c0700_facts() · sa_engine: connected using credentials of reporting_db	Recalculated 1,240.5 agrees to stored value 1,240.5 (tolerance ±0.05) [c0700_facts.value]

TRC-20260630-0060 tracer user (tracer) · 2026-10-16 09:11 UTC

SQL excerpts

Hop 2: INSERT INTO public.stg_collateral (collateral_id, facility_id, collateral_type, currency, market_value, haircut_pct, valuation_date, as_of_date) SELECT c.collateral_id, c.facility_id, c.collateral_type, c.currency, c.market_value, c.haircut_pct, c.valuation_date, DATE '2026-06-30' AS as_of_date FROM fdw_col.collateral AS c

Hop 3: INSERT INTO public.stg_facilities (facility_id, counterparty_id, counterparty_type, product_code, currency, drawn_balance, undrawn_limit, provision_pct, rating_status, intragroup_flag, as_of_date) SELECT f.facility_id, f.counterparty_id, f.counterparty_type, f.product_code, f.currency, f.drawn_balance, f.undrawn_limit, f.provision_pct, f.rating_status, f.intragroup_flag, DATE '2026-06-30' AS as_of_date FROM fdw_los.facility AS f

Hop 4: INSERT INTO public.dw_collateral_alloc (collateral_id, facility_id, collateral_type, market_value_eur, haircut_pct, allocated_value_eur, as_of_date) SELECT c.collateral_id, c.facility_id, c.collateral_type, c.market_value AS market_value_eur, c.haircut_pct, ROUND(c.market_value * (1 - c.haircut_pct), 2) AS allocated_value_eur, c.as_of_date FROM fdw_stg.stg_collateral AS c

Hop 5: INSERT INTO public.dw_exposure (facility_id, counterparty_id, counterparty_type, product_code, currency, fx_rate_to_eur, drawn_eur, undrawn_eur, provision_pct, rating_status, as_of_date) SELECT f.facility_id, f.counterparty_id, f.counterparty_type, f.product_code, f.currency, fx.rate_to_eur AS fx_rate_to_eur, ROUND(f.drawn_balance * fx.rate_to_eur, 2) AS drawn_eur, ROUND(f.undrawn_limit * fx.rate_to_eur, 2) AS undrawn_eur, f.provision_pct, f.rating_status, f.as_of_date FROM fdw_stg.stg_facilities AS f JOIN fdw_stg.ref_fx_rates AS fx ON fx.ccy = f.currency AND fx.rate_date = DATE '2026-06-30' WHERE f.intragroup_flag = FALSE

Hop 6: INSERT INTO public.dw_exposure (facility_id, counterparty_id, counterparty_type, product_code, currency, fx_rate_to_eur, drawn_eur, undrawn_eur, provision_pct, rating_status, as_of_date) SELECT f.facility_id, f.counterparty_id, f.counterparty_type, f.product_code, f.currency, fx.rate_to_eur AS fx_rate_to_eur, ROUND(f.drawn_balance * fx.rate_to_eur, 2) AS drawn_eur, ROUND(f.undrawn_limit * fx.rate_to_eur, 2) AS undrawn_eur, f.provision_pct, f.rating_status, f.as_of_date FROM fdw_stg.stg_facilities AS f JOIN fdw_stg.ref_fx_rates AS fx ON fx.ccy = f.currency AND fx.rate_date = DATE '2026-06-30' WHERE f.intragroup_flag = FALSE

Hop 7: INSERT INTO public.mart_sa_exposure (facility_id, exposure_class, product_code, rating_status, provision_pct, on_bal_eur, off_bal_eur, as_of_date) SELECT e.facility_id, CASE e.counterparty_type WHEN 'CORP' THEN 'Corporates' WHEN 'RETAIL' THEN 'Retail' WHEN 'INST' THEN 'Institutions' WHEN 'SOV' THEN 'Central governments' ELSE 'Other' END AS exposure_class, e.product_code, e.rating_status, e.provision_pct, e.drawn_eur AS on_bal_eur, e.undrawn_eur AS off_bal_eur, e.as_of_date FROM public.dw_exposure AS e

Hop 8: INSERT INTO public.calc_sa_exposure (facility_id, exposure_class, rating_status, orig_on_eur, orig_off_eur, adj_on_eur, adj_off_eur, crm_eur, ccf, ev_on_eur, ev_off_eur, as_of_date) SELECT m.facility_id, m.exposure_class, m.rating_status, m.on_bal_eur AS orig_on_eur, m.off_bal_eur AS orig_off_eur, ROUND(m.on_bal_eur * (1 - m.provision_pct), 2) AS adj_on_eur, ROUND(m.off_bal_eur * (1 - m.provision_pct), 2) AS adj_off_eur, LEAST(COALESCE(a.crm_eur, 0), ROUND(m.on_bal_eur * (1 - m.provision_pct), 2)) AS crm_eur, CASE m.product_code WHEN 'COMMIT' THEN 0.939866 ELSE 1.0 END AS ccf, ROUND(m.on_bal_eur * (1 - m.provision_pct), 2) - LEAST(COALESCE(a.crm_eur, 0), ROUND(m.on_bal_eur * (1 - m.provision_pct), 2)) AS ev_on_eur, ROUND(m.off_bal_eur * (1 - m.provision_pct) * CASE m.product_code WHEN 'COMMIT' THEN 0.939866 ELSE 1.0 END, 2) AS ev_off_eur, m.as_of_date FROM fdw_dwh.mart_sa_exposure AS m LE

Hop 9: INSERT INTO public.calc_sa_exposure (facility_id, exposure_class, rating_status, orig_on_eur, orig_off_eur, adj_on_eur, adj_off_eur, crm_eur, ccf, ev_on_eur, ev_off_eur, as_of_date) SELECT m.facility_id, m.exposure_class, m.rating_status, m.on_bal_eur AS orig_on_eur, m.off_bal_eur AS orig_off_eur, ROUND(m.on_bal_eur * (1 - m.provision_pct), 2) AS adj_on_eur, ROUND(m.off_bal_eur * (1 - m.provision_pct), 2) AS adj_off_eur, LEAST(COALESCE(a.crm_eur, 0), ROUND(m.on_bal_eur * (1 - m.provision_pct), 2)) AS crm_eur, CASE m.product_code WHEN 'COMMIT' THEN 0.939866 ELSE 1.0 END AS ccf, ROUND(m.on_bal_eur * (1 - m.provision_pct), 2) - LEAST(COALESCE(a.crm_eur, 0), ROUND(m.on_bal_eur * (1 - m.provision_pct), 2)) AS ev_on_eur, ROUND(m.off_bal_eur * (1 - m.provision_pct) * CASE m.product_code WHEN 'COMMIT' THEN 0.939866 ELSE 1.0 END, 2) AS ev_off_eur, m.as_of_date FROM fdw_dwh.mart_sa_exposure AS m LE

Hop 10: INSERT INTO rpt.c0700_facts (template, sheet, row_code, col_code, value, as_of_date) WITH g AS (SELECT c.exposure_class, SUM(c.orig_on_eur) AS orig_on, SUM(c.orig_off_eur) AS orig_off, SUM(c.adj_on_eur) AS adj_on, SUM(c.adj_off_eur) AS adj_off, SUM(c.ev_on_eur) AS ev_on, SUM(c.ev_off_eur) AS ev_off, SUM(CASE WHEN c.rating_status = 'RATED' THEN c.ev_on_eur ELSE 0 END) AS ev_on_rated, SUM(CASE WHEN c.rating_status = 'RATED' THEN c.ev_off_eur ELSE 0 END) AS ev_off_rated, MAX(c.as_of_date) AS as_of_date FROM fdw_sa.calc_sa_exposure AS c GROUP BY c.exposure_class) SELECT 'C 07.00' AS template, g.exposure_class AS sheet, '0010' AS row_code, '0010' AS col_code, ROUND((g.orig_on + g.orig_off) / 1000000, 1) AS value, g.as_of_date FROM g UNION ALL SELECT 'C 07.00' AS template, g.exposure_class AS sheet, '0010' AS row_code, '0040' AS col_code, ROUND((g.adj_on + g.adj_off) / 1000000, 1) AS value, g.as_of_date FROM g UNION ALL SELECT 'C 07.00' AS template, g.exposure_class AS sheet,