ECS Task - 01

- 1. Setup a highly available ECS cluster with load balancer and dynamic port mapping.

  NOTE:

  Your cluster should maintain at least 6 tasks at any point of time and should be highly available across multiple AZ's.

  Use the below image from deployment:

  `sabair0509/hiring-app:works`

- 

- 

- 

ECS Task - 01

- 
Tasks (6)
Filter tasks by property or value
Filter desired status
Any desired status
Task
Last status
Desired status
Task definition
016be4135c9749a782b1...
Running
Running
Hiring-app:4
28d96bc7793c436fb244a...
Running
Running
Hiring-app:4
6cca6a19775f44ce8b645...
Running
Running
Hiring-app:4
a9be7ed66e4945a78061...
Running
Running
Hiring-app:4
e7ca1e829f8f4fcfa62516...
Running
Running
Hiring-app:4
ef3410f4e2c94275a9b53...
Running
Running
Hiring-app:4

- 
Hiring-app:4
Overview Info
ARN
arn:aws:ecs:us-east-1:526018540742:task-definition/Hiring-app:4
Status
ACTIVE
Task role
-
Task execution role
ecsTaskExecutionRole
Fault injection
Turned off
Containers
JSON
Task placement
Volumes (0)
Requires attributes
Tags
Task size

ECS Task - 01

- Amazon EC2 instances
  Self-managed infrastructure using Amazon EC2 instances.

  OS, Architecture, Network mode
  Network mode is used for tasks and is dependent on the compute type selected.

  Operating system/Architecture | Info: Linux/X86_64
  Network mode | Info: bridge

  Task size | Info
  Specify the amount of CPU and memory to reserve for your task.

  CPU: .25 vCPU
  Memory: .5 GB

  Task roles - *conditional*

  Task role | Info
  A task IAM role allows containers in the task to make API requests to AWS services.
  None

  Task execution role | Info
  A task execution IAM role is used by the container agent to make AWS API requests on your behalf. If you don't already have a task execution IAM role c
  ecsTaskExecutionRole

- **Image URI**
  sabair0509/hiring-app:works
  Up to 255 letters (uppercase and lowercase), numbers, hyphens, underscores, colons, periods, forward slashes, and number signs are allowed.

  Private registry | Info
  Store credentials in Secrets Manager, and then use the credentials to reference images in private registries.
  Private registry authentication

  Port mappings | Info
  Add port mappings to allow the container to access ports on the host to send or receive traffic. For port name, a default will be assigned if left blank.

Host port	Container port	Protocol	Port name
0	8080	TCP	hiring-app-8080-tcp

  Add port mapping

- **Cluster-fcuk**

  Details

  Load balancer type: Application
  Status: Active
  VPC: vpc-06d0c00cc6b0589
  Scheme: Internet-facing
  Hosted zone: Z35SXDOTRQ7X7K
  Availability Zones: subnet-05d955e2cb4c7, subnet-071ce1adf8fb8f
  Load balancer ARN: arn:aws:elasticloadbalancing:us-east-1:526018540742:loadbalancer/app/Cluster-fcuk/ae5804f97bee2bb4
  DNS name Info: Cluster-fcuk-13671

ECS Task - 01

-

Registered targets (6) Info

Target groups route requests to individual registered targets using the protocol and port number specified. Health checks are perfor
automatically applied to HTTP/HTTPS target groups with at least 3 healthy targets.

Filter targets

Instance ID	Name	Port	Zone	Health status
i-057d08d2b1f2644a4	ECS Instance - ...	32770	us-east-1b (us...	Healthy
i-0ab8ecff872a1d04c	ECS Instance - ...	32769	us-east-1a (us...	Healthy
i-057d08d2b1f2644a4	ECS Instance - ...	32768	us-east-1b (us...	Healthy
i-0ab8ecff872a1d04c	ECS Instance - ...	32768	us-east-1a (us...	Healthy
i-057d08d2b1f2644a4	ECS Instance - ...	32769	us-east-1b (us...	Healthy
i-08a464113cda33656	ECS Instance - ...	32768	us-east-1a (us...	Healthy

Not secure cluster-fcuk-1367183815.us-east-1.elb.amazonaws.com/hiring/

Watch Cartoons an... Minimalism wallpap... YouTube The Official Home o...

Welcome to Techie Horizon

-