MIDTERM EXAM MEDICIO

A. Introduction


What is Medicio? Medicio is a web-based application that give us information about the medicine based of the category. So the user can search the medicine and the price they can buy in the official store. For the admin side, they can manage the medicine or content inside the website. So this website is dynamic. Admin can change the product, description, category, and price inside it. For the producing of Medicio website, we use php for the programming language, and Codelgniter as the framework. We use Code Igniter Rest Server too.


B. Database Medicio

We have Medicio database with 3 tables

- a. Account table: is used to save data of account that decide by the role for admin and user
- b. Category table: is used to save data of category of medicine
- c. Medicine table: is used to save data of every medicine based of the category too







C. Configuration of Config in CI

```
Autoload.php
```

```
$\text{\square} \text{\square} \text{\square}
```

Database.php

```
$db['default'] = array(
    'dsn' => '',
    'hostname' => 'localhost',
    'username' => 'root',
    'password' => '',
    'database' => 'medicio',
    'dbdriver' => 'mysqli',
    'dbprefix' => '',
```

\$config['base_url'] = 'http://localhost/medicio/';



D. Client Side

a. Code of views
 Views/user/header.php //view for header page of user
 For the header, it contains the feature of login and register too

```
closing large_var)
closing
comb charget_varfer's
comb charget
```

View/user/footer.php //it contains a script code

Views/user/home



```
cliv class="alert alert-info" rolewalerts

cliv class="alert alert-info" rolewalerts

cliv class="alert alert-info" rolewalerts

cliv class="info" class="info";

cliv class="info" class="info";

cliv class="info" content";

cliv class="minro-content";

cliv class="minro-conten
```

```
ci class="fa fa-check fa-3s circled bg-skin"></br>
cin class="h-bold">
cin class="h-bold">
cin class="h-bold">
cit class="h-bold">
cit class="h-bold">
cit class="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="color="colo
```

Views/user/product.php

```
cection id="intro" class="intro")
div=class="intro">
div=class="intro">
div=class="intro">
div=class="container*)
div=class="container*]
div=class="contain
```



b. Code of Controller

Controller/user/home.php

```
k?php
defined('BASEPATH') OR exit('No direct script access allowed');


class Home extends CI_Controller {
    public function index()
    {
        $this->load->view('user/header');
        $this->load->view('user/home');
        $this->load->view('user/footer');
    }
}
```


Controller/user/product.php

```
R?php
defined('BASEPATH') OR exit('No direct script access allowed');
class Product extends CI_Controller {
     public function __construct()
          parent::__construct();
          $this->load->model('medicinemodel');
$this->load->model('categorymodel');
        olic function index()
          $data['cat']= $this->categorymodel->getCategory();
          $data['product']=$this->medicinemodel->getMedicine();
          $this->load->view('user/header');
          $this->load->view('user/product',$data);
          $this->load->view('user/footer');
        blic function getbycat()
          if ($this->input->post('submit')) {
               $category = $this->input->post('cat');
               $data['cat']= $this->categorymodel->getCategory();
              $data['product'] = $this->categorymodel->getByCategory($category);
$this->load->view('user/header');
$this->load->view('user/product',$data);
$this->load->view('user/footer');
```




c. The display of home and product page Home Page













Product Page




d. Login for User

As we can see, there is login button in the right side to go to login user. For the display is a modal






Login Modal




Register Modal







So we will try to register an account and login with it



Login Page








Check it in the database








- E. Rest Server using Code Igniter
 - a. Rest Controller of Medicine


Model of Medicine

```
public function createMedicine()
{
    $data = array(
        'ID_MEDICINE' => NULL,
        'ID_CATEGORY' => $this->input->post('ID_CATEGORY'),
        'MED_NAME' => $this->input->post('MED_NAME'),
        'PRICE' => $this->input->post('PRICE'),
        'IMAGE' => $this->input->post('IMAGE'),
        'DESC_MED' => $this->input->post('DESC_MED')
    );
    $this->db->insert('medicine', $data);
    return $this->db->affected_rows();
}
public function updateMedicine($data,$id)
{
    $this->db->update('medicine',$data, ['ID_MEDICINE'=>$id]);
    return $this->db->affected_rows();
}
}
```




Check the result in postman

Get Medicine Data



Post Medicine Data






Check the newest data that we add before

```
{
    "ID_MEDICINE": "62",
    "ID_CATEGORY": "4",
    "CAT_NAME": "obat batuk",
    "MED_NAME": "Woods Herbal",
    "IMAGE": "Woods.jpg",
    "PRICE": "10000",
    "DESC_MED": "obat panas"
},
```

Put or update the newest data






Check the data

```
{
  "ID_MEDICINE": "62",
  "ID_CATEGORY": "4",
  "CAT_NAME": "obat batuk",
  "MED_NAME": "Woods solusi batuk",
  "IMAGE": "Woods.jpg",
  "PRICE": "10000",
  "DESC_MED": "obat panas"
},
```

b. Rest Controller of Category


```
defined('BASEPATH') OR exit('No direct script access allowed');
require APPPATH . 'libraries/REST_Controller.php';
require APPPATH . 'libraries/Format.php';
class Categoryapi extends REST_Controller {
                                                                                                  public function __construct()
                                                                                                  ], REST_Controller::HTTP_BAD_REQUEST);
        parent::__construct();
$this->load->model('categorymodel');
       blic function index_get()
                                                                                       blic function index_post()
        $id = $this->get('ID_CATEGORY');
if ($id===null) {
    $cat = $this->categorymodel->getCategory();
                                                                                         if ($this->categorymodel->add_Category()>0) {
                                                                                              $cat = $this->categorymodel->getCategory($id);
                                                                                         if ($cat) {
             $this->response([
    'status' => true,
    'data' => $cat
        ], REST_Controller::HTTP_OK);
} else {
                                                                                                  ], REST_Controller::HTTP_BAD_REQUEST);
             $this->response([
                 'status' => false,
'message' => 'id not found'
                                                                                     public function index_put()
             ], REST_Controller::HTTP_NOT_FOUND);
                                                                                         $data =[
                                                                                          'CAT_NAME' => $this->put('CAT_NAME')
       blic function index_delete()
                                                                                         $id=$this->delete('ID_CATEGORY');
        if ($id===null) {
   $this->response([
            'status' => false,
'message' => 'provide an id!'
], REST_Controller::HTTP_BAD_REQUEST);
                                                                                         {
    ($this->categorymodel->deleteCategory($id)>0) {
                 $this->response([
                      'status' =>
                                   true,
                                                                                                  ], REST_Controller::HTTP_BAD_REQUEST);
                      'id' => $id,
'message' => 'deleted.'
                 ], REST_Controller::HTTP_OK);
                 lse {
$this->response([
```

Model of Category




Check the result in Postman

Get category data



Post Category Data







Check the newest data that we add before

```
{
    "ID_CATEGORY": "11",
    "CAT_NAME": "Obat Diare"
}
```

Put or update the newest data






Check the result


```
"ID_CATEGORY": "11",
    "CAT_NAME": "Obat Muntah"
}
```

Delete the newest data




F. Admin Side

The first thing we do is login using admin account



It will direct us into admin dashboard and our account name will be shown





a. Code of viewsViews/admin/account

```
| cliv class="dashboard-ecomerce">
| cliv class="dashboard-ecomerce">
| cliv class="container-fluid dashboard-content ">
| cliv class="row">
| cli
```

Controller of account

```
defined('BASEPATH') OR exit('No direct script access allowed');
class Account extends CI_Controller {
          ublic function __construct()
              parent::__construct();
              $this->load->model('accountmodel');
                                                                                                                               olic function loginAccount()
            olic function index()
                                                                                                                                $username =htmlspecialchars($this->input->post('username'));
$password = htmlspecialchars($this->input->post('pwd'));
$ceklogin = $this->accountmodel->login($username, $password);
              if ($this->session->userdata('role')=="0") {
                     redirect('user/home', 'refresh');
                                                                                                                                 if ($ceklogin) {
                                                                                                                                           eriogin;
reach ($ceklogin as $row);
$this->session->set_userdata('user', $row->USERNAME );
$this->session->set_userdata('role', $row->ROLE );
             $data['account'] = $this->accountmodel->getAccount();
$this->load->view('admin/header');
$this->load->view('admin/account',$data);
$this->load->view('admin/footer');
                                                                                                                                             //var_dump($row);
if ($this->session->userdata( 'role' )=="1") {
                                                                                                                                                   redirect('admin/account');
lseif ($this->session->userdata( 'role' ) == "0") {
  redirect('user/home');
           blic function addAccount()
              if ($this->input->post('submit')) {
   if ($this->session->userdata('role')=="1") {
                            if ($this->accountmodel->add_Account()==TRUE) {
    $data['pesan'] = "Add account's success";
                                                                                                                                                   redirect('user/home','refresh');
                                  sthis->load->view('admin/header');
$this->load->view('admin/header');
$this->load->view('admin/footer');
                                                                                                                                      $C \
$data['pesan'] = "Username dan Password Anda salah";
$this->load->view('user/header');
$this->load->view('user/home',$data);
$this->load->view('user/footer');
                                  $\
$data['pesan'] = "Failed to add account";
$this->load->view('admin/header');
$this->load->view('admin/account',$data);
$this->load->view('admin/footer');
                                                                                                                               olic function logout()
                                                                                                                                 if ($this->session->userdata('role')=="0") {
                                  ($this->accountmodel->add_Account()==TRUE) {
                                                                                                                                       $this->session->sess_destroy();
                                                                                                                                      redirect('user/home', 'refresh');
                                   redirect('user/home/','refresh');
                                                                                                                                  else {
    $this->session->sess_destroy();
    redirect('user/home', 'refresh');
                                   redirect('user/home', 'refresh');
```

Model of account

```
defined('BASEPATH') OR exit('No direct script access allowed');
4 ▼ class Accountmodel extends CI_Model {
            function getAccount(){
                 return $this->db->get('account')->result();
                lic function add_Account()
10 ▼
                 $data = array(
                'ID_ACCOUNT' => NULL,

'USERNAME' => $this->input->post('username'),

'PASSWORD' => $this->input->post('password'),

'EMAIL' => $this->input->post('email'),

'ROLE' => $this->input->post('role')
                 $this->db->insert('account',$data);
                 if($this->db->affected_rows() >0) {
                 return TRUE;
}else{
                      return FALSE;
            public function login($username, $password)
27 ▼
28 ▼
                       $this->db->select('USERNAME, PASSWORD, ROLE');
                       $this->db->from('account');
                      $this->db->where('USERNAME', $username);
$this->db->where('PASSWORD', $password);
                       $this->db->limit(1);
                      $query=$this->db->get();
34
                       if ($query->num_rows()==1) {
                                  rn $query->result();
                       }
```

Views/admin/medicine

```
</div>
            </div>
            <div class="ecommerce-widget">
                     <div class="col-xl-9 col-lg-12 col-md-6 col-sm-12 col-12">
                         <div class="card" style="width: 500px;">
                             <div class="card-body p-0">
                                      <div class="row">
                                          <div class="col-xl-12 col-lg-12 col-md-12 col-</pre>
sm-12 col-12">
                                              <div class="card">
                                                  <div class="card-body">
                                                      <form action="<?php echo base_url()</pre>
 ?>index.php/admin/medicine/addMedicine" method="POST" enctype="multipart/form-data">
                                                            <div class="alert alert-</pre>
info" role=alert>
                                                                    <?php
                                                                            if (isset($pesa
n)) {
                                                                                echo $pesan
                                                                            } else {
                                                                                echo "Add n
ew account";
                                                                   </div>
                                                           <div class="form-row">
                                                               <div class="col-xl-4 col-
lg-4 col-md-12 col-sm-12 col-12 mb-2">
                                                                   <label for="validationC"</pre>
ustom04">ID Med-Category</label>
                                                                   <select class="form-</pre>
control" name="category">
                                                                        <?php
```

```
foreach ($cat as $r
esult) {
                                                                            <option value="</pre>
<?= $result->ID_CATEGORY ?> "><?= $result->CAT_NAME ?></option>
                                                                            <?php
                                                                    </select>
                                                               </div>
                                                           </div>
                                                           <div class="form-group">
                                                               <label>Medicine Name
                                                               <input type="text" class="</pre>
form-control" Required style="width:457px" name="medname">
                                                           </div>
                                                           <div class="form-group mb-3">
                                                               <label class="custom-</pre>
file">Image</label>
                                                               <input type="file" name="me</pre>
dimage" id="medimage" required>
                                                           </div><br>
                                                           <div class="form-group">
                                                               <label>Price</label><br>>
                                                               <div class="input-group mb-</pre>
3">
                                                                    <div class="input-
group-prepend"><span class="input-group-text">Rp</span></div>
                                                                    <input type="text" clas</pre>
s="form-control" style="width: 422px;" name="price">
                                                               </div>
                                                           </div>
                                                           <div class="form-group">
                                                               <label>Description</label>
```

```
<textarea style="width: 457
px;" class="form-control" rows="3" name="desc" ></textarea>
                                                          </div>
                                                         <div class="col-xl-12 col-lg-
12 col-md-12 col-sm-12 col-12 ">
                                                              <input class="btn btn-</pre>
primary" type="submit" name="submit" value="Submit">
                                                         </div>
                                                     </form>
                                                 </div>
                                             </div>
                                         </div>
                                     </div>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12 col-12">
                        <div class="card" >
                            <!--flashhapus-->
                             <?php if($this->session->flashdata('notif')):?>
                                 <div class="alert alert-success alert-</pre>
dismissible fade show" role="alert">
                                     Data <strong>berhasil</strong> <?= $this->session-
>flashdata('notif');?>
                                     <button type="button" class="close" data-</pre>
dismiss="alert" aria-label="Close">
                                         <span aria-hidden="true">&times;</span>
                                     </button>
                                 </div>
                             <?php endif; ?>
                                                    <!--flashedit-->
                             <?php
                                $data=$this->session->flashdata('success');
                                if($data!=""){ ?>
                                 <div id="notifikasi" class="alert alert-
success"><strong>Success!</strong> <?=$data;?></div>
                            <?php } ?>
                            <?php
```

```
$data2=$this->session->flashdata('error');
                       if($data2!=""){ ?>
                       <div id="notifikasi" class="alert alert-</pre>
danger"><strong> Error! </strong> <?=$data2;?></div>
                    <?php } ?>
                    <div class="card-body">
                       <div class="table-responsive">
                          <table class="table table-striped table-
bordered first">
                             <thead>
                                No
                                   Category Name
                                   Medicine Name
                                   Image Name
                                   <th_class="border-0">Price
                                   Description
                                   Action
                                </thead>
                             <?php
                                   no = 1;
                                   foreach ($med as $result) { ?>
                                   <?= $no++ ?>
                                      <?= $result->CAT NAME ?>
                                      <?= $result->MED NAME ?>
                                      <?= $result->IMAGE ?>
                                      <?= $result->PRICE ?>
                                      <?= $result->DESC MED ?>
                                      <a href="" data-
toggle="modal" data-target="#modal-edit<?=$result->ID_MEDICINE;?>"
                                         class="badge badge-
success" ><i class="fas fa-
edit"></i> Edit</a>
```

```
<a href="<?= base url('index.ph</pre>
p/admin/medicine/deleteMed/').$result->ID_MEDICINE?>"
                                                       class="badge badge-
danger" onclick="return confirm('Do you want to delete the data?');"><i class="fas fa-
trash"></i> Delete</a>
                                                    <?php
                                        </div>
                            </div>
                        </div>
                    </div>
                    <?php $no=0; foreach($med as $med): $no++; ?>
                        <div class="row">
                        <div id="modal-edit<?=$med->ID_MEDICINE;?>" class="modal fade">
                            <div class="modal-dialog">
                            <form action="<?php echo base_url('index.php/admin/medicine</pre>
/editMed/'); ?>" method="post">
                                <div class="modal-content">
                                    <div class="modal-header bg-primary">
                                        <button type="button" class="close" data-</pre>
dismiss="modal">×</button>
                                    </div>
                                    <div class="modal-body">
                                            <input type="hidden" readonly value="<?=$me</pre>
d->ID_MEDICINE;?>" name="id_medicine" class="form-control" >
                                        <div class="form-group">
                                            <br><label>Category Name</label><br>
                                            <div class='col-md-
9'><input type="text" name="cat_name" autocomplete="off" value="<?=$med-
>CAT NAME;?>" required class="form-control" ></div>
                                            <br><label>Medicine Name</label><br>
```

```
<div class='col-md-
9'><input type="text" name="med_name" autocomplete="off" value="<?=$med-
>MED NAME;?>" required class="form-control" ></div>
                                             <br><label>IMAGE</label><br>
                                             <div class='col-md-9'>
                                                 <input type="file" name="image" autocom</pre>
plete="off" value="<?=$med->IMAGE;?>" class="form-control" ></div>
                                             <br><label>Price</label><br>
                                             <div class='col-md-
9'><input type="text" name="price" autocomplete="off" value="<?=$med-
>PRICE;?>" required class="form-control" ></div>
                                             <br><label>Description</label><br>
                                             <div class='col-md-
9'><input type="text" name="desc_med" autocomplete="off" value="<?=$med-
>DESC MED;?>" required class="form-control" ></div>
                                     </div>
                                     <br>
                                 </div>
                                     <div class="modal-footer">
                                         <button type="button" class="btn btn-</pre>
default" data-dismiss="modal">Close</button>
                                        <input type="submit" name="submit" class="btn b</pre>
tn-primary"><i class="icon-pencil5"></i></button>
                                     </div>
                                 </form>
                             </div>
                        </div>
                         </div>
                    <?php endforeach; ?>
            </div>
        </div>
    </div>
 /div>
```

Views/admin/category

<div class="dashboard-wrapper">

```
<div class="dashboard-ecommerce">
        <div class="container-fluid dashboard-content">
            <div class="row">
                <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12 col-12">
                    <div class="page-header">
                        <h2 class="pageheader-title">Medicine</h2>
                    </div>
                </div>
            </div>
            <div class="ecommerce-widget">
                                  <!-- trans -->
                    <div class="col-xl-9 col-lg-12 col-md-6 col-sm-12 col-12">
                        <div class="card" style="width: 500px;">
                            <div class="card-body p-0">
                                    <div class="row">
                                         <div class="col-xl-12 col-lg-12 col-md-</pre>
12 col-sm-12 col-12">
                                             <div class="card">
                                                 <div class="card-body">
                                                     <form action="<?php base_url() ?>
category/addcategory" method="POST">
                                                         <div class="alert alert-
info" role=alert>
                                                                 <?php
                                                                         if (isset($pe
san)) {
                                                                              echo $pes
an;
                                                                          } else {
                                                                              echo "Add
 new account";
```

```
</div>
                                                         <div class="form-row">
                                                             <div class="col-x1-4 col-
lg-4 col-md-12 col-sm-12 col-12 mb-2">
                                                                 <label>Name Category
/label>
                                                                 <input style="width:</pre>
190px;"t ype="text" class="form-control" name="catname" required>
                                                             </div>
                                                             <div class="col-xl-
12 col-lg-12 col-md-12 col-sm-12 col-12 ">
                                                                 <input class="btn btn</pre>
-primary" type="submit" name="submit" value="Submit">
                                                             </div>
                                                         </div>
                                                     </form>
                                                 </div>
                                             </div>
                                         </div>
                                    </div>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="ecommerce-widget">
                                          <!-- trans -->
                    <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12 col-12">
                        <div class="card" style="width: 500px;">
                        <!--flashhapus-->
                        <?php if($this->session->flashdata('notif')):?>
```

```
<div class="alert alert-success alert-</pre>
dismissible fade show" role="alert">
                             Data <strong>berhasil</strong> <?= $this->session-
>flashdata('notif');?>
                             <button type="button" class="close" data-</pre>
dismiss="alert" aria-label="Close">
                                 <span aria-hidden="true">&times;</span>
                             </button>
                         </div>
                      <?php endif; ?>
                      <!--flashedit-->
                      <?php
                         $data=$this->session->flashdata('success');
                         if($data!=""){ ?>
                         <div id="notifikasi" class="alert alert-
success"><strong>Success!</strong> <?=$data;?></div>
                      <?php } ?>
                      <?php
                         $data2=$this->session->flashdata('error');
                         if($data2!=""){ ?>
                         <div id="notifikasi" class="alert alert-
danger"><strong> Error! </strong> <?=$data2;?></div>
                      <?php } ?>
                         <div class="card-body">
                             <div class="table-responsive">
                                 <table class="table table-striped table-
bordered first">
                                     <thead>
                                        No
                                            ID
                                            <th class="border-
0">Category Name
                                            Action
```

```
</thead>
                                   <?php
                                          no = 1;
                                          foreach ($cat as $result) { ?>
                                              <?= $no++ ?>
                                              <?= $result-
>ID_CATEGORY ?>
                                              <?= $result->CAT_NAME ?>
                                              <a href="" data-
toggle="modal" data-target="#modal-edit<?=$result->ID CATEGORY;?>"
                                                 class="badge badge-
success" ><i class="fas fa-edit"></i> Edit</a>
                                              <a href="<?= base_url('index.</pre>
php/admin/category/deleteCat/').$result->ID_CATEGORY?>"
                                                 class="badge badge-
danger" onclick="return confirm('Do you want to delete the data?');"><i class="fas fa
-trash"></i> Delete</a>
                                              <?php
                                   </div>
                        </div>
                     </div>
                 </div>
                 <?php $no=0; foreach($cat as $cat): $no++; ?>
                 <div class="row">
                     <div id="modal-edit<?=$cat-
>ID_CATEGORY;?>" class="modal fade">
```

```
<div class="modal-dialog">
                             <form action="<?php echo base url('index.php/admin/catego</pre>
ry/editCat/'); ?>" method="post">
                                 <div class="modal-content">
                                     <div class="modal-header bg-primary">
                                         <button type="button" class="close" data-</pre>
dismiss="modal">×</button>
                                     </div>
                                     <div class="modal-body">
                                             <input type="hidden" readonly value="<?=$</pre>
cat->ID_CATEGORY;?>" name="id_category" class="form-control" >
                                         <div class="form-group">
                                             <br><label>Category Name</label><br>
                                             <div class='col-md-
9'><input type="text" name="cat name" autocomplete="off" value="<?=$cat-
>CAT NAME;?>" required class="form-control" ></div>
                                     </div>
                                     <br>
                                 </div>
                                     <div class="modal-footer">
                                         <button type="button" class="btn btn-</pre>
default" data-dismiss="modal">Close</button>
                                         <button type="submit" class="btn btn-</pre>
primary"><i class="icon-pencil5"></i>Update</button>
                                     </div>
                             </form>
                             </div>
                         </div>
                    </div>
                    <?php endforeach; ?>
            </div>
        </div>
    </div>
</div>
```

b. Code of Controller

• Controller/admin/medicine

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class Medicine extends CI_Controller {
    public function __construct()
        parent::__construct();
        $this->load->model('categorymodel');
        $this->load->model('medicinemodel');
    public function index()
        $data['cat']=$this->categorymodel->getCategory();
        $data['med']=$this->medicinemodel->getMedicine();
        $this->load->view('admin/header');
        $this->load->view('admin/medicine',$data);
        $this->load->view('admin/footer');
    public function addMedicine()
        $config['upload_path']
                                      = './med_img/';
        $config['allowed_types'] = 'gif|jpg|png';
        $config['max_size']
                                       = 2000;
        $this->load->library('upload', $config);
        if ($this->input->post('submit')) {
            if ($this->upload->do_upload('medimage')){
                if ($this->medicinemodel->add_Medicine($this->upload-
>data())==TRUE) {
```

```
$this->session-
>set_flashdata('success',"Data Berhasil Ditambah");
                    redirect('admin/medicine','refresh');
                }else{
                    $error = array('error' => $this->upload-
>display errors());
                    $this->load->view('admin/header');
                    $this->load->view('admin/medicine',$data);
                    $this->load->view('admin/footer');
            } else {
                $data = $this->upload->display_errors();
                $data['cat']=$this->categorymodel->getCategory();
                $this->load->view('admin/header');
                $this->load->view('admin/medicine',$data);
                $this->load->view('admin/footer');
        } else {
            redirect('halo','refresh');
    public function deleteMed($id medicine){
        if($this->medicinemodel->deleteMedicine($id medicine)==TRUE){
            $this->session->set flashdata('notif', ' dihapus');
            redirect('admin/medicine','refresh');
        }else{
            redirect('admin/medicine','refresh');
    public function editMed(){
        if ($this->input->post('submit')) {
            $data=array(
                            "med name"=>$ POST['med name'],
                            "image"=>$_POST['image'],
                            "price"=>$_POST['med_name'],
                            "desc med"=>$ POST['desc med'],
```

• Controller/admin/category

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Category extends CI_Controller {

public function __construct()
{
    parent::__construct();
    $this->load->model('categorymodel');
}

public function index()
    {
        $data['cat']= $this->categorymodel->getCategory();
        $this->load->view('admin/header');
        $this->load->view('admin/medicinecat', $data);
        $this->load->view('admin/footer');
    }

public function addcategory()
    {
        if ($this->input->post('submit')) {
```

```
if ($this->categorymodel->add Category()==TRUE) {
                redirect('admin/category','refresh');
            } else {
                $data['pesan'] = "Failed to add category";
                redirect('admin/category', 'refresh');
    public function deleteCat($id_category){
            if($this->categorymodel->deleteCategory($id_category)==TRUE){
                $this->session->set_flashdata('notif', 'Berhasil dihapus');
                redirect('admin/category','refresh');
            }else{
                $this->session->set_flashdata('notif', ' dihapus');
                redirect('admin/category','refresh');
    public function editCat()
        $this->form validation-
>set_rules('id_category', 'id_category', 'required');
        $this->form_validation-
>set_rules('cat_name', 'cat_name', 'required');
        if($this->form validation->run()==FALSE){
            $this->session->set_flashdata('error',"Data Gagal Di Edit");
            redirect('admin/category');
        }else{
            $data=array(
                "cat name"=>$ POST['cat name'],
            );
            $this->db->where('id_category', $_POST['id_category']);
            $this->db->update('category',$data);
            $this->session->set_flashdata('success', "Data Berhasil Diedit");
            redirect('admin/category');
```

```
}
/* End of file category.php */
/* Location: ./application/controllers/admin/category.php */
```

- c. Code of Model
- model/medicine

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class Medicinemodel extends CI_Model {
    public function add Medicine($pict)
        $data = array(
        'ID_MEDICINE' => NULL,
        'ID CATEGORY' => $this->input->post('category'),
        'MED NAME' => $this->input->post('medname'),
        'PRICE' => $this->input->post('price'),
        'IMAGE' => $pict['file_name'],
        'DESC MED' => $this->input->post('desc')
        );
        $this->db->insert('medicine',$data);
        if($this->db->affected rows() >0) {
            return TRUE;
        }else{
            return FALSE;
    //return $this->db->query('insert into customer values blblbl');
    public function getMedicine()
        return $this->db-
>query('select ID_MEDICINE, m.ID_CATEGORY, c.CAT_NAME, MED_NAME, IMAGE,PRICE, DESC_
MED from medicine m join category c on c.ID_CATEGORY = m.ID_CATEGORY')->result();
    public function getMedicineApi($id=null)
        if ($id==null) {
            return $this->db-
>query('select ID_MEDICINE, m.ID_CATEGORY, c.CAT_NAME, MED_NAME, IMAGE,PRICE, DESC_
MED from medicine m join category c on c.ID CATEGORY = m.ID CATEGORY')->result();
        } else {
```

```
return $this->db-
>query('select ID_MEDICINE, m.ID_CATEGORY, c.CAT_NAME, MED_NAME, IMAGE,PRICE, DESC_
MED from medicine m join category c on c.ID CATEGORY = m.ID CATEGORY where ID MEDIC
INE='.$id.'')->result();
    }
     public function deleteMedicine($id medicine)
        $this->db->delete('medicine',['ID_MEDICINE' => $id_medicine]);
        return $this->db->affected rows();
    public function createMedicine()
        $data = array(
        'ID_MEDICINE' => NULL,
        'ID CATEGORY' => $this->input->post('ID CATEGORY'),
        'MED NAME' => $this->input->post('MED NAME'),
        'PRICE' => $this->input->post('PRICE'),
        'IMAGE' => $this->input->post('IMAGE'),
        'DESC MED' => $this->input->post('DESC_MED')
        );
        $this->db->insert('medicine', $data);
        return $this->db->affected_rows();
    }
    public function updateMedicine($id medicine){
        $data = array(
            'ID_MEDICINE' => $this->input->post('ID_CATEGORY'),
            'ID_CATEGORY' => $this->input->post('ID_CATEGORY'),
            'MED NAME' => $this->input->post('MED NAME'),
            'IMAGE' => $this->input->post('IMAGE'),
            'PRICE' => $this->input->post('PRICE'),
            'STOCK' => $this->input->post('STOCK'),
            'DESC MED' => $this->input->post('DESC MED')
            );
            $this->db->update('medicine',$data, ['ID_MEDICINE'=>$id medicine]);
            return $this->db->affected rows();
```

```
}

/* End of file medicinemodel.php */
/* Location: ./application/models/medicinemodel.php */
```

model/categorymodel

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class Categorymodel extends CI_Model {
    public function add_Category()
        $data = array(
        'ID_CATEGORY' => NULL,
        'CAT_NAME' => $this->input->post('catname')
        );
        $this->db->insert('category',$data);
        if($this->db->affected_rows() >0) {
            return TRUE;
        }else{
           return FALSE;
   public function getCategory()
        return $this->db->get('category')
                        ->result();
```

```
public function deleteCategory($id_category){
    $this->db->where('id_category',$id_category);
    $this->db->delete('category');
}

public function updateCategory($id_category){
    $data = array(
        'ID_CATEGORY' => $this->input->post('ID_CATEGORY'),
        'CAT_NAME' => $this->input->post('CAT_NAME'),


    );
    $this->db-
>update('category',$data, ['ID_CATEGORY'=>$id_category]);
    return $this->db->affected_rows();
}

}

/* End of file categorymodel.php */
/* Location: ./application/models/categorymodel.php */
```




- d. The display of admin
- Example display input medicine




Result






Edit Modal




Result Edit








Delete Medicine (Comix A)






Result Delete






Input Category







DASHBOARD






Edit Modal Category









• Delete (Obat luka) Category

