Copyright Notice

deeplearning.ai

Overview

Learning objectives

Learning objectives

- What is autocorrect?

Learning objectives

- What is autocorrect?
- Building the model

deah → dear ✅
yeah
dear
dean
… *etc*

Learning objectives

- What is autocorrect?
- Building the model
- Minimum edit distance

deah → dear ✅
yeah
dear
dean
... etc

	#	s	t	a	y
#	0	1	2	3	4
p	1	2	3	4	5
l	2	3	4	5	6
a	3	4	5	4	5
y	4	5	6	5	4

Learning objectives

- What is autocorrect?
- Building the model
- Minimum edit distance
- Minimum edit distance algorithm

deah → dear ✅
yeah
dear
dean
… *etc*

	#	s	t	a	y
#	0	1	2	3	4
p	1	2	3	4	5
l	2	3	4	5	6
a	3	4	5	4	5
y	4	5	6	5	4

deeplearning.ai

Autocorrect

What is autocorrect?

What is autocorrect?

- Phones

What is autocorrect?

- Phones
- Tablets

What is autocorrect?

- Phones
- Tablets
- Computers



What is autocorrect?

- Phones
- Tablets
- Computers





What is autocorrect?

- Example:

Happy birthday deah friend!

What is autocorrect ?

- Example:

What is autocorrect?

- Example:

Happy birthday deer friend!  ??

How it works

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

How it works

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

deah

How it works

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

deah
_eah
d_ar
de_r
... *etc*

How it works

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

deah

yeah

dear

dean

... *etc*

How it works

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

deah

yeah

dear

dean

... *etc*

How it works

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities



deeplearning.ai

Building the model

Building the model

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

Building the model

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

Building the model

1. Identify a misspelled word

```
if word not in vocab:
    misspelled = True
```

deah ??

Building the model

1. Identify a misspelled word

```
if word not in vocab:
    misspelled = True
```

deah

Building the model

1. Identify a misspelled word

```
if word not in vocab:
    misspelled = True
```

deah 

deer 

Building the model

1. Identify a misspelled word

```
if word not in vocab:
    misspelled = True
```

deah 

Happy birthday deer ! 

Building the model

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

Building the model

2. Find strings n edit distance away

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it
- Insert (add a letter)

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter)
  ‘to’: ‘top’, ‘two’ …

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter)
  ‘to’: ‘top’, ‘two’ …
- Delete (remove a letter)

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter)
  'to': 'top', 'two' ...
- Delete (remove a letter)
  'hat': 'ha', 'at', 'ht'

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter)
  ‘to’: ‘top’, ‘two’ …
- Delete (remove a letter)
  ‘hat’: ‘ha’, ‘at’, ‘ht’
- Switch (swap 2 adjacent letters)

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter)
  'to': 'top', 'two' ...
- Delete (remove a letter)
  'hat': 'ha', 'at', 'ht'
- Switch (swap 2 adjacent letters) 'eta': 'eat', 'tea'

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter) ‘to’: ‘top’, ‘two’ …
- Delete (remove a letter) ‘hat’: ‘ha’, ‘at’, ‘ht’
- Switch (swap 2 adjacent letters) ‘eta’: ‘eat’, ‘tea’ ‘ate’

✕

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter)
  'to': 'top', 'two' ...
- Delete (remove a letter)
  'hat': 'ha', 'at', 'ht'
- Switch (swap 2 adjacent letters) 'eta': 'eat', 'tea'
- Replace (change 1 letter to another)

Building the model

2. Find strings n edit distance away

- Edit: an operation performed on a string to change it

- Insert (add a letter) ‘to’: ‘top’, ‘two’ …
- Delete (remove a letter) ‘hat’: ‘ha’, ‘at’, ‘ht’
- Switch (swap 2 adjacent letters) ‘eta’: ‘eat’, ‘tea’
- Replace (change 1 letter to another) ‘jaw’: ‘jar’,

Building the model

2. Find strings n edit distance away

- Given a string find all possible strings that are n edit distance away using
  - Input
  - Delete
  - Switch
  - Replace

deah

_eah

d_ar

de_r

... *etc*

Building the model

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

Building the model

3. Filter candidates

deah
_eah
d_ar
de_r
... *etc*

Building the model

3. Filter candidates

deah		deah
_eah		yeah
d_ar	→	dear
de_r		dean
… *etc*		… *etc*

deeplearning.ai

Building the model II

Building the model

1. Identify a misspelled word
2. Find strings n edit distance away
3. Filter candidates
4. Calculate word probabilities

Building the model

4. Calculate word probabilities

Building the model

4. Calculate word probabilities

Example: “I am happy because I am learning”

Word	Count
I	2
am	2
happy	1
because	1
learning	1

Total : 7

Building the model

4. Calculate word probabilities

Example: “I am happy because I am learning”

Word	Count
I	2
am	2
happy	1
because	1
learning	1

Total : 7

Building the model

4. Calculate word probabilities

Example: “I am happy because I am learning”

Word	Count
I	2
am	2
happy	1
because	1
learning	1

Total : 7

Building the model

4. Calculate word probabilities

Example: “I am happy because I am learning”

Word	Count
I	2
am	2
happy	1
because	1
learning	1
Total :	7

Building the model

4. Calculate word probabilities

Example: “I am happy because I am learning”

$$P(w) = \frac{C(w)}{V}$$

$P(w)$ Probability of a word

$C(w)$ Number of times the word appears

V Total size of the corpus

Word	Count
I	2
am	2
happy	1
because	1
learning	1

Total : 7

Building the model

4. Calculate word probabilities

Example: “I am happy because I am learning”

$$P(w) = \frac{C(w)}{V}$$

$$P(\text{am}) = \frac{C(\text{am})}{V} = \frac{2}{7}$$

$P(w)$ Probability of a word

$C(w)$ Number of times the word appears

V Total size of the corpus

Word	Count
I	2
am	2
happy	1
because	1
learning	1

Total : 7

Building the model

4. Calculate word probabilities

Building the model

4. Calculate word probabilities



Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{V}$$

deah → dear ☑

yeah

dear

dean

... *etc*

Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{M}$$



Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{M}$$

deah → dear ☑

yeah

dear

dean

… *etc*

Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{M}$$

deah → dear ☑

_eah

d_ar

de_r

... *etc*

Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{M}$$

deah → dear ☑

yeah

dear

dean

... *etc*

Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{M}$$

deah → dear ☑

yeah

dear

dean

... *etc*

Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{M}$$

deah → dear ✓

yeah

dear

dean

… *etc*

Summary

1. Identify a misspelled word
2. Find strings n edit distance away
    - Insert
    - Delete
    - Switch
    - Replace
1. Filter candidates
2. Calculate word probabilities

$$P(w) = \frac{C(w)}{M}$$

deah → dear ✓

yeah

dear

dean

... *etc*

deeplearning.ai

Minimum edit distance

Minimum edit distance

- How to evaluate similarity between 2 strings?
- Minimum number of edits needed to transform 1 string into the other
- Spelling correction, document similarity, machine translation, DNA sequencing, and more

Minimum edit distance

- Edits:

- Insert (add a letter) ‘to’: ‘top’, ‘two’ …
- Delete (remove a letter) ‘hat’: ‘ha’, ‘at’, ‘ht’
- Replace (change 1 letter to another) ‘jaw’: ‘jar’, ‘paw’, …

Minimum edit distance

- Example:

Source:

p	l	a	y

Minimum edit distance

- Example:



Minimum edit distance

- Example:



What is the minimum number of edits to make this happen ?

Minimum edit distance

- Example:

Source:



Target:

p → s : replace

Minimum edit distance

- Example:

Source:



p → s : replace
l → t : replace

Minimum edit distance

- Example:

Source:



Target:

p → s : replace
l → t : replace

Minimum edit distance

- Example:

Source:



Target:

p → s : replace
l → t : replace

Minimum edit distance

- Example:



Minimum edit distance

- Example:

Source:



Target:

Edit cost:

Insert	1
Delete	1
Replace	2

p → s : replace
l → t : replace

} edits = 2

Minimum edit distance

- Example:

Source:



Target:

Edit cost:

Insert 1
Delete 1
Replace 2

edit distance = 2 * 2 = 4

p → s : replace
l → t : replace

edits = 2

Minimum edit distance

- Example:

c	o	n	v	o	l	u	t	i	o	n	a	l	n	e	u	r	a	l	n	e	t	w	o	r	k

Minimum edit distance

- Example:

c	o	n	v	o	l	u	t	i	o	n	a	l	n	e	u	r	a	l	n	e	t	w	o	r	k

CCAAGGGGTGACTCTAGTTTAATATAACTGAGATCAAATTATATGGGTGAT? !!

deeplearning.ai

Minimum edit distance algorithm

Minimum edit distance

Source: play → Target: stay



Minimum edit distance

Source: play → Target: stay



Minimum edit distance

Source: play → Target: stay



Minimum edit distance

Source: play → Target: stay



Minimum edit distance

Source: play → Target: stay



Minimum edit distance

Source: play → Target: stay

$D[\ ]$



Minimum edit distance

Source: play → Target: stay

$D[\ ]$

$D[2,3]$ = pl → sta



Minimum edit distance

Source: play → Target: stay

D[ ]

D[2,3] = pl → sta

D[2,3] = source[:2] → target[:3]



Minimum edit distance

Source: play → Target: stay

$D[\ ]$

$D[2,3]$ = pl → sta

$D[2,3]$ = source[:2] → target[:3]

$D[\ i, j\ ]$ = source[: i] → target[: j]



Minimum edit distance

Source: play → Target: stay

$D[\ ]$

$D[\ i, j\ ] =$ source$[\ : i\ ] \rightarrow$ target$[\ : j\ ]$



Minimum edit distance

Source: play → Target: stay

$D[\ ]$

$D[\ i, j\ ]$ = source$[\ :i\ ]$ → target$[\ :j\ ]$

$D[\ m, n\ ]$ = source → target



Minimum edit distance

Source: play → Target: stay

$D[\ ]$

$D[\ i, j\ ]$ = source$[\ :i\ ]$ → target$[\ :j\ ]$

$D[\ m, n\ ]$ = source → target



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

		0	1	2	3	4
		#	s	t	a	y
0	#					
1	p					
2	l					
3	a					
4	y					

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

→



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

→



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → #



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → #

delete



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

→ s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

→ s

insert



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s:

2



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s:

2

delete + *insert*: p → # → s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s:

2

delete + *insert*: p → # → s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s: 2

delete + *insert*: p → # → s: 2



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s: 2

delete + *insert*: p → # → s: 2

replace: p → s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s: 2

delete + *insert*: p → # → s: 2

replace: p → s



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s: 2

delete + *insert*: p → # → s: 2

replace: p → s: 2



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

insert + *delete*: p → ps → s: 2

delete + *insert*: p → # → s: 2

replace: p → s: 2



deeplearning.ai

Minimum edit distance algorithm II

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1			
1	p	1	2			
2	l					
3	a					
4	y					

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

play → #



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

play → #

$$D[\,i, j\,] = D[\,i\text{-}1, j\,] + del\_cost$$



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

play → #

$$D[\,i, j\,] = D[\,i\text{-}1, j\,] + del\_cost$$

		0	1	2	3	4
		#	**s**	**t**	**a**	**y**
0	**#**	0	1			
1	**p**	1	2			
2	**l**	2				
3	**a**	3				
4	**y**	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

play → #

$D[\, i, j \,] = D[\, i\text{-}1, j \,] + del\_cost$

$D[4,0]$ = play → #

= source[:4] → target[0]



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

→ play



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

→ play

$D[\, i, j \,] = D[\, i, j\text{-}1 \,] + ins\_cost$



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

→ play

$D[\, i, j \,] = D[\, i, j\text{-}1 \,] + ins\_cost$

		0	1	2	3	4
		#	**s**	**t**	**a**	**y**
0	**#**	0	1	2	3	4
1	**p**	1	2			
2	**l**	2				
3	**a**	3				
4	**y**	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$$D[i,j] = \min \begin{cases} D[i-1,j] + del\_cost \\ D[i,j-1] + ins\_cost \\ D[i-1,j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases}$$

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$$D[i,j] = \min \begin{cases} D[i-1,j] + del\_cost \\ D[i,j-1] + ins\_cost \\ D[i-1,j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases}$$

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$$D[i,j] = \min \begin{cases} D[i-1,j] + del\_cost \\ D[i,j-1] + ins\_cost \\ D[i-1,j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases}$$

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$$D[i, j] = \begin{cases} \min \begin{cases} D[i-1, j] + del\_cost \\ D[i, j-1] + ins\_cost \\ D[i-1, j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases} \end{cases}$$

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s



		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

dev purposes only

image of how previous slide should be

appearing for everyone !

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$$D[i,j] = \min \begin{cases} D[i-1,j] + del\_cost \\ D[i,j-1] + ins\_cost \\ D[i-1,j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases}$$

		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Don't include text or images below this line. Delete this text and red line in the master template once you're finished with your slide creation

Minimum edit distance

$$D[i,j] = \min \begin{cases} D[i-1,j] + del\_cost \\ D[i,j-1] + ins\_cost \\ D[i-1,j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases}$$

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

FORMULAS BUILDING ONLY

EQUATION USED IN NEXT SLIDES

$$D[i,j] = \min \begin{cases} D[i-1,j] + del\_cost \\ D[i,j-1] + ins\_cost \\ D[i-1,j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases}$$

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1				
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$D[\, i\text{-}1, j\,] + 1 = 2$

$D[\, i, j\text{-}1\,] + 1 = 2$

$D[\, i\text{-}1, j\text{-}1\,] + 2 = 2$



		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$D[\, i\text{-}1, j \,] + 1 = 2$

$D[\, i, j\text{-}1 \,] + 1 = 2$

$D[\, i\text{-}1, j\text{-}1 \,] + 2 = 2$

		0	1	2	3	4
		#	**s**	**t**	**a**	**y**
0	**#**	0	1	2	3	4
1	**p**	1	2			
2	**l**	2				
3	**a**	3				
4	**y**	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$D[\, i\text{-}1, j\,] + 1 = 2$

$D[\, i, j\text{-}1\,] + 1 = 2$

$D[\, i\text{-}1, j\text{-}1\,] + 2 = 2$

		0	1	2	3	4
		#	**s**	**t**	**a**	**y**
0	**#**	0	1	2	3	4
1	**p**	1	2			
2	**l**	2				
3	**a**	3				
4	**y**	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$D[\, i\text{-}1, j\,] + 1 = 2$

$D[\, i, j\text{-}1\,] + 1 = 2$

$D[\, i\text{-}1, j\text{-}1\,] + 2 = 2$



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

p → s

$D[\,i\text{-}1, j\,] + 1 = 2$

$D[\,i, j\text{-}1\,] + 1 = 2$

$= 2$

$D[\,i\text{-}1, j\text{-}1\,] + 2 = 2$

min

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2			
2	l	2				
3	a	3				
4	y	4				

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2



Minimum edit distance

$$D[i,j] = \min \begin{cases} D[i-1,j] + del\_cost \\ D[i,j-1] + ins\_cost \\ D[i-1,j-1] + \begin{cases} rep\_cost; & \text{if } src[i] \neq tar[j] \\ 0; & \text{if } src[i] = tar[j] \end{cases} \end{cases}$$

Source: to → Target: go

Cost: insert: 1, delete: 1, replace: 2

FOR QUIZ SETUP ONLY

... USED FOR IMAGES

ON QUIZ IN NEXT SLIDE



Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

		0	1	2	3	4
		#	**s**	**t**	**a**	**y**
0	**#**	0	1	2	3	4
1	**p**	1	2	3	4	5
2	**l**	2	3	4	5	6
3	**a**	3	4	5	4	5
4	**y**	4	5	6	5	4

Minimum edit distance

Source: play → Target: stay
Cost: insert: 1, delete: 1, replace: 2

play → stay

D[*m*, *n*] = 4

		0	1	2	3	4
		#	**s**	**t**	**a**	**y**
0	**#**	0	1	2	3	4
1	**p**	1	2	3	4	5
2	**l**	2	3	4	5	6
3	**a**	3	4	5	4	5
4	**y**	4	5	6	5	4

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

play → stay

D[*m*, *n*] = 4



		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2	3	4	5
2	l	2	3	4	5	6
3	a	3	4	5	4	5
4	y	4	5	6	5	4

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

play → stay

D[*m*, *n*] = 4



		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2	3	4	5
2	l	2	3	4	5	6
3	a	3	4	5	4	5
4	y	4	5	6	5	4

Minimum edit distance

Source: play → Target: stay

Cost: insert: 1, delete: 1, replace: 2

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2	3	4	5
2	l	2	3	4	5	6
3	a	3	4	5	4	5
4	y	4	5	6	5	4

deeplearning.ai

Minimum edit distance algorithm III

Minimum edit distance

Source: play → Target: stay
Cost: insert: 1, delete: 1, replace: 2

- Levenshtein distance



		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2	3	4	5
2	l	2	3	4	5	6
3	a	3	4	5	4	5
4	y	4	5	6	5	4

Minimum edit distance

Source: play → Target: stay
Cost: insert: 1, delete: 1, replace: 2

- Levenshtein distance
- Backtrace

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2	3	4	5
2	l	2	3	4	5	6
3	a	3	4	5	4	5
4	y	4	5	6	5	4

Minimum edit distance

Source: play → Target: stay
Cost: insert: 1, delete: 1, replace: 2

- Levenshtein distance
- Backtrace
- Dynamic programming

		0	1	2	3	4
		#	s	t	a	y
0	#	0	1	2	3	4
1	p	1	2	3	4	5
2	l	2	3	4	5	6
3	a	3	4	5	4	5
4	y	4	5	6	5	4

deeplearning.ai

Summary

Summary - learning objectives

- What is autocorrect ?
- Building the model
- Minimum edit distance
- Minimum edit distance algorithm

deah → dear ✅
yeah
dear
dean
... etc

	#	s	t	a	y
#	0	1	2	3	4
p	1	2	3	4	5
l	2	3	4	5	6
a	3	4	5	4	5
y	4	5	6	5	4