

060010413 - CC13 Software Engineering - Quiz 03

Due Jun 4 at 11:59am**Points** 60**Questions** 60**Available** Jun 3 at 11am - Jun 4 at 11:59am 1 day**Time Limit** None

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	30 minutes	55 out of 60

Score for this quiz: **55** out of 60

Submitted Jun 3 at 11:37am

This attempt took 30 minutes.

Question 1

1 / 1 pts

Software consists of:

- ☐ Programs
- ☐ Programs and documentations
- ☒ Programs, documentations and operating procedure manuals
- ☐ Set of instructions and operating system

Correct!

Question 2

1 / 1 pts

RUP is maintained by:

- ☒ IBM Rational Software

Correct!

- ☐ Alcatel
- ☐ TCS
- ☐ Microsoft

Question 3**1 / 1 pts**

In which model, the high user participation is required?

- ☐ Waterfall model
- ☐ All of the above
- ☒ Prototyping model
- ☐ Build-and-fix model

Correct!**Question 4****1 / 1 pts**

If user feedback and involvement are not available, which model is suitable?

- ☐ Prototyping model
- ☐ Iterative enhancement model
- ☒ Waterfall model
- ☐ None of the above

Correct!

Question 5**1 / 1 pts**

The use of components promotes the concept of:

- ☐ Conformity
- ☐ Flexibility
- ☒ Reusability
- ☐ Invisibility

Correct!**Question 6****1 / 1 pts**

Generalization and specialization relationship between two classes are known as:

- ☐ uses-a relationship
- ☒ is-a relationship
- ☐ has-a relationship
- ☐ includes-a relationship

Correct!**Question 7****0 / 1 pts**

FAST stands for:

u Answered

- ☐ Frequent application specification technique
- ☒ Facilitated application specification technology

rrect Answer

- ☐ Facilitated approximate specification technique
- ☐ Facilitated application specification technique

Question 8**1 / 1 pts**

Which are the required guidelines for conducting FAST session?

- (i) It must be conducted at neutral site.
- (ii) The framed rules for participation, must be circulated to all the members in advance.
- (iii) All members must be felt comfortable to encourage free flow of ideas.
- (iv) The facilitator (organizer) gives the overview of the project.
- (v) A display mechanism like.... Projector, Wall Stickers, Flip Charts, Whiteboards, etc. should be available in the committee room, where the meeting is conducted.
- (vi) All members should be directed to give their views. Unnecessary delay should be avoided.

Correct!

- ☒ All (i) to (vi)
- ☐ Only (iii) and (v)
- ☐ Only (i) and (ii)
- ☐ Only (ii) and (iv)

Question 9**1 / 1 pts**





Actors include anything that is:

Correct!

- ☒ External to the system
- ☐ Both (a) and (b)
- ☐ Internal to the system
- ☐ Functionality of the system

Question 10**1 / 1 pts**

Identify the correct example of relationship for use case diagram:

- (i) 
- (ii) 
- (iii) 
- (iv) 

- ☐ (iv)
- ☐ (i)
- ☐ (ii)

Correct!

- ☒ (iii)

Question 11**1 / 1 pts**

What is the main objective of FAST technique?

- ☐ To complete the work in a speedy way.
- ☐ To start implementation.
- ☐ To complete requirement gathering.
- ☒ To close the gap between developers and customer.

Correct!**Question 12****1 / 1 pts**

The non-functional requirement signifies that

- ☐ which features are to be included in system?
- ☐ what the software will do.
- ☐ None of the above
- ☒ how well the software does, what it has to be.

Correct!**Question 13****1 / 1 pts**

_____ helps us to prepare the IRD in limited time frame under the leadership.

Correct!

- ☒ FAST
- ☐ SRS
- ☐ Functional requirements
- ☐ Use case

Question 14**1 / 1 pts**

A use case addresses:

- ☐ Both (a) and (b)
- ☐ Non-functional requirements
- ☐ None of the above

Correct!

- ☒ Functional requirements

Question 15**1 / 1 pts**

A generic term is used for the people who are affected directly or indirectly by the system is known as _____.

Correct!

- ☒ Stakeholders
- ☐ Users
- ☐ Developer

- ☐ Customers

Question 16

1 / 1 pts

Requirements elicitation means:


Correct!

- ☒ Requirements capturing
- ☐ Requirements management
- ☐ Requirements prioritization
- ☐ Requirements traceability

Question 17

1 / 1 pts

Identify the correct example of relationship for use case diagram:



- ☐ Diagram (ii)

Correct!

- ☐ Diagram (iv)
- ☐ Diagram (iii)
- ☒ Diagram (i)

Question 18**1 / 1 pts**

Which of the following is/are the valid relationship(s) in use case diagrams?

- A. Extend
- B. Include
- C. Generalization

Correct!

- ☒ All A, B, C
- ☐ Only B not A and C
- ☐ Only A not B and C
- ☐ Only A and B not C

Question 19**1 / 1 pts**

Requirements should be written in....

- ☐ None of the above
- ☒ Simple, short and clear sentences.

Correct!

- ☐ Simple with some high standard words.
- ☐ Simple and large sentences.

Question 20**1 / 1 pts**

Which tasks should be mention in the scope of the project documentation?

- I. Assign a name to the software under development.
- II. Name of developers
- III. List of functions which the software will do.
- IV. List of functions which the software will not do.
- V. Explanation about the software applications along with the possible benefits and objectives.

- ☐ I, II, III, IV
- ☐ I, II, III
- ☐ I, II, IV, V
- ☒ I, III, IV, V

Correct!**Question 21****1 / 1 pts**

“Functional requirements also specify what the software will not do.”

- ☒ True

Correct!

☐ False

Question 22

1 / 1 pts

Which of the following is not the basic user characteristics required to use any system application?

☐ Technical knowledge

☐ Qualification

☒ Hardware limitations

☐ Experience

Correct!

Question 23

1 / 1 pts

The popular template for writing use case description is given by:

☐ V. Basili

☒ I. Jacobson

☐ B. Boehm

☐ J. Rumbaugh

Correct!

Question 24

1 / 1 pts

A requirement shall be _____ if and only if it is implementable within given time, resources, money and technology.

Correct!

- ☒ feasible
- ☐ verifiable
- ☐ clear
- ☐ necessary

Question 25

1 / 1 pts

Functional requirements describe:

Correct!

- ☒ "what" the software will do.
- ☐ "who" the software will perform.
- ☐ "when" the software will do.
- ☐ None of the above

Question 26

1 / 1 pts

The best reason to select a requirements elicitation technique is:

Correct!

- ☐ It is the only technique we know.
- ☒ We believe that a particular technique is suitable for our project.

- ☐ None of the above
- ☐ It is our favourite technique.

Question 27**1 / 1 pts**

Which one is not a characteristic of software?

- ☐ Software is reusable
- ☐ Software does not wear out
- ☐ Software is enhanceable
- ☒ Software is not flexible

Correct!**Question 28****0 / 1 pts**

The full form of COTS is:

- ☐ Commercially off-the-shelf classes
- ☐ Components off-the-shelf
- ☒ Commercially off-the-shift components
- ☐ Commercially off-the-shelf components

Not Answered**Incorrect Answer**

Question 29**0 / 1 pts**

A method is:

Incorrect Answer

Not Answered

- ☐ The sequence of steps to be performed to fulfil the assigned task
- ☒ Both (a) and (b)
- ☐ None of the above
- ☐ The set of operations for a particular task

Question 30**1 / 1 pts**

Object composition refers to:

Correct!

- ☒ Use of object of one class as data type in another class
- ☐ Derived class inheriting attributes and operations from the base class
- ☐ Data hiding concept
- ☐ Polymorphism

Question 31**1 / 1 pts**

Object-oriented methodologies do not include:

Correct!

- ☐ Jacobson methodology
- ☒ Boehm methodology
- ☐ Coad and Yourdon methodology
- ☐ Rumbaugh methodology

Question 32**1 / 1 pts**

The Booch methodology can be broadly divided into:

- ☐ Micro process and major process
- ☐ Macro process and minor process
- ☐ Macro process and mini process
- ☒ Macro process and micro process

Correct!**Question 33****1 / 1 pts**

Which of the following objects are identified in the analysis model?

- (i) Analysis objects
- (ii) Entity objects
- (iii) Control objects
- (iv) Interface objects

- ☐ All of the above

Correct!

- ☐ (i), (ii), (iv)
- ☐ (i), (iii), (iv)
- ☒ (ii), (iii), (iv)

Question 34**1 / 1 pts**

Which of the following is the disadvantage of the waterfall model?

- ☐ Both (a) and (b)
- ☐ None of the above
- ☐ Separation of life cycle phases
- ☒ Large number of documents are produced

Correct!**Question 35****1 / 1 pts**

Prototyping model is most suitable for projects with:

- ☐ Stable requirements
- ☐ Defined and understandable requirements
- ☒ Changing requirements
- ☐ Small size

Correct!

Question 36**1 / 1 pts**

Through which model, various cycles are permitted by the customer to see the progress of the software continuously?

- ☐ Waterfall model
- ☐ Prototyping model
- ☒ Iterative enhancement model
- ☐ Extreme programming model

Correct!**Question 37****1 / 1 pts**

The radial dimension of the spiral model shows:

- ☐ Schedule of the project
- ☒ Cumulative cost of the project
- ☐ None of the above
- ☐ Progress made in the completion of the final software

Correct!**Question 38****0 / 1 pts**

Match the multiplier with its interface type:

Interface type

Multiplier

- | | |
|-------------------------------------|---------|
| 1. No GUI | A. 2.5 |
| 2. Text-based user interface | B. 2.0 |
| 3. Graphical user interface | C. 3.0 |
| 4. Complex graphical user interface | D. 2.25 |

You Answered

☒ 1-B, 2-D, 3-C, 4-A☐ 1-B, 2-A, 3-C, 4-D

Incorrect Answer

☐ 1-B, 2-D, 3-A, 4-C☐ 1-B, 2-C, 3-D, 4-A**Question 39****0 / 1 pts**

According to Lorenz and Kidd, how many person days each class requires for implementation?

☐ 0 to 10 person days

You Answered

☒ 20 to 30 person days

Incorrect Answer

☐ 10 to 20 person days☐ 30 to 40 person days**Question 40****1 / 1 pts**

If an application requires 15 person days to implement each class and the number of classes is 255, then what will be the effort of the given application?

☐ 3845

☐ 3835

☒ 3825

☐ 3855

Correct!

Question 41

1 / 1 pts

Which of the following is not a rule of agile processes?

☐ The customer is always present at the developer's site

☐ Working software is produced very early

☒ None of the above

☐ Iterative planning

Correct!

Question 42

1 / 1 pts

XP is not suitable for application where:

☒ Continuous customer involvement cannot be achieved

☐ Technology is simple

Correct!

- ☐ Documentation is required
- ☐ Pair programming is suitable

Question 43**1 / 1 pts**

The outcome of the construction phase includes:

Correct!

- ☒ Software product
- ☐ Initial project glossary
- ☐ Software development plan
- ☐ Use case product

Question 44**1 / 1 pts**

The total number of classes is obtained by:

Correct!

- ☐ subtracting key classes and support classes
- ☐ multiplying key classes and support classes
- ☒ adding key classes and support classes
- ☐ dividing key classes and support classes

Question 45**1 / 1 pts**

If number of key classes is 112.5 and number of support classes is 45, then find total number of classes.

☐ 250.3☐ 160.8☒ 157.5☐ 198.5**Correct!****Question 46****1 / 1 pts**

What one should identify to conduct effective software estimation?

☒ All of the above☐ Scope/boundaries, Size and Effort of the project☐ Risk involved in the project☐ Resources required in the project**Correct!****Question 47****1 / 1 pts**

If in an application there are 2 simple actors, 2 average actors and 1 complex actor, then what will be the unadjusted actor weight for the project.

Correct!☒ 9☐ 3☐ 12☐ 6**Question 48****1 / 1 pts**

The size of the classes can be estimated as:

☐ $25 \times \text{Number of scenario scripts}$ ☐ $20 \times \text{Number of scenario scripts}$ **Correct!**☒ $17 \times \text{Number of scenario scripts}$ ☐ $15 \times \text{Number of scenario scripts}$ **Question 49****1 / 1 pts**

How to calculate unadjusted use case point?

Correct!

- ☒ Unadjusted actor weight + Unadjusted use case weight
- ☐ Unadjusted actor weight / Unadjusted use case weight
- ☐ Unadjusted actor weight - Unadjusted use case weight
- ☐ Unadjusted actor weight * Unadjusted use case weight

Question 50

1 / 1 pts

_____ is a key part of project planning activities and is the specific risky area which are highlighted in the plan.

Correct!

- ☐ Risk planning
- ☐ Definition identification
- ☒ Risk management
- ☐ Project management

Question 51

1 / 1 pts

Which type of risks involve budget, time, personnel and quality risks?

Correct!

- ☒ Economical Risks

- ☐ Environment Risks
- ☐ Deployment Risks
- ☐ Technical Risks

Question 52**1 / 1 pts**

If the number of classes is 750 and requires person days is 17 to implement each class, then what will be the effort of the given application?

- ☐ 12000
- ☐ 11955
- ☐ 11750
- ☒ 12750

Correct!**Question 53****1 / 1 pts**

Consider an airline reservation system where the following information is available:

Number of actors: 05 and Number of use cases: 10

By assuming all the complexity factors as average, what will be the unadjusted use case weight for the project.

- ☐ 101
- ☐ 120

Correct!☒ 110☐ 111**Question 54****1 / 1 pts**

If use case point is 133.46, then what will be the effort for an application?

☐ 2600.5**Correct!**☒ 2669.2☐ 2690.8☐ 2890.3**Question 55****1 / 1 pts**

What are the disadvantages of use case points method?

I. UCP can be used only when requirements are written in the form of use cases.

II. UCPs are based on use cases and can be measured very early in the project life cycle.

III. Use cases are being used vastly as a method of choice to describe requirements. In such cases, UCP is the best suitable estimation technique.

IV. If the use cases are not well or uniformly structured, then the resulting may not be accurate.

V. UCP is useful for initial estimate of overall project size, but they

are much less useful in driving the iteration-to-iteration work of a team.

Correct!

☒ I, IV, V

☐ I, II, IV

☐ I, II, III

☐ I, III, IV

Question 56

1 / 1 pts

By considering the database application project with the following characteristics:

1. The application has 45 key classes
2. A graphical user interface is required

What will be the number of support classes?

☐ 135.2

☐ 254.4

☐ 100

Correct!

☒ 112.5

Question 57

1 / 1 pts

Use case points can be calculated by:

Correct!

- ☐ UUCP \times ECF
- ☐ UCP \times H
- ☒ UUCP \times TCF \times ECF
- ☐ UUCP \times TCF

Question 58**1 / 1 pts**

If in an application there are 2 use cases with the number of transactions 3, 4 use cases with the number of transactions 5 and 2 use cases with the number of transactions 15, then what will be the unadjusted use case weight for the project.

Correct!

- ☐ 20
- ☒ 80
- ☐ 60
- ☐ 40

Question 59**1 / 1 pts**

In which type of risks, the security and safety of the workplace is addressed?

- ☐ Environment Risks
- ☐ Economical Risks

Correct!

- ☐ Technical Risks
- ☒ Deployment Risks

Question 60**1 / 1 pts**

If UUCP is 110, TCF is 1.02 and ECF is 0.995, then what will be UCP?

Correct!

- ☒ 111.639
- ☐ 115.666
- ☐ 150.865
- ☐ 950.546

Quiz Score: **55** out of 60