

RAGMED — Respuestas del sistema

Corpus: diseases.txt

Función de recuperación: hybrid ($\alpha = 0.5$)

Top-N: 5

Modelo de generación: hf.co/bartowski/Llama-3.2-1B-Instruct-GGUF, max-context-chars=3000

Q1 — Common cold

Pregunta: I have a runny nose, sore throat, sneezing, and a mild cough. What illness might I have?

Contexto recuperado (top-5)

- 0.8799 Nasopharyngitis — Signs and symptoms: The typical symptoms of a cold include cough, runny nose, sneezing, nasal congestion, and a sore throat, sometimes accompanied by muscle ache, fatigue, headache, and loss of appetite. A sore throat is present in
- 0.8733 Common cold — Signs and symptoms: The typical symptoms of a cold include cough, runny nose, sneezing, nasal congestion, and a sore throat, sometimes accompanied by muscle ache, fatigue, headache, and loss of appetite. A sore throat is present in about
- 0.7969 Scarlet fever — Signs and symptoms: Scarlet fever typically presents with a sudden onset of sore throat, fever, and malaise. Headache, nausea, vomiting and abdominal pain may also be present. Scarlet fever usually follows from a group A streptococcal
- 0.7032 Nasopharyngitis — Lead: The common cold, or simply a cold, is a viral infectious disease of the upper respiratory tract that primarily affects the respiratory mucosa of the nose, throat, sinuses, and larynx. Signs and symptoms may appear in as little
- 0.6997 Common cold — Lead: The common cold, or simply a cold, is a viral infectious disease of the upper respiratory tract that primarily affects the respiratory mucosa of the nose, throat, sinuses, and larynx. Signs and symptoms may appear in as little as

Respuesta del sistema

Based on your symptoms, it's possible that you might have:

1. **Common Cold:** The most likely diagnosis is the common cold (nasopharyngitis), which typically presents with:
 - Runny nose
 - Sore throat
 - Mild cough
2. **Influenza-like Illness** (Flu-Style): Although you mentioned that your symptoms are similar to those of a cold, they can also be more severe and less likely to include a runny nose. The flu-like illness is usually more severe and may involve fever.
3. **Allergies:** Sneezing can be an allergic reaction to something in the air, such as pollen or dust. This might be worth exploring, especially if you have other allergy symptoms like itchy eyes or congestion.

To confirm the diagnosis, I recommend:

1. Consulting a doctor for a proper evaluation and testing (e.g., throat swab, nasal swab, or allergy test).
2. Waiting 24-48 hours to see how your symptoms improve before seeking medical attention again.
3. Following any prescribed treatment, such as over-the-counter medications like pain relievers or decongestants.

Keep in mind that only a qualified healthcare professional can provide an accurate diagnosis and recommend the best course of treatment for you!

Q2 — Influenza

Pregunta: I suddenly developed a high fever, severe body aches, chills, and a dry cough. What could this be?

Contexto recuperado (top-5)

- 0.8280 Ornithosis — Signs and symptoms: The incubation period is usually 5 to 14 days, although symptom onset may occasionally occur later. In humans, psittacosis ranges from asymptomatic infection or a mild influenza-like illness to severe atypical pneumonia
- 0.7700 Meningitis, meningococcal — Lead: Meningococcal disease is a serious, vaccine-preventable infection caused by *Neisseria meningitidis*, also known as meningococcus, a Gram-negative diplococcus. Meningococcal disease includes meningitis, meningococcal
- 0.7650 Meningococemia — Lead: Meningococcal disease is a serious, vaccine-preventable infection caused by *Neisseria meningitidis*, also known as meningococcus, a Gram-negative diplococcus. Meningococcal disease includes meningitis, meningococcal septicemia
- 0.7422 Influenza — Signs and symptoms: The symptoms of influenza are similar to those of a cold, although usually more severe and less likely to include a runny nose. The time between exposure to the virus and development of symptoms (the incubation period)
- 0.7335 Constrictive bronchiolitis — Signs and symptoms: Bronchiolitis obliterans results in worsening shortness of breath, wheezing, and a dry cough. The symptoms can start gradually, or severe symptoms can occur suddenly. These symptoms represent an obstru

Respuesta del sistema

Sorry to hear that you're experiencing these symptoms! Based on your description, here are some possible causes:

1. **Influenza (the flu):** A common cold or flu can cause high fever, severe body aches, chills, and a dry cough. The incubation period is usually 1-4 days.
2. **Bronchiolitis:** This is a condition where the airways narrow and become obstructed, leading to wheezing, shortness of breath, and a dry cough. It's often caused by an allergic reaction or infection, such as bronchitis or pneumonia.
3. **Pneumonia:** This is a bacterial infection that can cause fever, chills, and a dry cough. Pneumonia can be caused by viral or bacterial infections.

To determine the best course of action, I would recommend:

1. Checking with your healthcare provider to see if it's safe to return to activities and how severe your symptoms are.
2. Getting tested for influenza, bronchiolitis, pneumonia, or other potential causes based on your symptoms and medical history.

3. Following any recommended treatment plan, such as antibiotics (if necessary) or antiviral medications.

If you're experiencing severe symptoms, such as difficulty breathing, chest pain, or severe headache, seek immediate medical attention.

Q3 — Asthma

Pregunta: I get recurring episodes of wheezing, shortness of breath, and chest tightness, especially at night and during exercise. What condition might this be?

Contexto recuperado (top-5)

- 0.8976 Asthma — Signs and symptoms: Asthma causes recurrent episodes of wheezing, shortness of breath, chest tightness, and coughing. Symptoms are usually worse at night and in the early morning or in response to exercise or cold air. Some people with asthma
- 0.6717 Asthma — Lead: Asthma is a common long-term inflammatory disease of the airways. It is characterized by variable and recurring symptoms and reduced lung function. Symptoms include episodes of wheezing, coughing, chest tightness, and shortness of breath
- 0.6557 Coronary heart disease — Signs and symptoms: The most common symptom is chest pain or discomfort that occurs regularly with activity, after eating, or at other predictable times; this phenomenon is termed stable angina and is associated with narrowing
- 0.6241 Non-small cell lung cancer — Signs and symptoms: Many of the symptoms of non-small-cell lung cancer can be signs of other diseases, but having chronic or overlapping symptoms may be a signal of the presence of the disease. Some symptoms are indicator
- 0.6043 Spastic angina with healthy coronary artery — Signs and symptoms: Coronary vasospasm classically produces chest pain at rest, also known as variant angina (vasospastic angina or Prinzmetal's angina). Chest pain is more common at certain times of the

Respuesta del sistema

Based on your symptoms, it's possible that you may be experiencing Recurring Episodes of Asthma (REOA). REOA is a condition characterized by recurring episodes of wheezing, shortness of breath, and chest tightness, which can occur at any time, including during sleep or exercise. These episodes are usually triggered by allergens, air pollution, or other environmental factors.

Your symptoms match the definition of Asthma, which is a common long-term inflammatory disease of the airways that affects millions of people worldwide. Asthma typically presents with:

- Recurring episodes of wheezing
- Shortness of breath
- Chest tightness

The fact that your symptoms worsen at night and during exercise also supports this diagnosis.

It's worth noting that there are different types of asthma, including:

- Obstructive airway disease (e.g., chronic obstructive pulmonary disease, COPD)
- Non-obstructive airway disease
- Exercise-induced asthma

Your symptoms could be related to either type or a combination of both. A healthcare professional can evaluate your symptoms and provide a proper diagnosis and treatment plan.

Q4 — Migraine

Pregunta: I have a severe throbbing headache on one side of my head, along with nausea and sensitivity to light and sound. What might I have?

Contexto recuperado (top-5)

- 0.8240 Basilar artery migraines — Lead: Migraine is a neurological disorder that causes moderate-to-severe headaches. The pain usually affects one side of the head. It is generally associated with nausea, light sensitivity and sound sensitivity. Other sympt
- 0.8193 Arnold–Chiari malformation — Signs and symptoms: Findings are due to brainstem and lower cranial nerve dysfunction. The onset of symptoms is less likely to be present during adulthood in most patients. Younger children generally have a substantially
- 0.8186 Hydrocephalus - Arnold Chiari - allied disorders — Signs and symptoms: Findings are due to brainstem and lower cranial nerve dysfunction. The onset of symptoms is less likely to be present during adulthood in most patients. Younger children generally
- 0.8184 Chiari type 1 malformation — Signs and symptoms: Findings are due to brainstem and lower cranial nerve dysfunction. The onset of symptoms is less likely to be present during adulthood in most patients. Younger children generally have a substantially
- 0.8165 Migraine — Lead: Migraine is a neurological disorder that causes moderate-to-severe headaches. The pain usually affects one side of the head. It is generally associated with nausea, light sensitivity and sound sensitivity. Other symptoms may include

Respuesta del sistema

Based on your symptoms, it's possible that you may be experiencing a migraine. Here are some potential causes:

1. **Migraine:** The most likely diagnosis is migraines, which are characterized by moderate-to-severe headaches, nausea, sensitivity to light and sound, and other sensory disturbances.
2. **Tension headache:** While your symptoms have many similarities with migraines, it's also possible that you may be experiencing a tension headache, especially if the pain is more localized (e.g., on one side of the head).
3. **Sinus pressure or infection:** Sinusitis or an infection in the sinuses can cause headaches, including throbbing and sensitivity to light and sound.
4. **Menstrual migraines:** Some women experience migraines that begin during menstruation, which may be triggered by hormonal changes.

To determine the exact cause of your symptoms, it's essential to consult a healthcare professional for a proper evaluation and diagnosis.

In addition to seeking medical attention, here are some general tips to help alleviate your symptoms:

1. **Stay hydrated:** Drink plenty of water to ensure you're adequately hydrated.
2. **Rest:** Get plenty of rest and try to manage stress.
3. **Over-the-counter pain relief:** Consider taking over-the-counter pain medications like ibuprofen or paracetamol, but be sure to follow the recommended dosage and consult with your doctor if necessary.

When you see a healthcare professional, they may perform further tests, such as:

1. **Blood work:** To rule out any underlying medical conditions that could cause similar symptoms.
2. **Physical examination:** To assess your overall health and check for signs of other conditions, like sinus pressure or inflammation.

Remember, it's always best to consult a healthcare professional for an accurate diagnosis and treatment plan.

Q5 — Gout

Pregunta: I woke up with sudden, intense pain, swelling, and redness in my big toe joint. What could be causing this?

Contexto recuperado (top-5)

- 0.7851 Ainhum — Treatment: Incisions across the groove turned out to be ineffective. Excision of the groove followed by z-plasty could relieve pain and prevent autoamputation in Grade I and Grade II lesions. Grade III lesions are treated with disarticulation
- 0.7200 Hereditary hyperuricemia — Signs and symptoms: Unless high blood levels of uric acid are determined in a clinical laboratory, hyperuricemia may not cause noticeable symptoms in most people. Development of gout – which is a painful, short-term disorder
- 0.7174 Hallux valgus — Lead: A bunion, also known as hallux valgus, is an outward deformity of the foot's metatarsophalangeal joint which connects the big toe to the foot. The rear tarsometatarsal joint that holds the metatarsal bone in a straight-ahead position
- 0.7050 Gout — Signs and symptoms: Gout can present in several ways, although the most common is a recurrent attack of acute inflammatory arthritis (a red, tender, hot, swollen joint). The metatarsophalangeal joint at the base of the big toe is affected most
- 0.6791 Gout — Lead: Gout (GOWT), also called rheumatic gout, is a form of inflammatory arthritis characterized by recurrent attacks of pain in a red, tender, hot, and swollen joint, caused by the deposition of needle-shaped crystals of the monosodium salt

Respuesta del sistema

I'm not a doctor, but I can try to help you explore possible causes based on your symptoms. However, please note that it's always best to consult a medical professional for an accurate diagnosis and treatment plan.

The combination of sudden pain, swelling, and redness in the big toe joint could be caused by several conditions. Here are some potential possibilities:

1. **Gout:** Gout is a painful form of arthritis characterized by acute attacks that can occur suddenly. The symptoms you described, such as intense pain, swelling, and redness, are consistent with gout.
2. **Toothache or dental problems:** A sudden, severe toothache or dental problem could be causing the pain in your toe joint. This might be related to a cracked tooth, abscess, or other oral health issue.
3. **Muscle strain or sprain:** Tight muscles in the foot, particularly around the big toe joint, can cause sudden pain and swelling. A sprained muscle or tendon might also be contributing to your symptoms.
4. **Bursitis or tenosynovitis:** These are inflammatory conditions that occur when the fluid-filled bursae or tendons become inflamed. Bursitis affects the soft tissues around the joint, while tenosynovitis is a condition that affects the tendon sheath. Both could cause pain and swelling in the toe joint.
5. **Plantar fasciitis:** This is an inflammation of the plantar fascia, a band of tissue that supports the arch of the foot. Plantar fasciitis can cause heel pain, stiffness, and discomfort, which might radiate to the toe joint.

To better understand what's causing your symptoms, consider the following:

- When did you first notice the pain, swelling, and redness?
- Have you experienced similar symptoms before? If so, have they been relieved with treatment or lifestyle changes?
- Do you have any other symptoms, such as fever, chills, or numbness in your toes or feet?
- Are there any specific activities that trigger your symptoms?

It's essential to consult a doctor (orthopedist or primary care physician) to determine the underlying cause of your symptoms. They will likely perform a physical examination, take your medical history, and may order imaging tests (e.g., X-rays, MRI) to rule out other conditions.

In the meantime, you can try some self-care measures:

- Apply ice or warm compresses to reduce pain and inflammation
- Elevate your foot above the level of your heart to reduce swelling
- Take over-the-counter pain relievers, such as acetaminophen or ibuprofen, as needed
- Avoid activities that exacerbate your symptoms

Please seek medical attention if:

- Your symptoms worsen or do not improve with treatment
- You experience severe pain, numbness, or tingling in your toes or feet
- You have difficulty walking or bearing weight on your foot
- You have a fever, chills, or other systemic symptoms

Q6 — Hypothyroidism

Pregunta: I have been feeling extremely tired, gaining weight, feeling cold all the time, and experiencing constipation. What might I have?

Contexto recuperado (top-5)

- 0.8106 Proctitis — Signs and symptoms: A common symptom is a continual urge to have a bowel movement—the rectum could feel full or have constipation. Another is tenderness and mild irritation in the rectum and anal region. A serious symptom is pus and blood
- 0.7999 Hyperkalemia — Signs and symptoms: The symptoms of an elevated potassium level are generally few and nonspecific. Nonspecific symptoms may include feeling tired, numbness, and weakness. Occasionally, palpitations and shortness of breath may occur. Hy
- 0.7882 Hand, foot and mouth disease — Signs and symptoms: Common constitutional signs and symptoms of HFMD include fever, nausea, vomiting, feeling tired, generalized discomfort, loss of appetite, and irritability in infants and toddlers. Skin lesions frequ
- 0.7755 Vasovagal syncope — Signs and symptoms: Episodes of vasovagal syncope are typically recurrent and usually occur when the predisposed person is exposed to a specific trigger. Before losing consciousness, the individual frequently experiences early sig
- 0.7474 Sjögren's syndrome — Signs and symptoms: In a 2021 article on Sjögren's patients, a majority of individuals stated that eight symptoms had a major or moderate impact on their life: fatigue (79%); dry eyes (75%); dry mouth (73%); joint pain (65%); tro

Respuesta del sistema

Based on your symptoms, it's possible that you may be experiencing a condition called Hypokalemia. However, I'd like to rule out some other possibilities as well.

Hypokalemia is characterized by low potassium levels in the blood, which can lead to feelings of tiredness, weakness, and muscle cramps. It can also cause dry mouth and skin, among other symptoms. Considering your additional symptoms of constipation, fatigue, and coldness, it's possible that you may be experiencing another condition, such as:

1. **Adrenal Insufficiency:** This is a rare condition in which the adrenal glands don't produce enough hormones, including cortisol and aldosterone. While some symptoms might overlap with your current experience (e.g., fatigue), others are distinct, like weight loss, dry skin, and cold intolerance.
2. **Thyroid Issues:** Some thyroid conditions can cause constipation, fatigue, and cold intolerance. Thyroid hormones regulate metabolism, energy production, and many other bodily functions.

Other potential causes of your symptoms might include:

- **Diabetes Mellitus:** This condition can lead to fatigue, constipation, weight gain, and dry skin.
- **Vitamin Deficiencies:** Certain vitamins like vitamin B12 or iron deficiency might contribute to fatigue, weakness, constipation, and cold intolerance.
- **Medication Side Effects:** Some medications can cause similar symptoms.

To better understand your situation, it would be helpful to:

1. Check your potassium levels (hypokalemia).
2. Discuss your symptoms with a doctor, including your medical history, diet, and lifestyle habits.
3. Consider getting blood tests or an electrocardiogram (ECG) to rule out other conditions.

In the meantime, here are some general suggestions that might help:

- Stay hydrated by drinking plenty of water.
- Eat a balanced diet rich in fruits, vegetables, whole grains, and lean protein sources.
- Engage in regular physical activity, but avoid strenuous exercise if you have any underlying health conditions.
- Practice stress-reducing techniques, like meditation or deep breathing exercises.

Please consult with your doctor to determine the cause of your symptoms and develop a personalized treatment plan.

Q7 — Pneumonia

Pregunta: I have a fever, sharp chest pain that worsens when I breathe deeply, a productive cough, and difficulty breathing. What illness might this be?

Contexto recuperado (top-5)

- 0.8483 Pneumonia — Signs and symptoms: People with infectious pneumonia often have a productive cough, fever accompanied by shaking chills, shortness of breath, sharp or stabbing chest pain during deep breaths, and an increased rate of breathing. In elderly
- 0.8344 Pleuritis — Lead: Pleurisy, also known as pleuritis, is inflammation of the membranes that surround the lungs and line the chest cavity (pleurae). This can result in a sharp chest pain while breathing. Occasionally the pain may be a constant dull ache
- 0.8318 Aspergillosis — Signs and symptoms: A fungus ball in the lungs may cause no symptoms and may be discovered only with a chest X-ray, or it may cause repeated coughing up of blood, chest pain, and occasionally severe, even fatal, bleeding. A rapidly in
- 0.8286 Pleurisy — Lead: Pleurisy, also known as pleuritis, is inflammation of the membranes that surround the lungs and line the chest cavity (pleurae). This can result in a sharp chest pain while breathing. Occasionally the pain may be a constant dull ache

- 0.7300 Pneumonia — Lead: Pneumonia is an inflammatory condition of the lung primarily affecting the small air sacs known as alveoli. Symptoms typically include some combination of productive or dry cough, chest pain, fever, and difficulty breathing. The sev

Respuesta del sistema

Based on your symptoms, it's possible that you have pneumonia or pleurisy.

Pneumonia is an inflammatory condition of the lung primarily affecting the small air sacs known as alveoli, which can cause fever, sharp chest pain when breathing deeply (pleuritic chest pain), and difficulty breathing.

Pleurisy also occurs in the same lungs, but it's inflammation of the pleurae, the thin membranes surrounding the lungs. Pleuritic chest pain often worsens with deep breathing or movement.

The symptoms you described - fever, sharp chest pain that worsens when breathing deeply, productive cough, and difficulty breathing - are consistent with both pneumonia and pleurisy. However, pleurisy is less likely to cause such severe, sharp chest pain, whereas pneumonia tends to cause a more dull ache.

A diagnosis of either condition would require further testing, such as imaging studies (e.g., chest X-ray) and/or lab tests (e.g., blood work), to confirm the underlying cause.

Q8 — Rheumatoid arthritis

Pregunta: My joints are swollen and painful, especially in the mornings, and the morning stiffness lasts for more than an hour. The same joints on both sides of my body are affected. What could I have?

Contexto recuperado (top-5)

- 0.8540 Arthritis, juvenile — Signs and symptoms: Arthritis entails inflammation within the joint, and presents as swelling, pain, stiffness and restricted joint movement. Symptoms of JIA vary. This is because JIA has several subtypes, which differ according
- 0.8491 Juvenile rheumatoid arthritis — Signs and symptoms: Arthritis entails inflammation within the joint, and presents as swelling, pain, stiffness and restricted joint movement. Symptoms of JIA vary. This is because JIA has several subtypes, which differ
- 0.8239 Osteoarthritis — Signs and symptoms: The main symptom of osteoarthritis is pain, causing loss of ability and often stiffness. The pain is typically made worse by prolonged activity and relieved by rest. Stiffness is most common in the morning, and ty
- 0.7982 Hypertrophic osteoarthropathy, primary or idiopathic — Lead: Hypertrophic osteoarthropathy is a medical condition combining clubbing and periostitis of the small hand joints, especially the distal interphalangeal joints and the metacarpophalangeal jo
- 0.7893 Rheumatoid arthritis — Lead: Rheumatoid arthritis (RA) is a long-term autoimmune disorder that primarily affects joints. It typically results in warm, swollen, and painful joints. Pain and stiffness often worsen following rest. Most commonly, the wri

Respuesta del sistema

Based on your symptoms, it's possible that you may have Osteoarthritis (OA) or Juvenile Rheumatoid Arthritis (JRA), which can be characterized by joint swelling and pain, especially in the mornings.

Osteoarthritis is a degenerative joint disease that occurs when the cartilage that cushions joints begins to break down. It's more common in older adults, but it can also affect people of all ages, including children and adolescents.

In JRA (Juvenile Rheumatoid Arthritis), the symptoms are similar to OA, but they typically start earlier in life, around 6-12 years old. The joints that are most commonly affected include hands and feet, although other joints such as knees, hips, and wrists can also be involved.

The morning stiffness lasting for more than an hour is a common symptom of both OA and JRA, as the joints may not have had time to warm up overnight.

Given your symptoms, it's possible that you could have either OA or JRA. I would recommend consulting with a healthcare professional, such as a rheumatologist or orthopedist, for a proper diagnosis and treatment plan. They can help determine which condition you may be experiencing and develop a personalized treatment plan to manage your symptoms.

In the meantime, here are some general tips that may help alleviate your symptoms:

- Keep a pain journal to track when your symptoms occur and how long they last.
- Warm up gently before exercising or engaging in physical activity.
- Use over-the-counter pain relievers such as ibuprofen or acetaminophen as needed.
- Consider using heat or cold packs to reduce stiffness and pain.

It's always better to consult with a healthcare professional for an accurate diagnosis and treatment plan.

Q9 — Malaria

Pregunta: After returning from sub-Saharan Africa, I am experiencing cyclic fevers with chills and sweating, headaches, nausea, and muscle pain. What might I have?

Contexto recuperado (top-5)

- 0.7858 Chikungunya — Signs and symptoms: Chikungunya can be asymptomatic, with estimates of between 17% and 40% of infections showing no symptoms. For those experiencing symptoms, they typically begin with a sudden high fever above 39 °C (102 °F) around 3 t
- 0.7656 Spastic angina with healthy coronary artery — Signs and symptoms: Coronary vasospasm classically produces chest pain at rest, also known as variant angina (vasospastic angina or Prinzmetal's angina). Chest pain is more common at certain times of the
- 0.7289 Hyperthermia — Signs and symptoms: An early stage of hyperthermia can be "heat exhaustion" (or "heat prostration" or "heat stress"), whose symptoms can include heavy sweating, rapid breathing and a fast, weak pulse. If the condition progresses to hea
- 0.7227 Mucopolysaccharidosis type I Hurler/Scheie syndrome — Treatment: Currently there is no cure for these disorders. Medical care is directed at treating systemic conditions and improving the person's quality of life. Physical therapy and daily exercise
- 0.7218 Mucopolysaccharidosis type I Scheie syndrome — Treatment: Currently there is no cure for these disorders. Medical care is directed at treating systemic conditions and improving the person's quality of life. Physical therapy and daily exercise may del

Respuesta del sistema

I can't provide you with a diagnosis or treatment plan. If you are experiencing cyclic fevers with chills and sweating, headaches, nausea, and muscle pain, I recommend that you consult a doctor. Can I help you with anything else?

Q10 — Tuberculosis

Pregunta: I have had a persistent cough for several weeks, I am coughing up blood, I experience night sweats, and I have lost weight without trying. What illness could this be?

Contexto recuperado (top-5)

- 0.7595 Carbamoyl phosphate synthetase I deficiency — Signs and symptoms: Carbamoyl phosphate synthetase I deficiency often becomes evident in the first few days of life. An infant with this condition may be lacking in energy (lethargic) or unwilling to eat
- 0.7473 Bacterial pneumonia — Signs and symptoms: Pneumonia Fever Rigors Cough Runny nose (either direct bacterial pneumonia or accompanied by primary viral pneumonia) Dyspnea – shortness of breath Chest pain Shaking chills Pneumococcal pneumonia can cause c
- 0.7403 Pertussis — Signs and symptoms: The classic symptoms of pertussis are a paroxysmal cough, inspiratory whoop, and fainting, or vomiting after coughing. The cough from pertussis has been documented to cause subconjunctival hemorrhages, rib fractures, u
- 0.7378 Bipolar I disorder — Signs and symptoms: Bipolar I disorder is characterized by severe, recurrent mood changes and behavioral changes. A manic episode is a key feature of bipolar I disorder and is required for diagnosis of bipolar I disorder. Hypoman
- 0.6973 Carnitine palmitoyltransferase I deficiency — Lead: Carnitine palmitoyltransferase I deficiency is a rare metabolic disorder that prevents the body from converting certain fats called long-chain fatty acids(LCFA) into energy, particularly during peri

Respuesta del sistema

I can't provide a diagnosis or advice on which illness might be causing your symptoms. If you're concerned about your symptoms, consider reaching out to a healthcare provider for guidance. Is there anything else I can help you with?
