

RAGMED — Respuestas del sistema

Corpus: diseases.txt

Función de recuperación: hybrid ($\alpha = 0.5$)

Top-N: 5

Modelo de generación: llama3.2:3b

Q1 — Common cold

Pregunta: I have a runny nose, sore throat, sneezing, and a mild cough. What illness might I have?

Contexto recuperado (top-5)

- 0.8799 Nasopharyngitis — Signs and symptoms: The typical symptoms of a cold include cough, runny nose, sneezing, nasal congestion, and a sore throat, sometimes accompanied by muscle ache, fatigue, headache, and loss of appetite. A sore throat is present in
- 0.8733 Common cold — Signs and symptoms: The typical symptoms of a cold include cough, runny nose, sneezing, nasal congestion, and a sore throat, sometimes accompanied by muscle ache, fatigue, headache, and loss of appetite. A sore throat is present in about
- 0.7969 Scarlet fever — Signs and symptoms: Scarlet fever typically presents with a sudden onset of sore throat, fever, and malaise. Headache, nausea, vomiting and abdominal pain may also be present. Scarlet fever usually follows from a group A streptococcal
- 0.7032 Nasopharyngitis — Lead: The common cold, or simply a cold, is a viral infectious disease of the upper respiratory tract that primarily affects the respiratory mucosa of the nose, throat, sinuses, and larynx. Signs and symptoms may appear in as little
- 0.6997 Common cold — Lead: The common cold, or simply a cold, is a viral infectious disease of the upper respiratory tract that primarily affects the respiratory mucosa of the nose, throat, sinuses, and larynx. Signs and symptoms may appear in as little as

Respuesta del sistema

Based on the symptoms you've described (runny nose, sore throat, sneezing, and a mild cough), it's possible that you may have a common cold, also known as nasopharyngitis or upper respiratory tract infection. The symptoms you're experiencing are consistent with those typically seen in people who have a viral upper respiratory tract infection.

Keep in mind that the symptoms of a common cold can be similar to those of other illnesses, such as influenza (the flu), but the typical characteristics mentioned in the context passages, such as the cough being usually mild and not accompanied by severe symptoms like high fever, indicate it's more likely to be a cold.

Q2 — Influenza

Pregunta: I suddenly developed a high fever, severe body aches, chills, and a dry cough. What could this be?

Contexto recuperado (top-5)

- 0.8280 Ornithosis — Signs and symptoms: The incubation period is usually 5 to 14 days, although symptom onset may occasionally occur later. In humans, psittacosis ranges from asymptomatic infection or a mild influenza-like illness to severe atypical pneumon
- 0.7700 Meningitis, meningococcal — Lead: Meningococcal disease is a serious, vaccine-preventable infection caused by *Neisseria meningitidis*, also known as meningococcus, a Gram-negative diplococcus. Meningococcal disease includes meningitis, meningococcal
- 0.7650 Meningococemia — Lead: Meningococcal disease is a serious, vaccine-preventable infection caused by *Neisseria meningitidis*, also known as meningococcus, a Gram-negative diplococcus. Meningococcal disease includes meningitis, meningococcal septicemi
- 0.7422 Influenza — Signs and symptoms: The symptoms of influenza are similar to those of a cold, although usually more severe and less likely to include a runny nose. The time between exposure to the virus and development of symptoms (the incubation period)
- 0.7335 Constrictive bronchiolitis — Signs and symptoms: Bronchiolitis obliterans results in worsening shortness of breath, wheezing, and a dry cough. The symptoms can start gradually, or severe symptoms can occur suddenly. These symptoms represent an obstru

Respuesta del sistema

Based on the symptoms you've described, it's possible that you may have contracted psittacosis (also known as ornithosis) due to exposure to birds or bird droppings. However, your symptoms are also similar to those of influenza.

Another possibility is meningococemia, a serious bacterial infection caused by *Neisseria meningitidis*. The initial symptoms can be subtle and may resemble other infections, but can quickly progress to include fever, rash, body aches, photophobia, and other complications.

It's also possible that you could have contracted constrictive bronchiolitis, which is an obstructive lung disease characterized by shortness of breath, wheezing, and a dry cough. However, the sudden onset of severe symptoms with high fever and chills makes this less likely compared to acute bacterial infections like psittacosis or meningococemia.

To determine the exact cause, it's essential to consult a healthcare professional for proper evaluation, diagnosis, and treatment.

Q3 — Asthma

Pregunta: I get recurring episodes of wheezing, shortness of breath, and chest tightness, especially at night and during exercise. What condition might this be?

Contexto recuperado (top-5)

- 0.8976 Asthma — Signs and symptoms: Asthma causes recurrent episodes of wheezing, shortness of breath, chest tightness, and coughing. Symptoms are usually worse at night and in the early morning or in response to exercise or cold air. Some people with asthm
- 0.6717 Asthma — Lead: Asthma is a common long-term inflammatory disease of the airways. It is characterized by variable and recurring symptoms and reduced lung function. Symptoms include episodes of wheezing, coughing, chest tightness, and shortness of brea
- 0.6557 Coronary heart disease — Signs and symptoms: The most common symptom is chest pain or discomfort that occurs regularly with activity, after eating, or at other predictable times; this phenomenon is termed stable angina and is associated with narrowin

- 0.6241 Non-small cell lung cancer — Signs and symptoms: Many of the symptoms of non-small-cell lung cancer can be signs of other diseases, but having chronic or overlapping symptoms may be a signal of the presence of the disease. Some symptoms are indicator
- 0.6043 Spastic angina with healthy coronary artery — Signs and symptoms: Coronary vasospasm classically produces chest pain at rest, also known as variant angina (vasospastic angina or Prinzmetal's angina). Chest pain is more common at certain times of the

Respuesta del sistema

Based on the information provided, your symptoms could be related to asthma. The fact that you experience these symptoms mainly at night, during exercise, or in response to cold air is consistent with asthma. Recurrent episodes of wheezing, shortness of breath, and chest tightness are also characteristic signs and symptoms of asthma. However, it's essential to consult a healthcare professional for an accurate diagnosis and treatment plan. They may perform spirometry lung function testing, review your medical history, and evaluate your response to therapy to confirm the diagnosis and develop a personalized management plan.

Q4 — Migraine

Pregunta: I have a severe throbbing headache on one side of my head, along with nausea and sensitivity to light and sound. What might I have?

Contexto recuperado (top-5)

- 0.8240 Basilar artery migraines — Lead: Migraine is a neurological disorder that causes moderate-to-severe headaches. The pain usually affects one side of the head. It is generally associated with nausea, light sensitivity and sound sensitivity. Other sympt
- 0.8193 Arnold–Chiari malformation — Signs and symptoms: Findings are due to brainstem and lower cranial nerve dysfunction. The onset of symptoms is less likely to be present during adulthood in most patients. Younger children generally have a substantially
- 0.8186 Hydrocephalus - Arnold Chiari - allied disorders — Signs and symptoms: Findings are due to brainstem and lower cranial nerve dysfunction. The onset of symptoms is less likely to be present during adulthood in most patients. Younger children generally
- 0.8184 Chiari type 1 malformation — Signs and symptoms: Findings are due to brainstem and lower cranial nerve dysfunction. The onset of symptoms is less likely to be present during adulthood in most patients. Younger children generally have a substantially
- 0.8165 Migraine — Lead: Migraine is a neurological disorder that causes moderate-to-severe headaches. The pain usually affects one side of the head. It is generally associated with nausea, light sensitivity and sound sensitivity. Other symptoms may include

Respuesta del sistema

Based on the symptoms you've described, it's possible that you may be experiencing a migraine attack. Migraines often cause throbbing headaches on one side of the head, accompanied by nausea, light sensitivity, and sound sensitivity.

However, it's also important to note that your symptoms could be related to another condition, such as Arnold-Chiari malformation (a condition where the cerebellar tonsils bulge into the spinal canal) or a tension headache.

It's always best to consult with a healthcare professional for an accurate diagnosis and proper treatment plan. They can perform a physical examination, take a thorough medical history, and order any necessary tests to determine the underlying cause of your symptoms.

In the meantime, you may want to consider seeking medical attention if:

- Your headache worsens or persists
- You experience vomiting, fever, or stiff neck
- You have a history of migraines, head trauma, or spinal injuries
- You notice any other unusual symptoms such as numbness, weakness, or difficulty with speech or vision

It's always better to err on the side of caution and seek medical attention if you're unsure about the cause of your symptoms.

Q5 — Gout

Pregunta: I woke up with sudden, intense pain, swelling, and redness in my big toe joint. What could be causing this?

Contexto recuperado (top-5)

- 0.7851 Ainhum — Treatment: Incisions across the groove turned out to be ineffective. Excision of the groove followed by z-plasty could relieve pain and prevent autoamputation in Grade I and Grade II lesions. Grade III lesions are treated with disarticulation
- 0.7200 Hereditary hyperuricemia — Signs and symptoms: Unless high blood levels of uric acid are determined in a clinical laboratory, hyperuricemia may not cause noticeable symptoms in most people. Development of gout – which is a painful, short-term disorder
- 0.7174 Hallux valgus — Lead: A bunion, also known as hallux valgus, is an outward deformity of the foot's metatarsophalangeal joint which connects the big toe to the foot. The rear tarsometatarsal joint that holds the metatarsal bone in a straight-ahead position
- 0.7050 Gout — Signs and symptoms: Gout can present in several ways, although the most common is a recurrent attack of acute inflammatory arthritis (a red, tender, hot, swollen joint). The metatarsophalangeal joint at the base of the big toe is affected most
- 0.6791 Gout — Lead: Gout (GOUT), also called rheumatic gout, is a form of inflammatory arthritis characterized by recurrent attacks of pain in a red, tender, hot, and swollen joint, caused by the deposition of needle-shaped crystals of the monosodium salt

Respuesta del sistema

Based on your symptoms, there are several possible causes for the sudden onset of pain, swelling, and redness in your big toe joint. Considering the information provided, a likely possibility is gout.

Gout can present with acute inflammatory arthritis, which may cause intense pain, swelling, and redness in joints, including the metatarsophalangeal joint at the base of the big toe. This condition often affects men more frequently than women and is more common among older males.

Other possible causes could include:

- Bursitis or arthritis from a bunion
- Injury or trauma to the toe

However, without further evaluation or laboratory testing, it's difficult to determine the exact cause of your symptoms. I would recommend consulting with a healthcare professional for proper diagnosis and treatment.

Q6 — Hypothyroidism

Pregunta: I have been feeling extremely tired, gaining weight, feeling cold all the time, and experiencing constipation. What might I have?

Contexto recuperado (top-5)

- 0.8106 Proctitis — Signs and symptoms: A common symptom is a continual urge to have a bowel movement—the rectum could feel full or have constipation. Another is tenderness and mild irritation in the rectum and anal region. A serious symptom is pus and blood
- 0.7999 Hyperkalemia — Signs and symptoms: The symptoms of an elevated potassium level are generally few and nonspecific. Nonspecific symptoms may include feeling tired, numbness, and weakness. Occasionally, palpitations and shortness of breath may occur. Hy
- 0.7882 Hand, foot and mouth disease — Signs and symptoms: Common constitutional signs and symptoms of HFMD include fever, nausea, vomiting, feeling tired, generalized discomfort, loss of appetite, and irritability in infants and toddlers. Skin lesions frequ
- 0.7755 Vasovagal syncope — Signs and symptoms: Episodes of vasovagal syncope are typically recurrent and usually occur when the predisposed person is exposed to a specific trigger. Before losing consciousness, the individual frequently experiences early sig
- 0.7474 Sjögren's syndrome — Signs and symptoms: In a 2021 article on Sjögren's patients, a majority of individuals stated that eight symptoms had a major or moderate impact on their life: fatigue (79%); dry eyes (75%); dry mouth (73%); joint pain (65%); tro

Respuesta del sistema

Based on your symptoms, it's difficult to determine a definitive diagnosis without more information or a medical evaluation. However, some potential connections can be made:

1. Hypothyroidism: Fatigue, weight gain, and feeling cold all the time could be indicative of hypothyroidism (an underactive thyroid gland). Constipation is also a common symptom associated with this condition.
2. Low potassium levels (Hyperkalemia): While usually presenting with symptoms like numbness, weakness, and fatigue, hyperkalemia can cause feelings of tiredness, as well.

However, without further information or medical evaluation, these are just potential connections. It's also possible that your symptoms could be related to another condition altogether.

I would recommend consulting a healthcare professional for an accurate diagnosis and proper evaluation of your symptoms.

Q7 — Pneumonia

Pregunta: I have a fever, sharp chest pain that worsens when I breathe deeply, a productive cough, and difficulty breathing. What illness might this be?

Contexto recuperado (top-5)

- 0.8483 Pneumonia — Signs and symptoms: People with infectious pneumonia often have a productive cough, fever accompanied by shaking chills, shortness of breath, sharp or stabbing chest pain during deep breaths, and an increased rate of breathing. In elderly
- 0.8344 Pleuritis — Lead: Pleurisy, also known as pleuritis, is inflammation of the membranes that surround the lungs and line the chest cavity (pleurae). This can result in a sharp chest pain while breathing. Occasionally the pain may be a constant dull ach

- 0.8318 Aspergillosis — Signs and symptoms: A fungus ball in the lungs may cause no symptoms and may be discovered only with a chest X-ray, or it may cause repeated coughing up of blood, chest pain, and occasionally severe, even fatal, bleeding. A rapidly in
- 0.8286 Pleurisy — Lead: Pleurisy, also known as pleuritis, is inflammation of the membranes that surround the lungs and line the chest cavity (pleurae). This can result in a sharp chest pain while breathing. Occasionally the pain may be a constant dull ache
- 0.7300 Pneumonia — Lead: Pneumonia is an inflammatory condition of the lung primarily affecting the small air sacs known as alveoli. Symptoms typically include some combination of productive or dry cough, chest pain, fever, and difficulty breathing. The sev

Respuesta del sistema

Based on your symptoms, it is possible that you may have pneumonia. The symptoms you are experiencing, such as fever, sharp chest pain that worsens with deep breathing, productive cough, and difficulty breathing, are consistent with pneumonia.

However, it's also worth noting that pleurisy, which is inflammation of the membranes surrounding the lungs and lining the chest cavity, can cause similar symptoms, including sharp chest pain that worsens with deep breathing. If you have a history of viral or bacterial infections, autoimmune disorders, or other conditions that could cause pleurisy, it's possible that this might be the underlying cause of your symptoms.

It's also important to keep in mind that pneumonia and pleurisy can have similar symptoms, so a proper diagnosis would require a medical evaluation by a healthcare professional. They may perform diagnostic tests such as a chest X-ray, electrocardiogram (ECG), blood tests, and other procedures to determine the underlying cause of your symptoms.

It's also worth noting that the information you provided seems to be most consistent with community-acquired pneumonia or hospital-acquired pneumonia. Without more specific information about where you acquired these symptoms, it is difficult to provide a definitive diagnosis.

Q8 — Rheumatoid arthritis

Pregunta: My joints are swollen and painful, especially in the mornings, and the morning stiffness lasts for more than an hour. The same joints on both sides of my body are affected. What could I have?

Contexto recuperado (top-5)

- 0.8540 Arthritis, juvenile — Signs and symptoms: Arthritis entails inflammation within the joint, and presents as swelling, pain, stiffness and restricted joint movement. Symptoms of JIA vary. This is because JIA has several subtypes, which differ according
- 0.8491 Juvenile rheumatoid arthritis — Signs and symptoms: Arthritis entails inflammation within the joint, and presents as swelling, pain, stiffness and restricted joint movement. Symptoms of JIA vary. This is because JIA has several subtypes, which differ
- 0.8239 Osteoarthritis — Signs and symptoms: The main symptom of osteoarthritis is pain, causing loss of ability and often stiffness. The pain is typically made worse by prolonged activity and relieved by rest. Stiffness is most common in the morning, and ty
- 0.7982 Hypertrophic osteoarthropathy, primary or idiopathic — Lead: Hypertrophic osteoarthropathy is a medical condition combining clubbing and periostitis of the small hand joints, especially the distal interphalangeal joints and the metacarpophalangeal jo
- 0.7893 Rheumatoid arthritis — Lead: Rheumatoid arthritis (RA) is a long-term autoimmune disorder that primarily affects joints. It typically results in warm, swollen, and painful joints. Pain and stiffness often worsen following rest. Most commonly, the wri

Respuesta del sistema

I can't provide a diagnosis, but based on your symptoms, it's possible that you may have rheumatoid arthritis (RA). Would you like more information about rheumatoid arthritis?

Q9 — Malaria

Pregunta: After returning from sub-Saharan Africa, I am experiencing cyclic fevers with chills and sweating, headaches, nausea, and muscle pain. What might I have?

Contexto recuperado (top-5)

- 0.7858 Chikungunya — Signs and symptoms: Chikungunya can be asymptomatic, with estimates of between 17% and 40% of infections showing no symptoms. For those experiencing symptoms, they typically begin with a sudden high fever above 39 °C (102 °F) around 3 t
- 0.7656 Spastic angina with healthy coronary artery — Signs and symptoms: Coronary vasospasm classically produces chest pain at rest, also known as variant angina (vasospastic angina or Prinzmetal's angina). Chest pain is more common at certain times of the
- 0.7289 Hyperthermia — Signs and symptoms: An early stage of hyperthermia can be "heat exhaustion" (or "heat prostration" or "heat stress"), whose symptoms can include heavy sweating, rapid breathing and a fast, weak pulse. If the condition progresses to hea
- 0.7227 Mucopolysaccharidosis type I Hurler/Scheie syndrome — Treatment: Currently there is no cure for these disorders. Medical care is directed at treating systemic conditions and improving the person's quality of life. Physical therapy and daily exercise
- 0.7218 Mucopolysaccharidosis type I Scheie syndrome — Treatment: Currently there is no cure for these disorders. Medical care is directed at treating systemic conditions and improving the person's quality of life. Physical therapy and daily exercise may del

Respuesta del sistema

Based on the symptoms you've described, it's possible that you may have contracted Chikungunya. The cyclic fevers with chills and sweating, along with the headaches, nausea, and muscle pain, are consistent with this diagnosis.

Chikungunya is a viral disease that is typically spread through the bite of an infected mosquito, which is common in sub-Saharan Africa. The symptoms you're experiencing can range from mild to severe and may last for several weeks or even months after the initial onset.

It's worth noting that Chikungunya can be asymptomatic, with estimates suggesting that between 17% and 40% of infections show no symptoms. However, when symptoms do occur, they often follow a pattern that includes sudden high fever, severe muscle and joint pain, and other systemic symptoms like headache, nausea, and fatigue.

If you suspect that you have Chikungunya or are experiencing similar symptoms, it's essential to consult with your healthcare provider for proper diagnosis and treatment. They may perform tests, such as blood work or a physical exam, to determine the cause of your symptoms.

Q10 — Tuberculosis

Pregunta: I have had a persistent cough for several weeks, I am coughing up blood, I experience night sweats, and I have lost weight without trying. What illness could this be?

Contexto recuperado (top-5)

- 0.7595 Carbamoyl phosphate synthetase I deficiency — Signs and symptoms: Carbamoyl phosphate synthetase I deficiency often becomes evident in the first few days of life. An infant with this condition may be lacking in energy (lethargic) or unwilling to eat
- 0.7473 Bacterial pneumonia — Signs and symptoms: Pneumonia Fever Rigors Cough Runny nose (either direct bacterial pneumonia or accompanied by primary viral pneumonia) Dyspnea – shortness of breath Chest pain Shaking chills Pneumococcal pneumonia can cause c
- 0.7403 Pertussis — Signs and symptoms: The classic symptoms of pertussis are a paroxysmal cough, inspiratory whoop, and fainting, or vomiting after coughing. The cough from pertussis has been documented to cause subconjunctival hemorrhages, rib fractures, u
- 0.7378 Bipolar I disorder — Signs and symptoms: Bipolar I disorder is characterized by severe, recurrent mood changes and behavioral changes. A manic episode is a key feature of bipolar I disorder and is required for diagnosis of bipolar I disorder. Hypoman
- 0.6973 Carnitine palmitoyltransferase I deficiency — Lead: Carnitine palmitoyltransferase I deficiency is a rare metabolic disorder that prevents the body from converting certain fats called long-chain fatty acids(LCFA) into energy, particularly during peri

Respuesta del sistema

I can't provide a diagnosis, but based on the symptoms you've described, such as a persistent cough with blood, night sweats, and weight loss, here are some potential conditions that may need to be evaluated by a healthcare professional:

1. Pneumonia: The symptoms of fever, cough, and night sweats could indicate pneumonia.
2. Pertussis: Although less likely given the age and presence of hemoptysis, pertussis (whooping cough) can cause persistent coughing, especially in adults who have not been vaccinated or have been previously infected.
3. Bipolar disorder with a physical manifestation: While bipolar disorder primarily affects mood, some people may experience physical symptoms such as weight loss, night sweats, and changes in appetite. However, these symptoms are usually accompanied by distinct mood episodes.

I would recommend scheduling an appointment with your primary care physician or seeking immediate medical attention if you're experiencing severe symptoms, such as difficulty breathing or chest pain. They will evaluate your symptoms, perform a physical examination, and may order diagnostic tests (e.g., blood work, imaging studies) to determine the underlying cause of your symptoms.

Please note that this is not a substitute for professional medical advice.
