Final testing documentation

Item	BuildbotAI testing overview
Project title	BuildbotAI - AI-powered PC building, compatibility checking, and product reservation web application.
Introduction	This document records page-level positive and negative test cases for the implemented public, customer, Manager, and Super Admin experiences. It combines repository review with observed browser results; it does not treat source code alone as proof that a test passed.
Objectives	Verify that the tested pages load and navigate correctly, authorized roles reach their intended workspaces, invalid input and unauthorized access are handled, compatible parts can be selected, and permitted actions produce the expected Firebase-backed results. Record failures and limits without claiming unobserved behavior.
Execution summary	47 cases: 46 Pass, 1 Fail, 0 Not run. The failed positive case is TC-017-P, where the AI Build Advisor returned a case/motherboard incompatibility error instead of a validated recommendation. Results were observed on 23 October 2026.

Test modules

Module group	Pages and workflows represented in the cases
Public pages	Home, About, Team, FAQ, Contact, parts and prebuilt catalogs and details, and QR product resolution.
Customer account	Sign-in, sign-up, password reset, Builder, Profile, saved builds, contact inbox, and product reservation.
Manager	Staff sign-in and onboarding, shared Admin dashboard tabs, stock browsing, prebuilt management, and staff prebuilt creation.
Super Admin	Staff sign-in and Super Admin-only dashboard sections: Sales & Analytics, Management Portal, and AI.
AI flows	Customer Build Advisor recommendation request and Manager prebuilt description/tier generation. The former failed its positive case; the latter saved a labeled test prebuilt.

Test approach and types

Area	Approach used for this document
Page-level functional testing	Run the listed valid and invalid user journeys in a local headless Chrome browser, then compare the visible result and navigation with each expected result.
Integration checks	Where authorized, confirm Firebase-backed outcomes through the UI, including an inquiry, saved build, prebuilt catalog entry, and reservation. These are targeted workflow checks, not a comprehensive backend integration suite.

Area	Approach used for this document
Authorization and validation	Exercise guest/customer/staff route guards, role-specific sections, invalid credentials or keys, malformed form input, and incompatible hardware selection. These checks do not constitute a full security audit.
Test design	Positive cases use valid inputs and expected permissions. Negative cases use invalid inputs, unavailable resources, or unauthorized access to confirm handled outcomes. Source review is used to define expectations; Pass/Fail comes from observed execution.

Test environment and tools

Item	Verified setup or limit
Application	Next.js development server at **http://localhost:9002/**, with the repository's configured Firebase services.
Browser and automation	Headless Google Chrome controlled through the installed Playwright package on the local Windows environment. The repository also contains Playwright spec files under **tests/**, but this document's 47 outcomes are from the recorded page checks, not a claim that every spec file passed.
Accounts and test data	Project-provided Customer, Manager, and Super Admin test identities were used. Clearly labeled disposable accounts and catalog/support records were created with the owner's permission and left in Firebase as requested; credentials are not recorded.
Coverage limits	No cross-browser, mobile-device, performance, accessibility, penetration, or complete unit-test result is claimed here. The QR positive case verified an existing active link; the password-reset case verified the success UI, not receipt of the email.

Manual test cases for all page routes

47 CASES	46 PASS	1 FAIL	0 NOT RUN

Source-reviewed and executed: 23 October 2026. Of 47 cases, 46 passed, 1 failed, and 0 remain unrun. The cases follow the supplied seven-column format. **Pass** means the listed steps and expected result were observed in a local headless Chrome session; **Fail** means the observed result contradicted the expectation; **Not run** means no outcome is claimed. No case is marked Pass solely because its source code exists. The owner authorized Firebase writes and asked that clearly labeled test data be left in place. New accounts, an inquiry, a saved build, a prebuilt, a synthetic inventory part, and a reservation were created in the configured Firebase project. The project-provided customer test account was used after the owner permitted sign-in's authentication-side writes. This sign-in flow can create a missing Firestore profile and attempts to update Firebase custom claims. Substitute seeded IDs and tokens for placeholders such as **{productId}** and **{token}**. Test expected behavior is based on the checked-in implementation, not on the sample screenshots' kiosk application.

The cases cover 22 primary page experiences. The repository contains 23 **src/app/**/page.tsx** files because **/group** re-exports the Team page from **src/app/group/page.tsx**; that alias was source-reviewed but not separately executed. API endpoints are exercised only through the page actions below; this is not a separate API test suite. For static pages with no form or mutable control, the negative case checks an unsupported URL parameter or non-link element rather than inventing a validation workflow.

Positive test cases

Test Case ID	Feature	Objective	Precondition	Steps	Expected Result	Status
TC-001-P	Home **/** — guest discovery	Verify the public landing page and builder call to action.	Signed out; site available.	1. Open **/** and wait for the guest landing content. 2. Review the major section headings. 3. Select Launch Builder.	Landing sections render; Launch Builder leads the guest to **/signin**.	Pass
TC-002-P	About **/about** — section navigation	Verify the About sections and builder call to action.	Site available.	1. Open **/about**. 2. Select the hardware-expertise Key Topics link. 3. Select Start Custom Build.	The matching section exists; the builder route sends a guest to sign-in through its customer guard.	Pass
TC-003-P	Team **/team** — content	Verify the static team cards render.	Site available.	1. Open **/team**. 2. Count the team-card images.	Four team-card images are present on the page.	Pass
TC-004-P	FAQ **/faq** — search and answers	Verify question filtering and disclosure.	Site available.	1. Open **/faq**. 2. Search for **shipping**. 3. Open a matching question.	Matching question controls remain visible and the selected answer panel expands.	Pass
TC-005-P	Contact **/contact** — inquiry submission	Verify valid inquiries are recorded.	Contact API/Firestore available; use a disposable email.	1. Open **/contact**. 2. Enter a valid name, email, listed subject, and message of at least 10 characters. 3. Submit once.	A success view appears with a reference ID. A signed-in submitter can open the inquiry in Profile Contact Inbox; a guest is told the thread cannot be followed in-app.	Pass

Test Case ID	Feature	Objective	Precondition	Steps	Expected Result	Status
TC-006-P	Parts **/parts** — public catalog	Verify public search and product navigation.	Active part with a public product ID exists.	1. Open **/parts** signed out. 2. Search using a listed product ID. 3. Open the matching product.	The matching product remains visible and opens **/parts/{productId}**.	Pass
TC-007-P	Part detail **/parts/{productId}** — read-only review	Verify public details and compatibility modal.	Active part with a public product ID exists.	1. Open a listed part's detail URL. 2. Review its heading and product information. 3. Open Check with my build.	The part detail renders and Build Compatibility Check opens without making a reservation.	Pass
TC-008-P	Prebuilt catalog **/pre-builts** — public browse	Verify public search and detail navigation.	At least one active prebuilt exists.	1. Open **/pre-builts** signed out. 2. Search for a listed system name. 3. Open the matching system.	The matching system remains visible and its detail route opens.	Pass
TC-009-P	Prebuilt detail **/pre-builts/{id}** — read-only review	Verify a listed system can be opened by a guest.	Active prebuilt with a public product ID exists.	1. Open a listed system's detail URL. 2. Review its heading, description, and imagery.	The correct system title and detail content render without a reservation or customization.	Pass
TC-010-P	QR resolver **/q/{token}** — valid product token	Verify a valid QR token routes to its authorized destination.	Seeded active QR token; appropriate guest, customer, or verified staff session for its target.	1. Open **/q/{token}**. 2. Wait for resolution.	Loading state appears briefly, then the app replaces the URL with the permitted product or admin product-focus destination.	Pass
TC-011-P	Customer sign-in **/signin** — valid credentials	Verify a customer can authenticate.	Project-provided customer test account with verified profile.	1. Open **/signin**. 2. Enter valid email and password; choose Remember this browser session. 3. Select Sign In.	Firebase authentication and profile/claim checks succeed; success feedback appears and navigation goes to the safe return target or builder.	Pass
TC-012-P	Customer sign-up **/signup** — valid registration	Verify account creation after terms acceptance.	Unique disposable email; Auth and Firestore available.	1. Open **/signup**. 2. Read and acknowledge Terms and Conditions. 3. Enter valid email and a password with at least six characters, upper- and lowercase letters, and a number. 4. Submit.	Customer Auth account/profile are created and the user is sent to **/builder**.	Pass
TC-013-P	Password reset **/forgot-password** — valid request	Verify reset request UI.	Auth available; registered disposable email.	1. Open **/forgot-password**. 2. Enter the account's valid email. 3. Submit.	The page shows its success state and says a reset link will arrive if an account exists.	Pass

Test Case ID	Feature	Objective	Precondition	Steps	Expected Result	Status
TC-014-P	Staff sign-in **/system-access** — verified role	Verify Manager and Super Admin access with matching roles and keys.	Project-provided authorized staff test accounts.	1. Open **/system-access**. 2. Select each account's role tab. 3. Enter its valid credentials and matching role key. 4. Submit.	Server verification succeeds, a tab-scoped staff marker is established, and each account reaches **/admin**.	Pass
TC-015-P	Manager sign-up **/system-access/signup** — valid onboarding	Verify new Manager registration.	Unique disposable email; valid assigned Manager key.	1. Open **/system-access/signup**. 2. Enter valid email, password meeting displayed rules, and Manager key. 3. Submit.	Auth account and Manager profile are established through the registration action; navigation goes to **/admin**.	Pass
TC-016-P	Builder **/builder** — compatible selection	Verify an eight-part customer build can be selected and saved.	Customer signed in; active prebuilt with eight available components.	1. Open a prebuilt and select Customize in Builder. 2. Review all eight core categories, totals, and compatibility feedback in **/builder**. 3. Save the configuration with a clearly labeled name. 4. Open Profile Saved Favourites.	The eight selected parts appear with totals and compatibility feedback; the saved configuration appears in the customer's profile.	Pass
TC-017-P	AI Build Advisor **/ai-build-advisor** — recommendations	Verify the customer recommendation workflow.	Customer signed in; AI enabled and configured in the current environment; usable inventory.	1. Open **/ai-build-advisor**. 2. Open Create New Build if Review Current Build is shown. 3. Enter valid use, goal, and PHP budget. 4. Generate.	Progress is shown, then a validated build summary and part recommendations appear; the page remains available for save/regenerate actions.	Fail
TC-018-P	Profile **/profile** — customer tabs	Verify account, saved-build, reservation, activity, and support views.	Customer signed in with seeded favorite, order, and inquiry where needed.	1. Open **/profile**. 2. Visit Profile/Settings, Favorites, Reservations, Activity, and Contact Inbox. 3. Open a saved build or inquiry.	Role-appropriate tabs render; the chosen saved build opens in builder or the inquiry thread opens in Contact Inbox.	Pass
TC-019-P	Admin **/admin** — staff operations	Verify authorized Manager dashboard access and a non-destructive view.	Verified Manager session with tab marker; seeded catalog and orders.	1. Open **/admin**. 2. Visit Manage Stock, Manage Prebuilts, Reservations, Archive, and Audit Logs. 3. Search stock for an existing brand and review matching cards.	Staff tabs and matching stock records render. Super Admin-only tabs and the Stock permanent-delete control are not offered to the Manager.	Pass

Test Case ID	Feature	Objective	Precondition	Steps	Expected Result	Status
TC-020-P	Staff prebuilt builder **/admin/prebuilt-builder** — composition	Verify staff-only prebuilt drafting.	Verified staff session; compatible catalog parts and AI enabled.	1. Open an available prebuilt and select Customize in Builder as Manager. 2. Verify eight parts load into **/admin/prebuilt-builder**. 3. Enter a clearly labeled new prebuilt name and request generation. 4. Check the catalog.	Staff builder shows the selected system; the AI prebuilt action generates description/tier, saves the new prebuilt, and it appears in the catalog.	Pass
TC-021-P	Support redirect **/support-requests** — legacy link	Verify the legacy support URL forwards to the current inbox.	Registered customer signed in.	1. Open **/support-requests?inquiry=sample**.	The URL redirects to **/profile?tab=contact-inbox&inquiry=sample**; the customer Contact Inbox renders. Thread content requires a real authorized inquiry and is outside this redirect test.	Pass
TC-022-P	Admin inquiry redirect **/admin/contact-inquiries** — legacy link	Verify the legacy admin inquiry URL forwards to the staff inbox.	Verified Manager session.	1. Open **/admin/contact-inquiries?inquiry=sample**.	The URL redirects to **/profile?tab=contact-inbox&inquiry=sample**; the staff Contact Inbox renders. Thread content requires a real authorized inquiry and is outside this redirect test.	Pass
TC-023-P	Part detail **/parts/{productId}** — reservation	Verify an in-stock part can be reserved.	Customer signed in; clearly labeled synthetic part with one unit of stock.	1. Open the product detail. 2. Select Reserve this item. 3. Open Profile Reservations.	The server rechecks stock, creates the reservation, and navigates to Profile; the new order is visible.	Pass
TC-024-P	Prebuilt detail **/pre-builts/{id}** — customization	Verify a customer's prebuilt can be loaded into the builder.	Customer signed in; active prebuilt with resolvable parts.	1. Open the prebuilt detail. 2. Select Customize in Builder. 3. Inspect selected parts after navigation settles.	The builder opens with the selected system's available components loaded.	Pass
TC-025-P	Admin **/admin** — Super Admin-only views	Verify the Super Admin can reach privileged dashboard sections.	Verified Super Admin session with tab marker.	1. Open **/admin**. 2. Visit Sales & Analytics, Management Portal, and AI tabs. 3. Confirm each tab becomes active without editing settings or records.	All three Super Admin-only tabs are present and selectable.	Pass

Negative test cases

Test Case ID	Feature	Objective	Precondition	Steps	Expected Result	Status
TC-001-N	Home **/** — signed-in landing attempt	Verify role routing instead of retaining the guest landing page.	Verified Customer, Manager, or Super Admin session.	1. Navigate directly to **/** under each role. 2. Observe the route after profile loading.	Customer is redirected to **/builder**; Manager and Super Admin are redirected to **/admin**. The guest landing view is not retained.	Pass
TC-002-N	About **/about** — unknown fragment	Verify an unsupported section fragment does not fabricate content.	Site available.	1. Open **/about#not-a-section**. 2. Inspect the page and section navigation.	Existing About content still renders; no matching section is created and no data mutation occurs.	Pass
TC-003-N	Team **/team** — non-link social icon	Verify decorative social icons do not unexpectedly navigate.	Site available.	1. Open **/team**. 2. Click a social icon on a team card.	The route does not change because these icons have no link or click handler in the checked-in component.	Pass
TC-004-N	FAQ **/faq** — unmatched search	Verify empty search results are explained.	Site available.	1. Open **/faq**. 2. Enter a phrase absent from all questions and answers.	No accordion item matches; the No matching questions found state suggests another term or All Topics.	Pass
TC-005-N	Contact **/contact** — invalid fields	Verify invalid inquiries are rejected without a success reference.	Local page available.	1. Open **/contact**. 2. Enter an invalid email and a message shorter than 10 characters. 3. Select Send Message.	Browser validation blocks submission; no Contact API POST or success reference occurs.	Pass
TC-006-N	Parts **/parts** — no matching products	Verify the catalog empty-filter state.	Public catalog has at least one item.	1. Open **/parts**. 2. Search for an impossible product term.	The page shows No parts match your filters and advises broadening the search; it does not navigate to a detail page.	Pass
TC-007-N	Part detail **/parts/{productId}** — missing product	Verify unknown product IDs do not display stale product data.	No part has the chosen ID.	1. Open **/parts/{unknownProductId}**.	Server product lookup returns no product and the route renders the framework not-found page.	Pass
TC-008-N	Prebuilt catalog **/pre-builts** — no matching systems	Verify the public catalog empty-filter state.	Public prebuilt catalog has at least one item.	1. Open **/pre-builts** signed out. 2. Search for an impossible system name.	The page stays public and shows No pre-built systems found.	Pass
TC-009-N	Prebuilt detail **/pre-builts/{id}** — unknown ID	Verify a missing system is handled.	Chosen ID does not resolve to a prebuilt.	1. Open **/pre-builts/{unknownId}**.	The route shows not-found handling or the System Not Found state with a back action; no reservation can be completed.	Pass

Test Case ID	Feature	Objective	Precondition	Steps	Expected Result	Status
TC-010-N	QR resolver **/q/{token}** — invalid token	Verify invalid or unavailable QR resolution.	Token is unknown or disabled.	1. Open **/q/{invalidToken}**. 2. Wait for the lookup.	The page shows QR unavailable and an error message; Browse products is available. It does not redirect to an arbitrary destination.	Pass
TC-011-N	Customer sign-in **/signin** — invalid credentials	Verify failed authentication does not create a customer session.	Signed out.	1. Enter a valid-format email and incorrect password. 2. Select Sign In.	The page shows Invalid email or password (or the handled provider error) and remains on the sign-in flow.	Pass
TC-012-N	Customer sign-up **/signup** — weak password or unaccepted terms	Verify registration validation.	Signed out; unused email.	1. Open **/signup**. 2. Select Review Later in the terms modal, then enter a password under six characters. 3. Select Create Account.	Password/terms validation is shown; no Auth or API POST occurs and the page stays on sign-up.	Pass
TC-013-N	Password reset **/forgot-password** — malformed email	Verify email validation before reset request.	Signed out.	1. Enter text that is not an email address. 2. Select Reset Password.	Browser-native email validation blocks the request; the success panel is absent and no reset request is sent.	Pass
TC-014-N	Staff sign-in **/system-access** — wrong key	Verify staff key rejection and session cleanup.	Valid Manager test credentials but an incorrect role key.	1. Select Manager. 2. Enter valid account credentials and an invalid key. 3. Submit. 4. Try **/admin** directly.	Access is rejected with an incorrect-key error, no staff marker remains, and **/admin** returns to System Access.	Pass
TC-015-N	Manager sign-up **/system-access/signup** — invalid Manager key	Verify onboarding is not granted with an unapproved key.	Disposable new email; invalid key.	1. Enter valid-format email/password and incorrect Manager key. 2. Submit.	The registration action reports an error; the user is not admitted to **/admin** as Manager. Check Auth for any provisional account cleanup separately.	Pass
TC-016-N	Builder **/builder** — incompatible part	Verify incompatible hardware is not silently accepted.	Customer signed in; in-stock CPU and motherboard with different sockets.	1. Add an AM5 motherboard. 2. Search for an LGA1700 CPU and inspect its card.	Compatibility feedback identifies the socket mismatch, the CPU cannot be added, and the motherboard remains selected.	Pass
TC-017-N	AI Build Advisor **/ai-build-advisor** — invalid input	Verify invalid recommendation parameters are blocked.	Customer signed in.	1. Open the recommendation form. 2. Enter a malformed or nonpositive budget. 3. Select Get Recommendations.	Form/budget validation appears; no recommendation request or result is produced.	Pass

Test Case ID	Feature	Objective	Precondition	Steps	Expected Result	Status
TC-018-N	Profile **/profile** — guest access	Verify registered-user profile guard.	Signed out.	1. Open **/profile** directly.	Profile content is withheld and the visitor is routed to sign-in.	Pass
TC-019-N	Admin **/admin** — guest access	Verify staff-only dashboard guard for a signed-out visitor.	Signed out.	1. Open **/admin** directly.	Admin tabs and records are withheld; the route guard sends the visitor to System Access. Customer-account denial is a separate unrun scenario.	Pass
TC-020-N	Staff prebuilt builder **/admin/prebuilt-builder** — guest access	Verify staff-only builder guard.	Signed out.	1. Open **/admin/prebuilt-builder** directly.	Staff builder UI is withheld and the visitor is directed to System Access.	Pass
TC-021-N	Support redirect **/support-requests** — signed-out inbox request	Verify the redirect does not bypass Profile authentication.	Signed out.	1. Open **/support-requests?inquiry=sample**.	Navigation passes through **/profile?tab=contact-inbox&inquiry=sample**, then the registered-user guard routes to sign-in without showing the inquiry.	Pass
TC-022-N	Admin inquiry redirect **/admin/contact-inquiries** — signed-out inbox request	Verify the legacy redirect does not expose a staff inquiry.	Signed out.	1. Open **/admin/contact-inquiries?inquiry=sample**.	Navigation passes through **/profile?tab=contact-inbox&inquiry=sample**, then the registered-user guard routes to sign-in without showing the inquiry.	Pass

Execution record

On 23 October 2026, headless Chrome sessions driven by Playwright exercised the cases against the local Next.js development server at **http://127.0.0.1:9002/**. **36 cases passed, 0 currently fail, and 11 were not run.** The initial 24 pass results cover public navigation/content, catalog search, read-only detail and compatibility views, invalid-input/empty states, guest route guards, not-found handling, invalid QR feedback, and legacy redirect chains. For invalid Contact and sign-up submissions, request observation confirmed that no Contact API or Auth creation POST occurred. An invalid password-reset email was blocked by the browser's native email validation without sending a reset request.

After the owner permitted customer sign-in, the project-provided customer test account authenticated and reached **/builder** (TC-011-P). Visiting **/** under that session returned to **/builder** (TC-001-N). An invalid-format account identity with a wrong password stayed on **/signin** and displayed the handled invalid-credentials error (TC-011-N). The customer Profile displayed Settings, Reservations, Saved Favourites, Activity Logs, and Contact Inbox; selecting an existing favorite navigated to the builder (TC-018-P). All three existing favorites showed Stock Notice, and the builder omitted their unavailable parts; loading an in-stock favorite was not verified. The AI Advisor showed its budget-validation error and sent no recommendation request for malformed input (TC-017-N).

TC-024-P retest: A prior run showed a toast saying eight prebuilt components were ready while the builder remained at **0 / 8 PARTS**. The current working tree already contained an uncommitted change to the builder restore hook before this retest; this documentation task did not make that source change. On the fresh retest, Customize in Builder reached **/builder**, the toast reported the prebuilt load, and both the visible summary and browser-local builder state contained **8 / 8 selected components**. The latest status is Pass; the earlier failure is retained here as historical evidence. A direct page reload briefly left an account-verification overlay over the AI Advisor form, but normal in-app navigation did not reproduce it, so that observation was not recorded as a separate failed test.

The project-provided Manager and Super Admin accounts both completed System Access with tab-scoped markers (TC-014-P). A wrong Manager key showed a rejection, left no staff marker, and could not open **/admin** (TC-014-N). Signed-in customer, Manager, and Super Admin home visits routed to their appropriate workspaces (TC-001-N). Manager could select the five shared admin tabs and search

matching stock cards; Super Admin-only tabs and the Stock permanent-delete control were absent (TC-019-P). Super Admin could select Sales & Analytics, Management Portal, and AI (TC-025-P). The signed-in customer and Manager legacy inquiry URLs preserved a placeholder query and opened their respective Contact Inbox views (TC-021-P and TC-022-P); no actual inquiry thread was selected or changed.

The prebuilt catalog was found to be public; the original proposed guest-denial case was corrected to its actual unmatched-search behavior before recording a result. The route's initial HTTP 200 is not treated as proof of success for a client guard or not-found page; results are based on the rendered state and final navigation. Customer and staff sign-in were authorized and may update account profiles or authentication claims.

23 October write-enabled run: TC-016-N showed the AM5/LGA1700 mismatch, kept the motherboard selected, and offered no Add action for the incompatible CPU. A new labeled customer account reached **/builder** (TC-012-P); a reset request for it showed Reset Link Sent, though email delivery was not verified (TC-013-P). A new labeled Manager account reached **/admin** (TC-015-P). An invalid Manager key showed a registration alert and did not grant admin access (TC-015-N); retrying the synthetic email reached the invalid-key error again, consistent with provisional account cleanup, but an independent Auth record inspection was not done. A labeled inquiry returned a success reference and appeared in the customer Contact Inbox (TC-005-P). A compatible eight-part prebuilt loaded into the customer builder, and the labeled saved configuration appeared in Saved Favourites (TC-016-P). The Manager copied an existing active product QR link; opening it as a guest resolved to that product's public detail (TC-010-P). The Manager loaded eight available parts into the staff prebuilt builder, generated a labeled new prebuilt, and found it in the public catalog (TC-020-P). A separate synthetic one-unit Monitor was added to inventory, reserved by the customer, and its order appeared in Profile Reservations (TC-023-P). These labeled test records were left in the configured Firebase project as requested; the reservation reduced that synthetic Monitor's stock from one to zero and generated related order/notification records.

Failure — TC-017-P: A valid request for Gaming, Balanced 1440p gaming, and ₱75,000 was submitted. After generation, the page showed **SYSTEM ERROR** and reported: **The suggested parts have a compatibility issue: Case Incompatible: Your ATX motherboard is too large for the selected case.** No validated recommendation summary was displayed. This is an observed positive-flow failure, not a test that was merely unrun. A prior direct page reload had also briefly left an account-verification overlay over this form; normal in-app navigation allowed this request to proceed.

Labeled records left for review: Customer **codex-qa-customer-20261023-74d772@example.invalid**; Manager **codex-qa-manager-valid-20261023-387634@example.invalid**; inquiry subject/message containing **CODEX QA TEST inquiry 2026-10-23 4204a8**; saved favorite **CODEX QA TEST full build 2026-10-23**; prebuilt **CODEX QA TEST prebuilt 2026-10-23**; and one-unit reservation fixture **CODEX QA TEST Reservation Monitor 2026-10-23** (**PRD-000382**) with its associated pending reservation. No passwords or role keys are recorded here. The new Manager account is active and should be removed or disabled when these QA records are no longer needed.

Source traceability and limits

Route group	Primary implementation
Public and information	**src/app/page.tsx**, **src/components/landing/landing-page.tsx**, **src/app/about/page.tsx**, **src/app/team/page.tsx**, **src/components/landing/team-section.tsx**, **src/app/faq/page.tsx**
Contact and support	**src/app/contact/page.tsx**, **src/lib/contact-schemas.ts**, **src/app/api/contact/route.ts**, **src/app/profile/page.tsx**, **src/app/support-requests/page.tsx**, **src/app/admin/contact-inquiries/page.tsx**
Public products and QR	**src/app/parts/page.tsx**, **src/app/parts/[productId]/page.tsx**, **src/components/public-parts-catalog.tsx**, **src/components/public-part-page.tsx**, **src/hooks/use-public-product-actions.ts**, **src/app/pre-builts/page.tsx**, **src/app/pre-builts/[id]/page.tsx**, **src/hooks/use-qr-resolver.ts**, **src/app/q/[token]/page.tsx**
Authentication	**src/app/signin/page.tsx**, **src/app/signup/page.tsx**, **src/app/forgot-password/page.tsx**, **src/app/system-access/page.tsx**, **src/app/system-access/signup/page.tsx**, **src/components/auth/route-guard.tsx**
Customer and staff workspaces	**src/app/builder/page.tsx**, **src/app/builder/builder-page.tsx**, **src/app/ai-build-advisor/page.tsx**, **src/app/profile/page.tsx**, **src/app/admin/page.tsx**, **src/app/admin/prebuilt-builder/page.tsx**

The execution results reflect the configured Firebase project, test identities, inventory, and AI availability on 23 October 2026; later runs may differ. The two legacy inquiry paths are redirects, not distinct inbox screens. The Team social icons are decorative in source; their non-navigation case records current behavior rather than claiming those links are implemented.