

Water Linux

Quick Start

bindings

Date: 22/August/2022 - Monday

Author: Virgilio Murillo Ochoa

personal github: Virgilio-AI

linkedin:

<https://www.linkedin.com/in/virgilio-murillo-ochoa-b29b59203>

Índice

1. neovim	3
1.1. vimrc bindings	3
1.2. file browsing inside neovim	3
1.3. using code runner for code forces or similar	4
1.4. using neovim to edit leetcode files and test code . . .	4
1.5. skeletons in neovim	5
2. qutebrowser	5
3. terminal	6
4. window manager	6
5. file_browser	7

1. neovim

The kick start for neovim is

1.1. vimrc bindings

this are the bindings that are done to navigate the configuration files. they can be used in any instance of neovim

In normal mode use:

open the init.vim

edit vim

\ev

edit the shortcuts.neovim

edit vim shortcut

\evs

edit the vims autocommands

edit the vim autocommands

\eva

edit vim skeletons

\evs

1.2. file browsing inside neovim

In Normal mode use:

using the nred tree plugin you can have a file tree on the side

using normal mode type:

Ctrl + b

move with vim bindings

to list available commands type a simple ? character

1.3. using code runner for code forces or similar

vim code runner comes by default in water linux and the bindings you can try are:

run code in a terminal

if F11 F11 has been used F11 has the same functionality

F11

run code in the terminal and get test cases to compare with correct samples

F11 F11 F11

force run code in terminal, this is usefull when F11 F11 has been used

refer to <https://github.com/Virgilio-AI/vim-code-runner> for supported languages and for details

1.4. using neovim to edit leetcode files and test code

vim leetcode comes by default in water linux refer <https://github.com/Virgilio-AI/leetcode-neovim.git>

for details and configuration steps

to enter leetcode mode you have to type in the terminal

lc (leetcode problem number)

.Example:

lc 25

then a neovim instance will pop up with a terminal

leetcode neovim in water linux comes with python configured as the default

in normal mode use:

F11 F11 to execute code
you can use F11 to test code
all the commands will be executed in the terminal

1.5. skeletons in neovim

to put a new skeleton in neovim edit the skeletons.vim file
in normal mode use:

`\evS`

edit the snippet file example:

python.snippet inside the UltiSnips folder in the same folder as
the init.vim file

there are already examples in those files just follow the same
logic

2. qutebrowser

since This linux distribution is intended allow the usage of only
the keyboard when needed it has a browser with vim bindings so:

To search in the internet use:

`Esc + o`

to navigate you can use the default vim bindings hjkl To fetch
and click use

`f + jcharacterj`

for more shortcuts commands and more details visit

<https://qutebrowser.org/>

3. terminal

To see if neovim is embeded in the terminal just check if the cursor is yellow, somethimes it will not be embeded (just like when exiting out of ranger)

the default water linux terminal is st and by default is has the neovim interface

to edit the current line use:

Esc

move in the line with the default vim bindings hjkl

To enter normal mode and do fancy selections (not editions) use:

Ctrl + \+ n

To copy and paste outside the terminal

In normal mode:

just the same as you would do in neovim

yy or something similar

in the default mode use:

alt + v

and with the bindings that you always have do them

4. window manager

The window manager uses dwm by default

open must common programs:

open qutebrowser

Alt + 1

open neovim

Alt + 2

open file browser, ranger
Alt + 3
open music, ncmpcpp
Alt + 4
open the terminal
Windows + Shift + Enter
search for executable, dmenu
Windows + p
search for passwords, when having pass menu installed and configured
Windows + Shift + p
screen shot
Windows + Ctrl + p
for information on how to personalize dwm check <https://dwm.suckless.org/tutorial/>
also check to fork the water_{linuxdwm}

5. **file**_{browser}

the default water linux file browser is ranger
look on <https://wiki.archlinux.org/title/Ranger> for quick start and documentation and more details
move with hjkl
open file with Enter
run command with