

Generated by Talend Real-time Big Data Platform

Project Name	virginmobile_ksa_project	GENERATION DATE	04-Aug-2023, 2:06:28 PM
AUTHOR	Golla, Chanrasekhar	Talend Real-time VERSION	8.0.1.20230612_1054-patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	virginmobile_ksa_project
Language	java

|--|

Description

Properties	Values
Name	tjob_vm_fullload_msales_assined_entity_main
Author	Golla, Chanrasekhar
Version	0.1
Purpose	
Status	
Description	
Creation	24-Jul-2023, 3:29:09 PM
Modification	04-Aug-2023, 1:51:14 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	true
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextNONPROD

Name	Prompt	Need Prompt?	Турє
vm_vertica_AdditionalParams	vm_vertica_AdditionalParams?	false	id_S
vm_vertica_Database	vm_vertica_Database?	false	id_S
vm_vertica_Password	vm_vertica_Password?	false	id_P
vm_vertica_Server	vm_vertica_Server?	false	id_S
vm_vertica_Schema	vm_vertica_Schema?	false	id_S
vm_vertica_Login	vm_vertica_Login?	false	id_S
vm_vertica_Port	vm_vertica_Port?	false	id_S
task_status_running	task_status_running?	false	id_S
target_object_name	target_object_name?	false	id_S
task_status_success	task_status_success?	false	id_S
error_msg_delete	error_msg_delete?	false	id_S
year	year?	false	id_S
reject_count	reject_count?	false	id_L
load_area	load_area?	false	id_S

error_msg_extractzero	error_msg_extractzero?	false	id_S
error_msg_load	error_msg_load?	false	id_S
end_incremental_value	end_incremental_value?	false	id_S
audit_table_master_list	audit_table_master_list?	false	id_S
replace_end_incr_value	replace_end_incr_value?	false	id_S
context_parameter	context_parameter?	false	id_S
transient_path	transient_path?	false	id_S
error_code_subjob	error_code_subjob?	false	id_S
error_code_load	error_code_load?	false	id_S
print_operations_audit	print_operations_audit?	false	id_B
incremental_value	incremental_value?	false	id_S
load_type	load_type?	false	id_S
unique_id	unique_id?	false	id_S
error_code_extractload	error_code_extractload?	false	id_S
audit_table	audit_table?	false	id_S
audit_table_task	audit_table_task?	false	id_S
source_system	source_system?	false	id_S

object_name_loop	object_name_loop?	false	id_S
delete_query	delete_query?	false	id_S
month	month?	false	id_S
error_code_validation	error_code_validation?	false	id_S
target_count	target_count?	false	id_L
start_time	start_time?	false	id_S
rownum	rownum?	false	id_S
organization_unit	organization_unit?	false	id_S
parallel_thread_count	parallel_thread_count?	false	id_Ir
audit_table_task_config	audit_table_task_config?	false	id_S
duration_second	duration_second?	false	id_L
object_count	object_count?	false	id_Ir
extract_query	extract_query?	false	id_S
dq_path	dq_path?	false	id_S
remove_duplicates_query	remove_duplicates_query?	false	id_S
stage_id	stage_id?	false	id_Ir
error_msg_subjob	error_msg_subjob?	false	id_S

contextfile	contextfile?	false	id_S
error_msg_validation	error_msg_validation?	false	id_S
error_msg_extract	error_msg_extract?	false	id_S
yearmonth	yearmonth?	false	id_S
business_date	business_date?	false	id_S
active_flag	active_flag?	false	id_S
incremental_date_column	incremental_date_column?	false	id_S
error_msg_success	error_msg_success?	false	id_S
delete_count	delete_count?	false	id_L
error_msg_extractload	error_msg_extractload?	false	id_S
target_table_name	target_table_name?	false	id_S
source_count	source_count?	false	id_L
replace_incr_value	replace_incr_value?	false	id_S
to_be_calculated	to_be_calculated?	false	id_S
refresh_period	refresh_period?	false	id_Ir
start_incremental_value	start_incremental_value?	false	id_S
error_code	error_code?	false	id_S

error_msg	error_msg?	false	id_S
audit_table_ftp_count	audit_table_ftp_count?	false	id_S
task_status	task_status?	false	id_S
context_file_path	context_file_path?	false	id_S
context_file_path_main	context_file_path_main?	false	id_S
incremental_date_value	incremental_date_value?	false	id_C
iteration	iteration?	false	id_Ir
print_operations	print_operations?	false	id_B
replace_start_incr_value	replace_start_incr_value?	false	id_S
audit_table_task_history	audit_table_task_history?	false	id_S
data_load_env	data_load_env?	false	id_S
object_name	object_name?	false	id_S
job_name_project	job_name_project?	false	id_S
next_incremental_value	next_incremental_value?	false	id_S
error_code_delete	error_code_delete?	false	id_S
task_status_failed	task_status_failed?	false	id_S
rawdata_path	rawdata_path?	false	id_S

start_time_main_job	start_time_main_job?	false	id_S
talend_jobname	talend_jobname?	false	id_S
object_type	object_type?	false	id_S
file_name	file_name?	false	id_S
update_count	update_count?	false	id_L
end_time	end_time?	false	id_S
staging_path	staging_path?	false	id_S
env	env?	false	id_S
file_size	file_size?	false	id_S
audit_table_restart	audit_table_restart?	false	id_S
context_initializing_query	context_initializing_query?	false	id_S
insert_count	insert_count?	false	id_L
error_code_success	error_code_success?	false	id_S
error_code_extractzero	error_code_extractzero?	false	id_S
curr_incremental_value	curr_incremental_value?	false	id_S
audit_table_context	audit_table_context?	false	id_S
error_code_extract	error_code_extract?	false	id_S

audit_table_incremental	audit_table_incremental?	false	id_S
task_status_loop	task_status_loop?	false	id_S
duration_millisecond	duration_millisecond?	false	id_L
yearmonthdate	yearmonthdate?	false	id_S
file_domain	file_domain?	false	id_S
file_version	file_version?	false	id_S
file_seq_no	file_seq_no?	false	id_lr
local_ftp_dir_bkp	local_ftp_dir_bkp?	false	id_S
file_periodstart	file_periodstart?	false	id_S
auditkey_sufix	auditkey_sufix?	false	id_S
auditkey	auditkey?	false	id_S
file_periodend	file_periodend?	false	id_S
src_cnt	src_cnt?	false	id_L
file_name_mask	file_name_mask?	false	id_S
src_file_path	src_file_path?	false	id_S
connection_mssqlcas_server	connection_mssqlcas_server?	false	id_S
connection_mssqlcas_username	connection_mssqlcas_username?	false	id_S

connection_mssqlcas_additionalparams	connection_mssqlcas_additionalparams?	false	id_S
connection_mssqlcas_schema	connection_mssqlcas_schema?	false	id_S
connection_mssqlcas_port	connection_mssqlcas_port?	false	id_S
connection_mssqlcas_database	connection_mssqlcas_database?	false	id_S
connection_mssqlcas_password	connection_mssqlcas_password?	false	id_P
batch_process_date	batch_process_date?	false	id_S
vertica_target_database_Database	vertica_target_database_Database?	false	id_S
vertica_target_database_Password	vertica_target_database_Password?	false	id_P
vertica_target_database_AdditionalParams	vertica_target_database_AdditionalParams?	false	id_S
vertica_target_database_Port	vertica_target_database_Port?	false	id_S
vertica_target_database_Server	vertica_target_database_Server?	false	id_S
vertica_target_database_Schema	vertica_target_database_Schema?	false	id_S
vertica_target_database_Login	vertica_target_database_Login?	false	id_S
connection_msales_port	connection_msales_port?	false	id_S
connection_msales_additionalparams	connection_msales_additionalparams?	false	id_S
connection_msales_username	connection_msales_username?	false	id_S
connection_msales_server	connection_msales_server?	false	id_S

connection_msales_schema	connection_msales_schema?	false	id_S
connection_msales_database	connection_msales_database?	false	id_S
connection_msales_password	connection_msales_password?	false	id_P

ContextPROD

Name	Prompt	Need Prompt?	Турє
vm_vertica_AdditionalParams	vm_vertica_AdditionalParams?	false	id_S
vm_vertica_Database	vm_vertica_Database?	false	id_S
vm_vertica_Password	vm_vertica_Password?	false	id_P
vm_vertica_Server	vm_vertica_Server?	false	id_S
vm_vertica_Schema	vm_vertica_Schema?	false	id_S
vm_vertica_Login	vm_vertica_Login?	false	id_S
vm_vertica_Port	vm_vertica_Port?	false	id_S
task_status_running	task_status_running?	false	id_S
target_object_name	target_object_name?	false	id_S
task_status_success	task_status_success?	false	id_S
error_msg_delete	error_msg_delete?	false	id_S

year	year?	false	id_S
reject_count	reject_count?	false	id_L
load_area	load_area?	false	id_S
error_msg_extractzero	error_msg_extractzero?	false	id_S
error_msg_load	error_msg_load?	false	id_S
end_incremental_value	end_incremental_value?	false	id_S
audit_table_master_list	audit_table_master_list?	false	id_S
replace_end_incr_value	replace_end_incr_value?	false	id_S
context_parameter	context_parameter?	false	id_S
transient_path	transient_path?	false	id_S
error_code_subjob	error_code_subjob?	false	id_S
error_code_load	error_code_load?	false	id_S
print_operations_audit	print_operations_audit?	false	id_B
incremental_value	incremental_value?	false	id_S
load_type	load_type?	false	id_S
unique_id	unique_id?	false	id_S
error_code_extractload	error_code_extractload?	false	id_S

error_code_validation	error_code_validation?	false	id_S
target_count	target_count?	false	id_L
start_time	start_time?	false	id_S
rownum	rownum?	false	id_S
organization_unit	organization_unit?	false	id_S
parallel_thread_count	parallel_thread_count?	false	id_lr
audit_table_task_config	audit_table_task_config?	false	id_S
duration_second	duration_second?	false	id_L
object_count	object_count?	false	id_lr
extract_query	extract_query?	false	id_S
dq_path	dq_path?	false	id_S
remove_duplicates_query	remove_duplicates_query?	false	id_S
stage_id	stage_id?	false	id_Ir
error_msg_subjob	error_msg_subjob?	false	id_S
source_system	source_system?	false	id_S
audit_table_task	audit_table_task?	false	id_S
audit_table	audit_table?	false	id_S

month	month?	false	id_S
delete_query	delete_query?	false	id_S
object_name_loop	object_name_loop?	false	id_S
error_code	error_code?	false	id_S
start_incremental_value	start_incremental_value?	false	id_S
refresh_period	refresh_period?	false	id_lr
to_be_calculated	to_be_calculated?	false	id_S
replace_incr_value	replace_incr_value?	false	id_S
source_count	source_count?	false	id_L
target_table_name	target_table_name?	false	id_S
error_msg_extractload	error_msg_extractload?	false	id_S
delete_count	delete_count?	false	id_L
error_msg_success	error_msg_success?	false	id_S
incremental_date_column	incremental_date_column?	false	id_S
active_flag	active_flag?	false	id_S
business_date	business_date?	false	id_S
yearmonth	yearmonth?	false	id_S

error_msg_extract	error_msg_extract?	false	id_S
error_msg_validation	error_msg_validation?	false	id_S
contextfile	contextfile?	false	id_S
rawdata_path	rawdata_path?	false	id_S
task_status_failed	task_status_failed?	false	id_S
error_code_delete	error_code_delete?	false	id_S
next_incremental_value	next_incremental_value?	false	id_S
job_name_project	job_name_project?	false	id_S
object_name	object_name?	false	id_S
data_load_env	data_load_env?	false	id_S
audit_table_task_history	audit_table_task_history?	false	id_S
replace_start_incr_value	replace_start_incr_value?	false	id_S
print_operations	print_operations?	false	id_B
iteration	iteration?	false	id_lr
incremental_date_value	incremental_date_value?	false	id_C
context_file_path_main	context_file_path_main?	false	id_S
context_file_path	context_file_path?	false	id_S

task_status	task_status?	false	id_S
audit_table_ftp_count	audit_table_ftp_count?	false	id_S
error_msg	error_msg?	false	id_S
start_time_main_job	start_time_main_job?	false	id_S
talend_jobname	talend_jobname?	false	id_S
object_type	object_type?	false	id_S
file_name	file_name?	false	id_S
update_count	update_count?	false	id_L
end_time	end_time?	false	id_S
staging_path	staging_path?	false	id_S
env	env?	false	id_S
file_size	file_size?	false	id_S
audit_table_restart	audit_table_restart?	false	id_S
context_initializing_query	context_initializing_query?	false	id_S
insert_count	insert_count?	false	id_L
error_code_success	error_code_success?	false	id_S
error_code_extractzero	error_code_extractzero?	false	id_S

curr_incremental_value	curr_incremental_value?	false	id_S
audit_table_context	audit_table_context?	false	id_S
error_code_extract	error_code_extract?	false	id_S
audit_table_incremental	audit_table_incremental?	false	id_S
task_status_loop	task_status_loop?	false	id_S
duration_millisecond	duration_millisecond?	false	id_L
yearmonthdate	yearmonthdate?	false	id_S
file_domain	file_domain?	false	id_S
file_version	file_version?	false	id_S
file_seq_no	file_seq_no?	false	id_lr
local_ftp_dir_bkp	local_ftp_dir_bkp?	false	id_S
file_periodstart	file_periodstart?	false	id_S
auditkey_sufix	auditkey_sufix?	false	id_S
auditkey	auditkey?	false	id_S
file_periodend	file_periodend?	false	id_S
src_cnt	src_cnt?	false	id_L
file_name_mask	file_name_mask?	false	id_S

src_file_path	src_file_path?	false	id_S
connection_mssqlcas_server	connection_mssqlcas_server?	false	id_S
connection_mssqlcas_username	connection_mssqlcas_username?	false	id_S
connection_mssqlcas_additionalparams	connection_mssqlcas_additionalparams?	false	id_S
connection_mssqlcas_schema	connection_mssqlcas_schema?	false	id_S
connection_mssqlcas_port	connection_mssqlcas_port?	false	id_S
connection_mssqlcas_database	connection_mssqlcas_database?	false	id_S
connection_mssqlcas_password	connection_mssqlcas_password?	false	id_P
batch_process_date	batch_process_date?	false	id_S
vertica_target_database_Database	vertica_target_database_Database?	false	id_S
vertica_target_database_Password	vertica_target_database_Password?	false	id_P
vertica_target_database_AdditionalParams	vertica_target_database_AdditionalParams?	false	id_S
vertica_target_database_Port	vertica_target_database_Port?	false	id_S
vertica_target_database_Server	vertica_target_database_Server?	false	id_S
vertica_target_database_Schema	vertica_target_database_Schema?	false	id_S
vertica_target_database_Login	vertica_target_database_Login?	false	id_S
connection_msales_port	connection_msales_port?	false	id_S

connection_msales_additionalparams	connection_msales_additionalparams?	false	id_S
connection_msales_username	connection_msales_username?	false	id_S
connection_msales_server	connection_msales_server?	false	id_S
connection_msales_schema	connection_msales_schema?	false	id_S
connection_msales_database	connection_msales_database?	false	id_S
connection_msales_password	connection_msales_password?	false	id_P

ContextDefault

Name	Prompt
snowflake_epg_escher_account	snowflake_epg_escher_account?
snowflake_epg_escher_role	snowflake_epg_escher_role?
snowflake_epg_escher_jdbcParameters	snowflake_epg_escher_jdbcParameters?
snowflake_epg_escher_warehouse	snowflake_epg_escher_warehouse?
snowflake_epg_escher_db	snowflake_epg_escher_db?
snowflake_epg_escher_loginTimeout	snowflake_epg_escher_loginTimeout?
snowflake_epg_escher_userPassword_password	snowflake_epg_escher_userPassword_password?
snowflake_epg_escher_keyAlias	snowflake_epg_escher_keyAlias?

snowflake_epg_escher_userPassword_userId	snowflake_epg_escher_userPassword_userId?
snowflake_epg_escher_schemaName	snowflake_epg_escher_schemaName?
vm_vertica_AdditionalParams	vm_vertica_AdditionalParams?
vm_vertica_Database	vm_vertica_Database?
vm_vertica_Password	vm_vertica_Password?
vm_vertica_Server	vm_vertica_Server?
vm_vertica_Schema	vm_vertica_Schema?
vm_vertica_Login	vm_vertica_Login?
vm_vertica_Port	vm_vertica_Port?
task_status_running	task_status_running?
target_object_name	target_object_name?
task_status_success	task_status_success?
error_msg_delete	error_msg_delete?
year	year?
reject_count	reject_count?
load_area	load_area?
error_msg_extractzero	error_msg_extractzero?

error_msg_load	error_msg_load?
end_incremental_value	end_incremental_value?
audit_table_master_list	audit_table_master_list?
replace_end_incr_value r	replace_end_incr_value?
context_parameter c	context_parameter?
transient_path t	transient_path?
error_code_subjob	error_code_subjob?
error_code_load	error_code_load?
print_operations_audit	orint_operations_audit?
incremental_value i	ncremental_value?
load_type	oad_type?
unique_id ι	unique_id?
error_code_extractload	error_code_extractload?
audit_table	audit_table?
audit_table_task	audit_table_task?
source_system s	source_system?
error_msg_subjob	error_msg_subjob?

stage_id	stage_id?
remove_duplicates_query	remove_duplicates_query?
dq_path	dq_path?
extract_query	extract_query?
object_count	object_count?
duration_second	duration_second?
audit_table_task_config	audit_table_task_config?
parallel_thread_count	parallel_thread_count?
organization_unit	organization_unit?
rownum	rownum?
start_time	start_time?
target_count	target_count?
error_code_validation	error_code_validation?
month	month?
delete_query	delete_query?
object_name_loop	object_name_loop?
error_code	error_code?

start_incremental_value	start_incremental_value?
refresh_period	refresh_period?
to_be_calculated	to_be_calculated?
replace_incr_value	replace_incr_value?
source_count	source_count?
target_table_name	target_table_name?
error_msg_extractload	error_msg_extractload?
delete_count	delete_count?
error_msg_success	error_msg_success?
incremental_date_column	incremental_date_column?
active_flag	active_flag?
business_date	business_date?
yearmonth	yearmonth?
error_msg_extract	error_msg_extract?
error_msg_validation	error_msg_validation?
contextfile	contextfile?
rawdata_path	rawdata_path?

task_status_failed	task_status_failed?
error_code_delete	error_code_delete?
next_incremental_value	next_incremental_value?
job_name_project	job_name_project?
object_name	object_name?
data_load_env	data_load_env?
audit_table_task_history	audit_table_task_history?
replace_start_incr_value	replace_start_incr_value?
print_operations	print_operations?
iteration	iteration?
incremental_date_value	incremental_date_value?
context_file_path_main	context_file_path_main?
context_file_path	context_file_path?
task_status	task_status?
audit_table_ftp_count	audit_table_ftp_count?
error_msg	error_msg?
start_time_main_job	start_time_main_job?

talend_jobname	talend_jobname?
object_type	object_type?
file_name	file_name?
update_count	update_count?
end_time	end_time?
staging_path	staging_path?
env	env?
file_size	file_size?
audit_table_restart	audit_table_restart?
context_initializing_query	context_initializing_query?
insert_count	insert_count?
error_code_success	error_code_success?
error_code_extractzero	error_code_extractzero?
curr_incremental_value	curr_incremental_value?
audit_table_context	audit_table_context?
error_code_extract	error_code_extract?
audit_table_incremental	audit_table_incremental?

task_status_loop	task_status_loop?
duration_millisecond	duration_millisecond?
yearmonthdate	yearmonthdate?
file_domain	file_domain?
file_version	file_version?
file_seq_no	file_seq_no?
local_ftp_dir_bkp	local_ftp_dir_bkp?
file_periodstart	file_periodstart?
auditkey_sufix	auditkey_sufix?
auditkey	auditkey?
file_periodend	file_periodend?
src_cnt	src_cnt?
file_name_mask	file_name_mask?
src_file_path	src_file_path?
connection_mssqlcas_server	connection_mssqlcas_server?
connection_mssqlcas_username	connection_mssqlcas_username?
connection_mssqlcas_additionalparams	connection_mssqlcas_additionalparams?

connection_mssqlcas_schema	connection_mssqlcas_schema?
connection_mssqlcas_port	connection_mssqlcas_port?
connection_mssqlcas_database	connection_mssqlcas_database?
connection_mssqlcas_password	connection_mssqlcas_password?
batch_process_date	batch_process_date?
vertica_target_database_Database	vertica_target_database_Database?
vertica_target_database_Password	vertica_target_database_Password?
vertica_target_database_AdditionalParams	vertica_target_database_AdditionalParams?
vertica_target_database_Port	vertica_target_database_Port?
vertica_target_database_Server	vertica_target_database_Server?
vertica_target_database_Schema	vertica_target_database_Schema?
vertica_target_database_Login	vertica_target_database_Login?
connection_msales_port	connection_msales_port?
connection_msales_additionalparams	connection_msales_additionalparams?
connection_msales_username	connection_msales_username?
connection_msales_server	connection_msales_server?
connection_msales_schema	connection_msales_schema?

connection_msales_database	connection_msales_database?
connection_msales_password	connection_msales_password?

ContextDEV

Name		Need Prompt?	Турє
vm_vertica_AdditionalParams	vm_vertica_AdditionalParams?	false	id_S
vm_vertica_Database	vm_vertica_Database?	false	id_S
vm_vertica_Password	vm_vertica_Password?	false	id_P
vm_vertica_Server	vm_vertica_Server?	false	id_S
vm_vertica_Schema	vm_vertica_Schema?	false	id_S
vm_vertica_Login	vm_vertica_Login?	false	id_S
vm_vertica_Port	vm_vertica_Port?	false	id_S
task_status_running	task_status_running?	false	id_S
target_object_name	target_object_name?	false	id_S
task_status_success	task_status_success?	false	id_S
error_msg_delete	error_msg_delete?	false	id_S
year	year?	false	id_S

audit_table	audit_table?	false	id_S
error_code_extractload	error_code_extractload?	false	id_S
unique_id	unique_id?	false	id_S
load_type	load_type?	false	id_S
incremental_value	incremental_value?	false	id_S
print_operations_audit	print_operations_audit?	false	id_B
error_code_load	error_code_load?	false	id_S
error_code_subjob	error_code_subjob?	false	id_S
transient_path	transient_path?	false	id_S
context_parameter	context_parameter?	false	id_S
replace_end_incr_value	replace_end_incr_value?	false	id_S
audit_table_master_list	audit_table_master_list?	false	id_S
end_incremental_value	end_incremental_value?	false	id_S
error_msg_load	error_msg_load?	false	id_S
error_msg_extractzero	error_msg_extractzero?	false	id_S
load_area	load_area?	false	id_S
reject_count	reject_count?	false	id_L

audit_table_task	audit_table_task?	false	id_S
source_system	source_system?	false	id_S
error_msg_subjob	error_msg_subjob?	false	id_S
stage_id	stage_id?	false	id_lr
remove_duplicates_query	remove_duplicates_query?	false	id_S
dq_path	dq_path?	false	id_S
extract_query	extract_query?	false	id_S
object_count	object_count?	false	id_lr
duration_second	duration_second?	false	id_L
audit_table_task_config	audit_table_task_config?	false	id_S
parallel_thread_count	parallel_thread_count?	false	id_lr
organization_unit	organization_unit?	false	id_S
rownum	rownum?	false	id_S
start_time	start_time?	false	id_S
target_count	target_count?	false	id_L
error_code_validation	error_code_validation?	false	id_S
month	month?	false	id_S

error_msg_extract	error_msg_extract?	false	id_S
yearmonth	yearmonth?	false	id_S
business_date	business_date?	false	id_S
active_flag	active_flag?	false	id_S
incremental_date_column	incremental_date_column?	false	id_S
error_msg_success	error_msg_success?	false	id_S
delete_count	delete_count?	false	id_L
error_msg_extractload	error_msg_extractload?	false	id_S
target_table_name	target_table_name?	false	id_S
source_count	source_count?	false	id_L
replace_incr_value	replace_incr_value?	false	id_S
to_be_calculated	to_be_calculated?	false	id_S
refresh_period	refresh_period?	false	id_Ir
start_incremental_value	start_incremental_value?	false	id_S
error_code	error_code?	false	id_S
object_name_loop	object_name_loop?	false	id_S
delete_query	delete_query?	false	id_S

error_msg_validation	error_msg_validation?	false	id_S
contextfile	contextfile?	false	id_S
rawdata_path	rawdata_path?	false	id_S
task_status_failed	task_status_failed?	false	id_S
error_code_delete	error_code_delete?	false	id_S
next_incremental_value	next_incremental_value?	false	id_S
job_name_project	job_name_project?	false	id_S
object_name	object_name?	false	id_S
data_load_env	data_load_env?	false	id_S
audit_table_task_history	audit_table_task_history?	false	id_S
replace_start_incr_value	replace_start_incr_value?	false	id_S
print_operations	print_operations?	false	id_B
iteration	iteration?	false	id_lr
incremental_date_value	incremental_date_value?	false	id_C
context_file_path_main	context_file_path_main?	false	id_S
context_file_path	context_file_path?	false	id_S
task_status	task_status?	false	id_S

audit_table_ftp_count	audit_table_ftp_count?	false	id_S
error_msg	error_msg?	false	id_S
start_time_main_job	start_time_main_job?	false	id_S
talend_jobname	talend_jobname?	false	id_S
object_type	object_type?	false	id_S
file_name	file_name?	false	id_S
update_count	update_count?	false	id_L
end_time	end_time?	false	id_S
staging_path	staging_path?	false	id_S
env	env?	false	id_S
file_size	file_size?	false	id_S
audit_table_restart	audit_table_restart?	false	id_S
context_initializing_query	context_initializing_query?	false	id_S
insert_count	insert_count?	false	id_L
error_code_success	error_code_success?	false	id_S
error_code_extractzero	error_code_extractzero?	false	id_S
curr_incremental_value	curr_incremental_value?	false	id_S

src_file_path	src_file_path?	false	id_S
file_name_mask	file_name_mask?	false	id_S
src_cnt	src_cnt?	false	id_L
file_periodend	file_periodend?	false	id_S
auditkey	auditkey?	false	id_S
auditkey_sufix	auditkey_sufix?	false	id_S
file_periodstart	file_periodstart?	false	id_S
local_ftp_dir_bkp	local_ftp_dir_bkp?	false	id_S
file_seq_no	file_seq_no?	false	id_lr
file_version	file_version?	false	id_S
file_domain	file_domain?	false	id_S
yearmonthdate	yearmonthdate?	false	id_S
duration_millisecond	duration_millisecond?	false	id_L
task_status_loop	task_status_loop?	false	id_S
audit_table_incremental	audit_table_incremental?	false	id_S
error_code_extract	error_code_extract?	false	id_S
audit_table_context	audit_table_context?	false	id_S

connection_mssqlcas_server?	false	id_S
connection_mssqlcas_username?	false	id_S
connection_mssqlcas_additionalparams?	false	id_S
connection_mssqlcas_schema?	false	id_S
connection_mssqlcas_port?	false	id_S
connection_mssqlcas_database?	false	id_S
connection_mssqlcas_password?	false	id_P
batch_process_date?	false	id_S
vertica_target_database_Database?	false	id_S
vertica_target_database_Password?	false	id_P
vertica_target_database_AdditionalParams?	false	id_S
vertica_target_database_Port?	false	id_S
vertica_target_database_Server?	false	id_S
vertica_target_database_Schema?	false	id_S
vertica_target_database_Login?	false	id_S
connection_msales_port?	false	id_S
connection_msales_additionalparams?	false	id_S
	connection_mssqlcas_additionalparams? connection_mssqlcas_schema? connection_mssqlcas_port? connection_mssqlcas_database? connection_mssqlcas_password? batch_process_date? vertica_target_database_Database? vertica_target_database_Password? vertica_target_database_AdditionalParams? vertica_target_database_Port? vertica_target_database_Server? vertica_target_database_Schema? vertica_target_database_Login? connection_msales_port?	connection_mssqlcas_additionalparams? false connection_mssqlcas_schema? false connection_mssqlcas_port? false connection_mssqlcas_database? false connection_mssqlcas_database? false connection_mssqlcas_password? false batch_process_date? false vertica_target_database_Database? false vertica_target_database_Password? false vertica_target_database_AdditionalParams?false vertica_target_database_Port? false vertica_target_database_Server? false vertica_target_database_Schema? false vertica_target_database_Login? false connection_msales_port? false

connection_msales_username	connection_msales_username?	false	id_S
connection_msales_server	connection_msales_server?	false	id_S
connection_msales_schema	connection_msales_schema?	false	id_S
connection_msales_database	connection_msales_database?	false	id_S
connection_msales_password	connection_msales_password?	false	id_P

Component List

Component Name	Component Type
tDBConnection_1	tMSSqlConnection
tDBInput_3	tMSSqlInput
tDBOutput_1	tVerticaOutput
tDBRow_1	tVerticaRow
tFileOutputDelimited_1	tFileOutputDelimited
tJava_1	tJava
tJava_2	tJava
tJava_3	tJava
tJava_5	tJava

tJobLog_1	tJobLog
tJobLog_2	tJobLog
tMap_1	tMap
tPostjob_1	tPostjob
tRunJob_1	tRunJob
tRunJob_2	tRunJob
tRunJob_3	tRunJob

Components Description

Component tMSSqlConnection

 UNIQUE NAME	tDBConnection_1	INPUT(S)	none
LABEL	MSALES_CONNECTION	OUTPUT(S)	tJava_1

Component Farameters.		
Properties	Values	
Database	tMSSqlConnection	
Unique Name	tDBConnection_1	
Component Name	tMSSqlConnection	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/MS_SQL_Server ELT/Connections	

Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
JDBC Provider	JTDS
Host	context.connection_msales_server
Database Driver	MySQL
Port	context.connection_msales_port
Schema	context.connection_msales_schema

Database	context.connection_msales_database
Username	context.connection_msales_username
Password	context.connection_msales_password
Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.connection_mssqlcas_additionalparams
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	пп
Authenticate using Azure Active Directory	false
Auto Commit	false
Share identity insert in multi table	false
Label format	MSALES_CONNECTION
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tDBInput_3	INPUT(S)	tJava_5
LABEL	read MSALES data for the load date	OUTPUT(S)	tMap_1 , tJava_2, tJava_3

Component Parameters:		
Properties	Values	
Database	tMSSqlInput	
Unique Name	tDBInput_3	
Component Name	tMSSqlInput	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/MS_SQL_Server	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMSSqlInput	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java	

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	true
Component List	tDBConnection_1
Property Type	Built-In
Host	context.connection_mssql_server
JDBC Provider	JTDS
Database Driver	MSSQL
Port	context.connection_mssql_port
Schema	context.connection_mssql_schema
Database	context.connection_mssql_database
Username	context.connection_mssql_username
Password	context.connection_mssql_password
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
Table Name	пп
Query Type	Built-In
Guess Schema	пп

Query	"select GROUP_ID , ENTITY_CLASS , ENTITY_ID , ENTITY_CODE , ENTITY_NAME , CLASSIFICATION_CODE , templd , GROUP_ASSIGNED_ENTITY_ID FROM msales_2017.dbo.GR_GROUP_ASSIGNED_ENTITY; "	
Specify a data source alias	false	
Data source alias	""	
Mapping	id_MSSQL	
Additional JDBC Parameters	context.connection_mssql_additionalParams	
Authenticate using Azure Active Directory	false	
Encoding	"ISO-8859-15"	
Trim all the String/Char columns	true	
Trim column	[{SCHEMA_COLUMN=GROUP_ID, TRIM=false}, {SCHEMA_COLUMN=ENTITY_CLASS, TRIM=false}, {SCHEMA_COLUMN=ENTITY_ID, TRIM=false}, {SCHEMA_COLUMN=ENTITY_CODE, TRIM=false}, {SCHEMA_COLUMN=ENTITY_NAME, TRIM=false}, {SCHEMA_COLUMN=CLASSIFICATION_CODE, TRIM=false}, {SCHEMA_COLUMN=templd, TRIM=false}, {SCHEMA_COLUMN=templd, TRIM=false}, {SCHEMA_COLUMN=GROUP_ASSIGNED_ENTITY_ID, TRIM=false}]	
Set Query Timeout	false	
Timeout (seconds)	30	
Label format	read MSALES data for the load date	
Hint format	UNIQUE_NAME COMMENT	
Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	
Validation Rule Type		

Schema for tDBInput_3 :

Column	Key	Туре	Length	Precision	Nullable	Comment
GROUP_ID	true	Integer			true	
ENTITY_CLASS	false	String			true	
ENTITY_ID	false	Integer			true	
ENTITY_CODE	false	String			true	
ENTITY_NAME	false	String			true	
CLASSIFICATION_CODE	false	String			true	
templd	false	Integer			true	
GROUP_ASSIGNED_ENTITY_ID	false	Integer			true	

Original Function Parameters: Component tVerticaOutput

UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1
LABEL	TABLE	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Database	tVerticaOutput		
Unique Name	tDBOutput_1		
Component Name	tVerticaOutput		
Version	0.102 (ALPHA)		

Family	Databases/DB Specifics/Vertica
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (VERTICA):vertica_target_database
DB Version	VERTICA_9_0
Use an existing connection	false
Component List	
TYPE	VERTICA
Host	context.vertica_target_database_Server

г

Port	context.vertica_target_database_Port
Database	context.vertica_target_database_Database
Schema	context.vertica_target_database_Schema
Username	context.vertica_target_database_Login
Password	context.vertica_target_database_Password
Table	"GR_GROUP_ASSIGNED_ENTITY_STG"
Action on table	DROP_IF_EXISTS_AND_CREATE
Use "drop cascade"	true
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SV	ALLICH
Schema	Built-In
Reject Schema	repository: DB (VERTICA):vertica_target_database - activation
Die on error	true
Mapping	vertica_id
Additional JDBC Parameters	context.vertica_target_database_AdditionalParams
Use alternate schema	false
Schema	пп
Abort on error	false
Maximum Rejects	
Exception file	
Exception file node	
Rejected data file	

Rejected data file node	
No Commit	true
Encoding	"ISO-8859-15"
Commit every	10000
Use batch mode	true
Batch size	100
Additional columns	0
Use field options	false
Field options	[{SCHEMA_COLUMN=GROUP_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ENTITY_CLASS, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ENTITY_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ENTITY_CODE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ENTITY_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CLASSIFICATION_CODE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=templd, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, INSERTABLE=true}, {SCHEMA_COLUMN=GROUP_ASSIGNED_ENTITY_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Create projection when create table	true
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for activation:

Odiforna for additation .						
Column	Key	Туре	Length	Precision	Nullable	Comment
GROUP_ID	false	Integer			true	
ENTITY_CLASS	false	String	250		true	
ENTITY_ID	false	Integer			true	
ENTITY_CODE	false	String	250		true	
ENTITY_NAME	false	String	250		true	
CLASSIFICATION_CODE	false	String	250		true	
templd	false	Integer			true	
GROUP_ASSIGNED_ENTITY_ID	false	Integer			true	

Original Function Parameters: Component tVerticaRow

*	UNIQUE NAME	tDBRow_1	INPUT(S)	tJobLog_1
Ĵ	LABEL	src_cnt entry in vm_ftp_count table	OUTPUT(S)	tJobLog_2

Properties	Values

Database	tVerticaRow
Unique Name	tDBRow_1
Component Name	tVerticaRow
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In

DB Version	VERTICA_9_0
Use an existing connection	false
Component List	tDBConnection_1
Host	context.vm_vertica_Server
Port	context.vm_vertica_Port
Database	context.vm_vertica_Database
Schema	context.vm_vertica_Schema
ТҮРЕ	VERTICA
Username	context.vm_vertica_Login
Password	context.vm_vertica_Password
REPOSITORY_ALLOW_AUTO_S\	MHTEH
Schema	Built-In
Reject Schema	Built-In
Table Name	""
Query Type	Built-In
Query	"INSERT INTO "+context.audit_table_restart+"(OBJECT_NAME, BUSINESS_DATE, RECORD_COUNT, START_TIME, END_TIME, SOURCE_SYSTEM, ORGANIZATION_UNIT, QUERY_DETAILS) VALUES(""+context.object_name+"', ""+context.business_date+"', ""+String.valueOf(context.source_count)+"', '"+context.start_time+"', ""+context.end_time+"', ""+context.source_system+"', ""+context.organization_unit+"', ""+StringHandling.CHANGE(((String)globalMap.get("tDBInput_3_QUERY")), """, ""\\\"")+"") "
Use NB_LINE_	NONE
Die on error	true
Additional JDBC Parameters	пн
Propagate QUERY's recordset	false

use column			
Use PreparedStatement	false		
Set PreparedStatement Parameters	0		
Encoding	"ISO-8859-15"		
Commit every	100		
Label format	src_cnt entry in vm_ftp_count table		
Hint format	UNIQUE_NAME COMMENT		
Connection format	row		
Show Information	false		
Comment			
Use an existing validation rule	false		
Validation Rule Type			

Schema for tDBRow_1 :

Original Function Parameters: Component tFileOutputDelimited

•	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tMap_1
	LABEL	rawdata	OUTPUT(S)	none

Properties	Values
Unique Name	tFileOutputDelimited_1

Component Name	tFileOutputDelimited	
Version	0.101 (ALPHA)	
Family	File/Output	
Startable	false	
SUBTREE_START	false	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tFileOutputDelimited	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Property Type	Built-In	
Use Output Stream	false	
Output Stream	context.RAWDATA_PATH+"/"+context.SOURCE_SYSTEM+"/"+context.OBJECT_NAME-	+"/"+cont
File Name	context.rawdata_path+"/"+context.source_system+"/"+context.object_name+"/"+context.yo	ear+"/"+c

Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	", "
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	MITEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	****
Text enclosure	***************************************
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"UTF-8"

Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	rawdata
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileOutputDelimited_1:

Schema for trileOutputDelimited_1:						
Column	Key	Туре	Length	Precision	Nullable	Comment
GROUP_ID	true	Integer			true	
ENTITY_CLASS	false	String	250		true	
ENTITY_ID	false	Integer			true	
ENTITY_CODE	false	String	250		true	
ENTITY_NAME	false	String	250		true	
CLASSIFICATION_CODE	false	String	250		true	
templd	false	Integer			true	

Original Function Parameters: Component tJava

UNIQUE NAME	tJava_1	INPUT(S)	tDBConnection_1
LABEL	set context values	OUTPUT(S)	tRunJob_1

Component Parameters:				
Properties	Values			
Unique Name	tJava_1			
Component Name	tJava			
Version	0.101 (ALPHA)			
Family	Custom_Code			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tJava			
Update components	true			
IREPORT_PATH				

C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java		
false		
2		
false		
System.out.println("*********** PreJob Execution in SubJob ***********); context.talend_jobname = jobName; context.start_time = TalendDate.getDate("yyyy-MM-dd HH:mm:ss.SSS"); System.out.println("start_time: "+context.start_time); context.auditkey = TalendDate.getDate("yyyyMMdd_HH_mm_ss_SSS")+"_"+context.object_name+"_etl" //context.object_name="sre_table"; //context.source_system="sre"; System.out.println("ALL CONTEXT AND VALUES SET"); context.source_system="msales"; context.object_name ="GR_GROUP_ASSIGNED_ENTITY";		
//import java.util.List;		
Built-In		
set context values		
_UNIQUE_NAME <brcomment< td=""></brcomment<>		
row		
false		
false		

Schema for tJava_1 :

Column Key Type	Length	Precision	Nullable	Comment	
-----------------	--------	-----------	----------	---------	--

Original Function Parameters: Component tJava

UNIQUE NAME	tJava_2	INPUT(S)	tDBInput_3
LABEL	set final context values	OUTPUT(S)	tRunJob_2

Unique Name tJav Component Name tJav Version 0.10	va_2 va 01 (ALPHA)
Component Name tJav Version 0.10	va
Version 0.10	
	01 (ALPHA)
Family Cus	
	stom_Code
Start false	Se Se
Startable true	е
SUBTREE_START true	е
END_OF_FLOW true	е
Activate true	е
DUMMY false	se
tStatCatcher Statistics false	se
Help org.	ı.talend.help.tJava
Update components true	е
IREPORT_PATH	
JAVA_LIBRARY_PATH C:\1	Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	context.file_size = context.to_be_calculated; context.end_time = TalendDate.getDate("yyyy-MM-dd HH:mm:ss.SSS"); context.duration_millisecond = TalendDate.diffDate(TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.start_time), "SSS"); context.duration_second = TalendDate.diffDate(TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.start_time), "ss"); context.source_count = new Long((Integer)globalMap.get("tDBInput_3_NB_LINE")); context.target_count = new Long(((Integer)globalMap.get("tFileOutputDelimited_2_NB_LINE"))); context.insert_count = new Long(((Integer)globalMap.get("tFileOutputDelimited_2_NB_LINE"))); context.update_count = new Long(0); System.out.println("context.source_count is "+ context.source_count); System.out.println("context.target_countis "+ context.target_count); System.out.println("context.target_countis "+ context.target_count); System.out.println("context.target_countis "+ context.target_count.equals(context.target_count)) { context.task_status = context.task_status = context.task_status_success; context.error_code = context.error_code_success; context.error_msg = context.error_msg_validation; } if(context.source_count.equals(new Long(0))) { context.task_status = context.task_status_success; context.error_code = context.error_code_extractzero; context.error_msg = context.error_msg_extractzero; }
Import	//import java.util.List;
Schema	Built-In
Label format	set final context values
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_2 :

		Column	Key	Туре	Length	Precision	Nullable	Comment	
--	--	--------	-----	------	--------	-----------	----------	---------	--

Original Function Parameters: Component tJava

UNIQUE NAME	tJava_3	INPUT(S)	tDBInput_3
	set final context values	OUTPUT(S)	tRunJob_3

Component Parameters:	
Properties	Values
Unique Name	tJava_3
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java

Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Code	context.file_size = context.to_be_calculated; context.task_status = context.task_status_failed; context.end_time = TalendDate.getDate("yyyy-MM-dd HH:mm:ss.SSS"); context.duration_millisecond = TalendDate.diffDate(TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.start_time), "SSS"); context.duration_second = TalendDate.diffDate(TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS", context.end_time), "ss"); //Error Message if(!(((String)globalMap.get("tDBInput_1_ERROR_MESSAGE")).equals(null) ((String)context.error_msg = context.error_msg_extract; context.error_code = context.error_code_extract; } else if(!(((String)globalMap.get("tFileOutputDelimited_2_ERROR_MESSAGE")).equals(null) (((((((Integer)globalMap.get("tDBInput_1_NB_LINE")))!=null) context.source_count = context.error_code = context.error_code_extractload; } //Source Count if((((((((((((((((((((((((((((((((((((
Import	//import java.util.List;	
Schema	Built-In	
Label format	set final context values	
Hint format	UNIQUE_NAME COMMENT	
Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	

Schema for tJava_3:

Column Key Type	Length	Precision	Nullable	Comment	
-----------------	--------	-----------	----------	---------	--

Original Function Parameters: Component tJava

UNIQUE NAME	tJava_5	INPUT(S)	tRunJob_1
LABEL	Extract Start Time	OUTPUT(S)	tDBInput_3

Component Parameters:		
Properties	Values	
Unique Name	tJava_5	
Component Name	tJava	
Version	0.101 (ALPHA)	
Family	Custom_Code	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tJava	

Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Code	context.start_time_main_job=TalendDate.getDate("yyyyMMddHHmmss"); //context.object_name="GR_GROUP_ASSIGNED_ENTITY"; context.target_object_name =context.object_name+"_"+context.batch_process_date+".csv"; System.out.println("context.target_object_name "+ context.target_object_name); System.out.println(context.talend_jobname +" started at"+ context.start_time_main_job); System.out.println("SOURCE SYSTEM Name is "+ context.source_system); System.out.println("TABLE LOADED is "+ context.source_system); System.out.println("TARNSIENT PATH is "+ context.rawdata_path); //System.out.println("TRANSIENT PATH is "+ context.transient_path); context.year=TalendDate.formatDate("yyyy", TalendDate.getCurrentDate()); System.out.println("context.year :"+context.year); context.month=TalendDate.formatDate("MM", TalendDate.getCurrentDate()); System.out.println("context.month :"+context.month); context.yearmonth=TalendDate.formatDate("YYYYMM", TalendDate.getCurrentDate()); System.out.println("context.yearmonth :"+context.yearmonthdate=TalendDate.formatDate("yyyyMMdd", TalendDate.getCurrentDate()); System.out.println("context.yearmonthdate :"+context.yearmonthdate=TalendDate.formatDate("yyyyMMdd", TalendDate.getCurrentDate()); System.out.println("context.yearmonthdate :"+context.yearmonthdate=TalendDate.formatDate("yyyyMMdd", TalendDate.getCurrentDate()); System.out.println("context.yearmonthdate :"+context.yearmonthdate); System.out.println("RAW PATH FULL: "+context.rawdata_path+"/"+context.source_system+"/"+context.object_name+"/"+context.//System.out.println("TRANSIENT PATH FULL: "+context.transient_path+"/"+context.source_system+"/"+context.object_name+"/"+context.// //System.out.println("TRANSIENT PATH FULL: "+context.transient_path+"/"+context.source_system+"/"+context.object_name+"/"+context.// //System.out.println("TRANSIENT PATH FULL: "+context.transient_path+"/"+context.source_system+"/"+context.object_name+"/"+context.// //System.out.println("Context.source_system+"/"+context.object_name+"/"+context.object_name+"/"+contex	-
Import	//import java.util.List;	
Schema	Built-In	
Label format	Extract Start Time	
Hint format	UNIQUE_NAME <_COMMENT	
Connection format	row	
Show Information	false	

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_5 :

Column	Key	Туре	Length	Precision	Nullable	Comment	
--------	-----	------	--------	-----------	----------	---------	--

Original Function Parameters: Component tJobLog

UNIQUE NAME	tJobLog_1	INPUT(S)	tPostjob_1
LABEL	log info	OUTPUT(S)	tDBRow_1

Component Parameters:				
Properties	Values			
Unique Name	tJobLog_1			
Component Name	JobLog			
Version	0.101 (ALPHA)			
Family	Talend Cloud			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			

Help	org.talend.help.tJobLog	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Developer	true	
User	false	
Log message	"Completed execution of Object and inserting into RESTART INDICATOR if success: "+context.object_name	
Priority	30000	
Schema	Built-In	
Label format	log info	
Hint format	UNIQUE_NAME <_COMMENT	
Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	
Validation Rule Type		

Schema for tJobLog_1 :

Column Key Type Length Precision Nullable Comme	t
---	---

Original Function Parameters: Component tJobLog

UNIQUE NAME	tJobLog_2	INPUT(S)	tDBRow_1
LABEL	log info	OUTPUT(S)	none

, , , , , , , , , , , , , , , , , , , ,
Values
tJobLog_2
tJobLog
0.101 (ALPHA)
Talend Cloud
false
true
true
true
true
false
false
org.talend.help.tJobLog
true
C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Developer	true
User	false
Log message	"Completed execution of Object: "+context.object_name
Priority	30000
Schema	Built-In
Label format	log info
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJobLog_2:

		Column	Key	Туре	Length	Precision	Nullable	Comment
--	--	--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: Component tPostjob

DI	UNIQUE NAME	tPostjob_1	INPUT(S)	none

	LABEL	run at the end	OUTPUT(S)	tJobLog_1
--	-------	-------------------	-----------	-----------

Component Parameters	
Properties	Values
Unique Name	tPostjob_1
Component Name	tPostjob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
Label format	run at the end
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_1	INPUT(S)	tJava_1
	LABEL	PROCESS	OUTPUT(S)	tJava_5

Properties	Values		
Unique Name	tRunJob_1		
Component Name	tRunJob		
Version	0.101 (ALPHA)		
Family	System Orchestration		
Start	false		
Startable	true		
SUBTREE_START	true		

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALIDEH
Schema	Built-In
Use dynamic job	false
Context job	
Job	tjob_vm_start_audit_dync
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true

Context Param	o o
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Use child job JVM arguments	true
Overwrite child job JVM arguments	false
JVM	О
Use dynamic context for subJob	false
DYNAMIC_CONTEXT	11.11
Use extra classpath for subJob	false
EXTRA_CLASSPATH	пп
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1 :

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_2	INPUT(S)	tJava_2
	LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tRunJob_2		
Component Name	tRunJob		
Version	0.101 (ALPHA)		
Family	System Orchestration		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tRunJob		
Update components	true		
IREPORT_PATH			
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java		
Subjob color			
Title color			

Enable parallel execution Number of parallel executions 2 PARALLELIZE_KEEP_EMPTY false REPOSITORY_ALLOW_AUTO_SWfftieH Schema Built-In Use dynamic job false Context job Job tjob_vm_end_audit_dync Context Default Use an independent process to run subjob	
PARALLELIZE_KEEP_EMPTY false REPOSITORY_ALLOW_AUTO_SWfrtieH Schema Built-In Use dynamic job false Context job Job tjob_vm_end_audit_dync Context Default Use an independent process to run false	
REPOSITORY_ALLOW_AUTO_SWITTEH Schema Built-In Use dynamic job false Context job Job tjob_vm_end_audit_dync Context Default Use an independent process to run false	
Schema Built-In Use dynamic job false Context job Job tjob_vm_end_audit_dync Context Default Use an independent process to run false	
Use dynamic job Context job Job tjob_vm_end_audit_dync Context Default Use an independent process to run false	
Context job Job tjob_vm_end_audit_dync Context Default Use an independent process to run false	
Job tjob_vm_end_audit_dync Context Default Use an independent process to run false	
Context Default Use an independent process to run falso	
Use an independent process to run falso	
Use an independent process to run false	
Die on child error true	
Transmit whole context true	
[{PARAM_NAME_COLUMN=source_count, PARAM_VALUE_COLUMN=context.source_count}, {PARAM_NAME_COLUMN=target_count, PARAM_VALUE_COLUMN=context.target_count}, {PARAM_NAME_COLUMN=target_object_name, PARAM_VALUE_COLUMN=context.target_object_name}]	
Propagate the child result to the output schema	
Print Parameters false	
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	
Use child job JVM arguments true	
Overwrite child job JVM arguments false	
JVM []	

Use dynamic context for subJob	false
DYNAMIC_CONTEXT	""
Use extra classpath for subJob	false
EXTRA_CLASSPATH	пп
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_2 :

Column Key Type Length	Precision Nullable Comment	
------------------------	----------------------------	--

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_3	INPUT(S)	tJava_3
LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:

Properties	Values	
Unique Name	tRunJob_3	
Component Name	tRunJob	
Version	0.101 (ALPHA)	

Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_Studio\Talend-Studio-20230428_0423-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALICH
Schema	Built-In
Use dynamic job	false
Context job	
Job	tjob_vm_end_audit_dync

г

Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	ο
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Use child job JVM arguments	true
Overwrite child job JVM arguments	false
JVM	П
Use dynamic context for subJob	false
DYNAMIC_CONTEXT	""
Use extra classpath for subJob	false
EXTRA_CLASSPATH	""
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	e		

Schema for tRunJob_3 :

Column Ke	у Туре	Length	Precision	Nullable	Comment
-----------	--------	--------	-----------	----------	---------

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tDBInput_3
LADEL	LINIOLIE NIAME		tFileOutputDelimited_1
LABEL	UNIQUE_NAME	0011901(8)	, tDBOutput_1

Component Parameters:

Component Parameters:	
Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(extract):

mapper table i repetites extract j.			
Properties	Values		
Name	extract		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(extract):

Name	Туре	Expression	isNullable
GROUP_ID	Integer		true
ENTITY_CLASS	String		true
ENTITY_ID	Integer		true
ENTITY_CODE	String		true
ENTITY_NAME	String		true
CLASSIFICATION_CODE	String		true
templd	Integer		true
GROUP_ASSIGNED_ENTITY_ID	Integer		true

Constraint Table Entries(extract):

Name Type Expression isNullable

Mapper table for tMap_1 (output):
Mapper table Properties(rawzone):

Properties	Values
Name	rawzone
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(rawzone):

Name	Туре	Expression	isNullable
GROUP_ID	Integer	extract.GROUP_ID	true
ENTITY_CLASS	String	extract.ENTITY_CLASS	true
ENTITY_ID	Integer	extract.ENTITY_ID	true
ENTITY_CODE	String	extract.ENTITY_CODE	true
ENTITY_NAME	String	extract.ENTITY_NAME	true
CLASSIFICATION_CODE	String	extract.CLASSIFICATION_CODE	true
templd	Integer	extract.templd	true
GROUP_ASSIGNED_ENTITY_ID	Integer	extract.GROUP_ASSIGNED_ENTITY_ID	true

Constraint Table Entries(rawzone):

Name	Туре	Expression	isNullable

Mapper table Properties(trans):

Properties	Values
Name	trans
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(trans):

Name	Туре	Expression	isNullable
GROUP_ID	Integer	extract.GROUP_ID	true
ENTITY_CLASS	String	extract.ENTITY_CLASS	true
ENTITY_ID	Integer	extract.ENTITY_ID	true
ENTITY_CODE	String	extract.ENTITY_CODE	true
ENTITY_NAME	String	extract.ENTITY_NAME	true
CLASSIFICATION_CODE	String	extract.CLASSIFICATION_CODE	true
templd	Integer	extract.templd	true
GROUP_ASSIGNED_ENTITY_ID	Integer	extract.GROUP_ASSIGNED_ENTITY_ID	true

Constraint Table Entries(trans):

Name	Туре	Expression	isNullable	
------	------	------------	------------	--

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table i repetties	5(· ···).
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable