

ovpl-installation

travula

September 24, 2014

Contents

1	OVPL Installation	1
1.1	Set up proxy	1
1.2	Cloning	1
1.3	Installing OpenVZ	1
1.4	Installing OVPL Dependencies	2
1.5	Installing OVPL	2
1.6	Deploying the Lab	2

1 OVPL Installation

1.1 Set up proxy

- Contact your system admin and take care of proxy settings as required

1.2 Cloning

- Clone the LIK repository

1.3 Installing OpenVZ

- In the ovpl-kit/scripts directory, “openvz-install.sh” installs OpenVZ on Your CentOS.
- To run this script, go to that directory in terminal and run the following command.

```
sudo sh openvz-install.sh
```

1.4 Installing OVPL Dependencies

- In the `ovpl-kit/scripts/dependencies` directory, “dependencies.sh” installs all the dependencies required for running OVPL.
- To run this script, go to that directory in terminal and run the following command,

```
sudo sh dependencies.sh
```

1.5 Installing OVPL

- OVPL source code is present in `ovpl-kit/ovpl` directory.

Pre-requisites

- Change the values of proxies in `ovpl-kit/ovpl/config/config.json`
- Change the SUBNET values in `ovpl-kit/ovpl/src/settings.py` and `ovpl-kit/ovpl/src/adapters/settings/py` to match the subnet of your base machine.
- Now go to `ovpl-kit/ovpl/src/` and run `make`.

```
make
```

This will run both the controller server and adapter server. Check this by running

```
ps -eaf | grep python2
```

1.6 Deploying the Lab

- Go to browser and type, “127.0.0.1:8080”, you will see a test page.
- Enter lab id and URL and submit it.
- You can see the deployment status of the lab in the terminal. The IP address of the container is prompted in the terminal where the lab is being deployed.
- Lab can be hence used from the given IP.
- Check the logs at `/root/log/ovpl.log` and `/ovpl/root/centosvzadapter.log` on the base machine.
- Check the logs on the container at `/root/VMManager/log/vmmanager.log`