


DCS 210-6776974

1.		μ	3
2.		μ	4
3.		μ	6
4.		μ μ (ND)	9
5.		μ	10
6.			12
7.		μ μ (NV)	13
8.	μ	μ	14

1. μ



2. μ

μ μ . μ μ . μ

BorcodeReader RRD NulleDispenser Printer NulleVellidellur Cuir's Sellings

Open

TCP Current

Start Application

tab, μ (open)


. μ μ μ μ

μ μ μ open & status μ .

μ μ μ μ ρ μ μ

μ .

μ μ μμ μ tab (Settings) μ μ




```
Available Notes
                        μ
                                               μ
                                                           μμ
Paid Notes
                                                                  μ
                                      μμ
                                                                        μ
Available Coins
                                         μ
                                                 μ
                ).
                                        μ
                                                           μ
                                                                     μ
          «Start Application»
                                 μ
```



3. μ

 μ μ μ μ μ μ . μ μ μ . $\mu\mu$.

•











4. $\mu \mu$ (ND)



μ μ μ. μ μ μμ μ μ μ μ μ μ μ μ TAB Settings μ μ μμ μ μ μμ

5. μ μ




```
. 6
                         μμ
                    μμ
                                  μ
                                  μ
 μ
                    Error
                communication
      μ menu
μ
μ F. μ
                                 μ
    μ
               μ
                       μ
                                     μ
    μ
μ
                              \mu \mu
     μ.
```

6. μ μ μ Δίσκος συγκράτησης ρολού. Είσοδος χαρτιού Μπουτόν δοκιμαστικής εκτύπωσης

μ μ μ μ μ μ μ μ μ «test»

DCS 210-6776974 12 .



μ ALT-F4.

