

VirtualZen / lab1_gomez_almeida

Type / to search

Code

Issues

Pull requests1

Agents

Actions

Projects

Wiki

General

Access

Collaborators

Moderation

Code, planning, and automation

Rulesets

Rulesets

Branches

Tags

Actions

Webhooks

Copilot

Planning

Environments

Codespaces

Pages

Security and quality

Advanced Security

Deploy keys

Secrets and variables

Integrations

GitHub Apps

Rulesets / mainActive

Ruleset Name *

main

Enforcement status

Active

Bypass list

Exempt roles, teams, agents, apps, and users from this ruleset by adding them to the bypass list.

Actors

AllRolesTeamsAppsUsersOthers

+ Add bypass

Bypass list is empty

Target branches

Which branches should be matched?

Branch targeting criteria

Add target

+main

Applies to 1 target: main.

Rules

Which rules should be applied?

https://github.com/VirtualZen/lab1_gomez_almeida/settings/rules/21619570

Page 1 of 3

 Email notifications

Branch rules

☐ **Restrict creations**
Only allow users with bypass permission to create matching refs.

☐ **Restrict updates**
Only allow users with bypass permission to update matching refs.

☐ **Restrict deletions**
Only allow users with bypass permissions to delete matching refs.

☐ **Require linear history**
Prevent merge commits from being pushed to matching refs.

☐ **Require deployments to succeed**
Choose which environments must be successfully deployed to before refs can be pushed into a ref that matches this rule.

☐ **Require signed commits**
Commits pushed to matching refs must have verified signatures.

☒ **Require a pull request before merging**
Require all commits be made to a non-target branch and submitted via a pull request before they can be merged.

Show additional settings ▾

☐ **Require status checks to pass**
Choose which status checks must pass before the ref is updated. When enabled, commits must first be pushed to another ref where the checks pass.

☐ **Block force pushes**
Prevent users with push access from force pushing to refs.

☐**Require code scanning results**

Choose which tools must provide code scanning results before the reference is updated. When configured, code scanning must be enabled and have results for both the commit and the reference being updated.

☐**Require code quality results**

Choose which severity levels of code quality results should block pull request merges. When configured, a code quality analysis must be done on the pull request before the changes can be merged.

☐**Restrict code coverage**

Enforce minimum line coverage thresholds on pull requests. When configured, uploaded coverage data must meet the specified criteria before changes can be merged.

☐**Automatically request Copilot code review**

Request Copilot code review for new pull requests automatically if the author has access to Copilot code review and their premium requests quota has not reached the limit.

Save changes**Revert changes**