



# NAVODAYA INSTITUTE OF TECHNOLOGY, RAICHUR

## DEPARMENT OF COMPUTER SCIENCE & ENGINEERING

### Web Technology Lab

#### Program - 1

1. Develop the HTML page named as “Myfirstwebpage.html”. Add the following tags with relevant content. Set the title of the page as “My First Web Page” Within the body use the following tags:

a) Moving text = “Basic HTML Tags”

b) Different heading tags (h1 to h6)

c) Paragraph

d) Horizontal line

e) Line Break

f) Block Quote

g) Pre tag

h) Different Logical Style (, , etc..)

#### Program :

```
<!DOCTYPE html>
```

```
<head>
```

```
<title>My First Web Page | NITPulse</title>
```

```
</head>
```

```
<body>
```

```
<!-- Moving text -->
```

```
<marquee>Welcome to NITPulse</marquee>
```

```
<!-- Different heading tags -->
```

```
<h1>This is an H1 heading</h1>
```

```
<h2>This is an H2 heading</h2>
```

```
<h3>This is an H3 heading</h3>
```

<h4>This is an H4 heading</h4>  
<h5>This is an H5 heading</h5>  
<h6>This is an H6 heading</h6>

<!-- Paragraph -->  
<p>This is a paragraph demonstrating the use of the paragraph tag in HTML.</p>

<!-- Horizontal line -->  
<hr>

<!-- Line break -->  
<p>This is a line of text before the break.<br>This is a line of text after the break.</p>

<!-- Block Quote -->  
<blockquote>  
This is a blockquote. It is used to display a quotation or excerpt from another source.  
</blockquote>

<!-- Pre tag -->  
<pre>  
This is preformatted text.  
It preserves spaces and line breaks.  
</pre>

<!-- Different Logical Style tags -->  
<p>This is <b>bold</b> text.</p>  
<p>This is <i>italicized</i> text.</p>  
<p>This is <u>underlined</u> text.</p>  
<p>This is <sup>superscript</sup> text.</p>  
<p>This is <sub>subscript</sub> text.</p>  
<p>This is <em>emphasized</em> text.</p>  
<p>This is <strong>strong</strong> text.</p>  
<p>This is <mark>highlighted</mark> text.</p>  
<p>This is <small>small</small> text.</p>  
<p>This is <del>deleted</del> text.</p>  
<p>This is <ins>inserted</ins> text.</p>  
<p>This is <code>inline code</code> text.</p>  
</body>

</html>

## Output :

Welcome to NITPulse

This is an H2 heading

This is an H3 heading

This is an H4 heading

This is an H5 heading

This is an H6 heading

This is a paragraph demonstrating the use of the paragraph tag in HTML.

---

This is a line of text before the break.

This is a line of text after the break.

This is a blockquote. It is used to display a quotation or excerpt from another source.

This is preformatted text.

It preserves spaces and line breaks.

This is **bold** text.

This is *italicized* text.

This is underlined text.

This is <sup>superscript</sup> text.

This is <sub>subscript</sub> text.

This is *emphasized* text.

This is **strong** text.

This is **highlighted** text.

This is small text.

This is ~~deleted~~ text.

This is inserted text.

This is inline code text.

