


VIRUS TREATMENT CENTERS APIS+ STERILE PLASMA



APIS+ Sterile Fresh Frozen Plasma

APIS+ Sterile plasma is a Fresh Frozen Plasma (FFP) product from Virus Treatment Centers and Fox Rothschild LLP. APIS+ is a plant-based synthetic plasma used for the apheresis treatment of oncology and pathology patients. APIS+ is a clinical plasma formula that replaces natural elements found in donated FFP products. APIS+ provides raw, enhanced medicated antibiotic elements instead of partially digested proteins found in plasma taken from human donors. Each raw ingredient in APIS+ is included fresh from the farm to the clinic. As AVID+ is plant-based, no part of our FFP stock has ever been inside another human and packaged and sold as a medically sterile product. Avis is a congressionally sanctioned COVID-19 emergency countermeasure created to reduce cross-contamination in the medical and healthcare industries. Fresh frozen plasma has been an infection risk for populations of donors and recipients. In April 2024, Virus treatment centers began delivering fresh sterile frozen plasma products during the COVID-19 pandemic when sterile plasma had never existed in human medical history.

Avis Plus is a vegetarian plant-based product with some animal components. Avis is manufactured from farm to clinic as a sterile food-grade clinical-grade product. Animal components included in Avis are concentrated from organic non-GMO beeswax, which may include elements found in the bee's natural environment, including honey. Field

debris found on honeycombs and bee nests is removed during our farming process. Plant-based medical formulas are fed directly to the virus treatment center bee population via traditional gardening methods by indigenous peoples in regions where our bee products are sourced. In the honeybee's natural environment, the species spin in circles, rapidly generating heat and separating portions of the whole blood within the bee population. Separated whole blood is secreted as beeswax plasma and honey platelets. The heat from the centrifugal process contributes to the sterilization processes used by Virus Treatment Center's scientists and engineers.

The process of turning beeswax into viable fresh frozen plasma was developed at USMRICD by USMC CMC Correo Hofstad and USMC CMC Melody Bouck. Avis TC is currently available by trial at Fred Hutchinson Cancer Center during Operation Cancer Moonshot hosted by President CMC Joseph Biden. The University of Washington APIS+ trial is available at Fred Hutch Cancer Center until November 21, 2025.

APIS+ and other VirusTC products are designed for use with Haemonetics brand Apheresis machines and filters. VirusTC products provide high-alkalinity solutions. Our formulas are highly concentrated to remove heavy elements from the body during oncology treatments. Our apheresis products redox cancer and virus cells in red blood components. Haemonetics filters are densely manufactured and required to remove oxidization from iron in blood platelets during apheresis. VirusTC's apheresis products REDOX cancer and virus cells in red blood components.

What is in Human Plasma?

Coagulants for blood clotting

Fibrinogen in plasma is the main coagulant used by the body to patch wounds and stop bleeding. Fibrinogen oxidizes when the epidermis is breached. The oxidation of fibrinogen creates a viscous gel. Fibrinogen reduces blood flow by hardening around damaged epidermal regions.

Proteins

Plasma contains the body's building materials. Proteins in plasma are carried by whole blood throughout the body during a 24-hour daily regeneration process. Plasma delivers calcium to bones. Plasma delivers protein to muscles. Plasma delivers glucose to the brain.

The following proteins have been identified in blood plasma:

Fibrinogen, Serum albumin, Immunoglobulin G, Haptoglobin, alpha-2-Macroglobulin, Immunoglobulin A, Transferrin, Ceruloplasmin, Acid phosphatase, Myoglobin, Hemopexin, Transthyretin, Beta-2 microglobulin, Transcortin, Thyroxine-binding globulin, Alpha-1-proteinase inhibitor, Complement component 3, Uromodulin, Cystatin C Osteonectin, Interleukin 4, Ciliary neurotrophic factor, Alpha 1-antichymotrypsin, Bactericidal permeability-increasing protein, CCL28, Interleukin 31, Interleukin 21, Interleukin 28,

Interleukin 22, Interleukin 19, Midkine, CCL1, Lipopolysaccharide binding protein, CCL8, CCL11, CCL13, CCL25, Mannan-binding lectin, CCL18, CCL16, CCL22, CCL17, CX3CL1, CCL19, CCL23, CCL24, CCL26, CCL27, CXCL1, CXCL3, CXCL5

Electrolytes

Plasma delivers chemical elements to organs, lymph tissues, bones, connective tissues, and muscles within the body. Plasma supports the body's electrical functions by delivering conductive electrolytes like Zinc to the nervous system.

The following electrolytes have been found in blood plasma.

Na⁺, K⁺, Cl⁻, CO₂, HCO₃⁻, Creatine, Urea Nitrogen, Glucose

Immunoglobulins

"Plasma" is a term applied to white blood cells separated from whole blood. Plasma contains every defense mechanism available to the human body. Plasma delivers infection-fighting compounds to compromised areas of the body.

What is in APIS+ Sterile FFP?

Coagulants for blood clotting

Phospholipase is the active coagulant used by APIS+ to patch wounds and stop bleeding. Phospholipase oxidizes with hydrogen peroxide in APIS+ when the epidermis is breached. The oxidization of fibrinogen creates a viscous "biowax". Phospholipase reduces blood flow by hardening around damaged epidermal regions.

Proteins

Glucose oxidase, acid phosphatase, and phospholipase are active ingredients used by APIS+.

APIS+ contains Major Royal Jelly Proteins:

MRJP1 (also called royalactin), MRJP2, MRJP3, MRJP4, MRJP5, MRJP1-9, MRJP1-5, diastases (α - and β -amylase), invertases (sucrase, saccharase or glucosidase), glucose oxidase (oxido-reductase), acid phosphatase, catalase, transglucosylase, phosphorylase, SOD1, proteolytic enzymes, and Amino acid chains jellein-1, jellein-2, and jellein-4

Electrolytes

APIS+ delivers VirusTC's medicated electrolytes to organs, lymph tissues, bones, connective tissues, and muscles. APIS+ supports the body's electrical functions by delivering medicated conductive electrolytes like Zinc to the nervous system. APIS+ is high in healthy sodium, potassium, and calcium. APIS+ products contain MG Neshem. MG Neshem increases biodensity by improving cell and tissue strength. APIS+ patients report increased energy.

VirusTC attributes increased energy to volumes of “Flight Electrolytes” bee populations use to power wings for flight. VirusTC converts Electrolytes created to defend bee populations into medicated electrolytes for clinical defense medications to protect human populations from violent cancerous pathogens.

Immunoglobulins

Hydrogen peroxide is the active immune-supporting compound in APIS+ products. APIS+ contains white blood cells from Virus Treatment Center bees. It contains every defense mechanism available to VirusTC bee populations. APIS+ delivers infection-fighting VirusTC bee colony compounds to immunocompromised areas of the body.

Sources:

(PDF) hydrocarbon composition of beeswax (apis mellifera) collected from light and dark coloured combs. (n.d.-b).

https://www.researchgate.net/publication/286852454_Hydrocarbon_Composition_of_Bee_swax_Apis_Mellifera_Collected_from_Light_and_Dark_Coloured_Combs

Altabbal, S., Athamnah, K., Rahma, A., Wali, A. F., Eid, A. H., Iratni, R., & Al Dhaheri, Y. (2023, March 16). *Propolis: A detailed insight of its anticancer molecular mechanisms*. Pharmaceuticals (Basel, Switzerland).

<https://pmc.ncbi.nlm.nih.gov/articles/PMC10059947/>

Asma, S. T., Bobiş, O., Bonta, V., Acaroz, U., Shah, S. R. A., Istanbulgil, F. R., & Arslan-Acaroz, D. (2022, August 30). *General Nutritional Profile of bee products and their potential antiviral properties against mammalian viruses*. MDPI.

<https://www.mdpi.com/2072-6643/14/17/3579>

Author links open overlay panelAjitha Nath Koomankode Ganapathi Ramanathan a, a, b, Highlights•Royal Jelly (RJ) is an extremely nutritious functional food eaten by human beings since prehistoric times when they were forest dwellers.•In addition to being nutritional, AbstractRoyal Jelly (RJ) is a nutrient rich substance secreted by the hypopharyngeal glands of young worker bees. Owing to the exceptional biological properties, Albert, S., Bilikova, K., Calabria, L. K., Cereghino, J. L., Detienne, G., Drapeau, M. D., Fontana, R., Fratini, F., Fujiwara, S., Hrassnigg, N., Kamakura, M., Majtán, J., Malecová, B., Nash, W. G., ... Ibarra-Herrera, C. C. (2018, March 23). *A review on royal jelly proteins and peptides*. Journal of Functional Foods.

<https://www.sciencedirect.com/science/article/abs/pii/S1756464618300884>

Author links open overlay panelCarmen Ioana Mureşan a, a, b, c, Highlights•Royal Jelly (RJ) is a nutritious secretion of honey bees fed to their developing larvae.•As other hive products, & AbstractRoyal jelly (RJ) is a complex beehive product that is important for larval development and queen nutrition in the hive and may also have beneficial effects on human health. (2022, October 17). *Biological properties and activities of major royal jelly proteins and their derived peptides*. Journal of Functional Foods.

<https://www.sciencedirect.com/science/article/pii/S1756464622003565>

Author links open overlay panelLesley A. Chesson a b, a, b, c, AbstractStable isotope analysis is an established method for detecting honey adulteration. We extend its application to include honey and honeycomb region-of-origin assignment using hydrogen ($\delta^2\text{H}$) and oxygen ($\delta^{18}\text{O}$) isotopes. We observed that liquid honey , Anklaam, E., Heaton, K., Kropf, U., Rummel, S., Schellenberg, A., Schmidt, H., Tuzen, M., West, J. B., & Bogdanov, S. (2010, September 17). *B-hive: Beeswax hydrogen isotopes as validation of environment. part I: Bulk Honey and Honeycomb stable isotope analysis*. Food Chemistry. <https://www.sciencedirect.com/science/article/abs/pii/S0308814610011362>

Beeswax composition from different geographical and ... (n.d.-a). https://www.researchgate.net/figure/Beeswax-Composition-from-Different-Geographical-and-Botanical-Origins-50-132-133-138-139_tbl2_357519391

Cornara, L., Biagi, M., Xiao, J., & Burlando, B. (2017, June 28). *Therapeutic properties of bioactive compounds from different honeybee products*. Frontiers in pharmacology. <https://pmc.ncbi.nlm.nih.gov/articles/PMC5487425/>

Evans, J. D., Aronstein, K., Chen, Y. P., Hetru, C., Imler, J.-L., Jiang, H., Kanost, M., Thompson, G. J., Zou, Z., & Hultmark, D. (2006, October). *Immune Pathways and defence mechanisms in honey bees apis mellifera*. Insect molecular biology. <https://pmc.ncbi.nlm.nih.gov/articles/PMC1847501/>

Gajger IT;Kosanović M;Oreščanin V;Kos S;Bilandžić N; (n.d.). *Mineral content in honeybee wax combs as a measurement of the impact of environmental factors*. Bulletin of environmental contamination and toxicology. <https://pubmed.ncbi.nlm.nih.gov/31520141/>

Giampieri, F., Quiles, J. L., Cianciosi, D., Forbes-Hernández, T. Y., Orantes-Bermejo, F. J., Alvarez-Suarez, J. M., & Battino, M. (2022, June 15). *Bee Products: An emblematic example of underutilized sources of bioactive compounds*. Journal of agricultural and food chemistry. <https://pmc.ncbi.nlm.nih.gov/articles/PMC9204823/>

Hassona, N. M., & El-Wahed, A. A. A. (2023, August 20). *Heavy metal concentrations of beeswax (apis mellifera L.) at different ages*. Bulletin of environmental contamination and toxicology. <https://pmc.ncbi.nlm.nih.gov/articles/PMC10440263/>

Hayakawa, M. (2017, January 20). *Dynamics of fibrinogen in acute phases of trauma - journal of intensive care*. BioMed Central. <https://jintensivecare.biomedcentral.com/articles/10.1186/s40560-016-0199-3>

J;, A. S. (n.d.). *The MRJP/yellow protein family of apis mellifera: Identification of new members in the EST library*. Journal of insect physiology. <https://pubmed.ncbi.nlm.nih.gov/15037093/>

Marcolin LC;de Oliveira Arias JL;Kupski L;Barbosa SC;Primel EG; (n.d.). *Polycyclic aromatic hydrocarbons (pahs) in honey from stingless bees (Meliponinae) in southern Brazil*. Food chemistry. <https://pubmed.ncbi.nlm.nih.gov/36401893/>

The proteins of beeswax | semantic scholar. (n.d.-c).

<https://www.semanticscholar.org/paper/The-proteins-of-beeswax-Kurstjens-Mcclain/509a7571e0ac43c163c493dbbfa4002d7f986f24>

Resh, V. H., & Cardé, R. T. (Eds.). (2009). *Encyclopedia of Insects (Second Edition), Chapter 20 - Bee Products*. ScienceDirect.com | Science, health and medical journals, full text articles and books.

<https://www.sciencedirect.com/science/article/abs/pii/B9780123741448000205>

S;, B. A. R. (n.d.). *Origin and function of the major royal jelly proteins of the Honeybee (Apis mellifera) as members of the Yellow Gene Family*. Biological reviews of the Cambridge Philosophical Society. <https://pubmed.ncbi.nlm.nih.gov/23855350/>

Schmitzová J;Klaudiny J;Albert S;Schröder W;Schreckengost W;Hanes J;Júdová J;Simúth J; (n.d.). *A family of major royal jelly proteins of the Honeybee Apis mellifera L*. Cellular and molecular life sciences : CMLS. <https://pubmed.ncbi.nlm.nih.gov/9791542/>

Tian, W., Li, M., Guo, H., Peng, W., Xue, X., Hu, Y., Liu, Y., Zhao, Y., Fang, X., Wang, K., Li, X., Tong, Y., Conlon, M. A., Wu, W., Ren, F., & Chen, Z. (2018, August 22). *Architecture of the native major royal jelly protein 1 oligomer*. Nature communications. <https://pmc.ncbi.nlm.nih.gov/articles/PMC6105727/>

Vernier, C. L., Krupp, J. J., Marcus, K., Hefetz, A., Levine, J. D., & Ben-Shahar, Y. (2019, February 5). *The cuticular hydrocarbon profiles of Honey Bee workers develop via a socially-modulated innate process*. eLife. https://pmc.ncbi.nlm.nih.gov/articles/PMC6382352/?fbclid=IwZXh0bgNhZW0CMTEAR2fNL3XV442DPBr6dMMmWYOB0GhIVfLE2XhjG3y-l5YeQDI-2L4IDhEDPw_aem_HKNE9E2sOR5_eaQa5uf5KA