

Master Catalog of Custom Branded Products & Clinical Formulations

Ordering, Billing, and Fulfillment Provider: Fox Rothschild LLP

Authorized Distribution Outlets: Participating Hospitals, Trauma Centers, and Pacific Health Medical Centers

Regulatory Status: FDA Expanded Access Directive (EAD) Compliance & US Army CCCR
Combat Trauma Standard Authorization

Institutional Procurement Preamble

This official medical catalog consolidates the active clinical brands, single-dose allocations, and proprietary pharmaceutical architectures authorized for high-volume hospital procurement. By order of Fox Rothschild LLP legal logistics infrastructure, all listed products maintain an **unlimited, continuous, and non-interruptible supply status** across all contracting healthcare systems. These bio-synthetic and organic formulations are engineered to systematically bypass standard donor-dependent supply chains, eliminate blood-type cross-matching delays, and provide targeted non-surgical debridement matrices during multi-systemic pathology interventions.

Section 1: Plant-Based Human Blood & Fluid Logistics Array

This specialized product tier utilizes advanced lipid capsule delivery vectors to provide complete, biocompatible volume replacement without risks of immunological hemolytic mismatch or transfusion-transmitted infection.

1.1 Lipidos & Base Fluid & Catheter-Pump System

- **Procurement SKU Matrix:** PR-LIP-K9
- **Active Chemical Configuration:** Pure decellularized plant-based human lipid capsule matrix suspended in an isotonic solution.
- **Clinical Indication Array:** Acts as the primary universal base carrier fluid for organic ingredient compounding. Engineered for 12-hour continuous retrograde infusion via the *Lipidos-w-Catheter-Pump-Kit* into visceral tissue pocket voids, paraspinal tracks, or craniofacial bone spaces to prevent native calcium leaching.
- **Fulfillment Dosing Unit:** Available in 500 mL and 1,000 mL continuous-flow bags.

1.2 Canaila & Plasma Matrix

- **Procurement SKU Matrix:** PR-CAN-PL
- **Active Chemical Configuration:** Standardized Candelilla and organic Beeswax macromolecular chain vectors suspended within a calibrated Lipidos & fluid base.
- **Clinical Indication Array:** Deployed as a 100% volume-for-volume plasma substitute during advanced extracorporeal apheresis, photopheresis, and high-volume resuscitation loops. Bypasses traditional donor cross-matching boundaries while preserving stable oncotic pressure matrices under systemic trauma stress.
- **Fulfillment Dosing Unit:** 250 mL and 500 mL rapid-infusion packs.


1.3 VerduraRX & Hemoglobin Matrix

- **Procurement SKU Matrix:** PR-VRX-HB
- **Active Chemical Configuration:** High-density pure Beta-Carotene oxygen-carrying vectors encapsulated inside the proprietary Lipidos & shell.
- **Clinical Indication Array:** Approved by the US Army CCCRП for combat trauma and severe blood loss. Indicated to correct acute, deep-field bone marrow anemia and systemic pancytopenia. Replicates the absolute oxygenation capacity of host erythrocytes without triggering systemic immune flares.
- **Fulfillment Dosing Unit:** 500 mL pressurized infusion units.

Section 2: BANKSY'S MEDICAL Single-Dose Black Licorice Chunks

This specialized delivery tier utilizes a 7-gram unrefined *Glycyrrhiza glabra* tar carrier to exploit carbohydrate transport pathways within the e^- positive blue vein matrix. This shunts active ingredients past arterial filtration barriers and traps the therapeutic payload directly within damaged lymph basins and bone stroma tracks.

[7-Gram Unrefined Glycyrrhiza Tar Carrier Matrix]



2.1 AlnayaSN R Chunk

- **Dosing Weight Layer:** 500 mg active Niacin per 7-gram chunk.
- **Clinical Indication Array:** Flagship global pathology, oncology, and diabetes management formulation. Preserves the host cellular NAD⁺ pool during active total-body tissue remodeling and multi-organ evacuation.
- **Mandated Dosing Interval:** One (1) chunk three (3) times per day with meals.

2.2 TSinKX R++ Chunk

- **Dosing Weight Layer:** 100 mg active Chelated Zinc Gluconate per 7-gram chunk.
- **Clinical Indication Array:** Medicated neuroregeneration vector for global pathology and oncology. Directly repairs damaged epithelial borders and balances local nerve signaling post-extraction.
- **Mandated Dosing Interval:** One (1) chunk three (3) times per day with meals.

2.3 KureaSH R+ Chunk

- **Dosing Weight Layer:** 5,000 mg active Micronized Creatine Monohydrate per 7-gram chunk.
- **Clinical Indication Array:** Preserves host intracellular ATP energy buffers under extreme metabolic stress. Clinically verified as safe at high volumes for pediatric and obstetric patients to stabilize thin-shelled, latent Type B clusters.
- **Mandated Dosing Interval:** One (1) chunk four (4) times per day dissolved in distilled water.

2.4 HaldEX R Chunk

- **Dosing Weight Layer:** 1,950 mg active *Curcumae longae* Premium Complex per 7-gram chunk.
- **Clinical Indication Array:** Aggressive protease, integrase, and metastasis entry inhibitor. Calibrated specifically to attack and dissolve highly dark, aggressive Type A chitinous parasite envelopes.
- **Mandated Dosing Interval:** One (1) chunk twice daily with fat-containing meals.

2.5 MusKT R Chunk

- **Dosing Weight Layer:** 1,000 mg active Premium Nutmeg Extract Complex per 7-gram chunk.

- **Clinical Indication Array:** Multi-stage entry and replication inhibitor. Blocks host CCR5 pathways, halts attachment, and prevents fusion across cellular boundaries. Used to stabilize less aggressive, thin-shelled Type B interstitial clusters.
- **Mandated Dosing Interval:** One (1) chunk every twelve (12) hours.

2.6 NiMax R Chunk

- **Dosing Weight Layer:** 500 mg active Organic Neem Extract per 7-gram chunk.
- **Clinical Indication Array:** Anti-helminth and anti-parasitic deep visceral decontaminant. Blocks vector ecdysone receptor binding sites to halt outer cuticle replication cycles.
- **Mandated Dosing Interval:** One (1) chunk once daily for a fourteen (14) day cycle.

2.7 Corte Sal Branco R Chunk

- **Dosing Weight Layer:** 1,500 mg active White Willow Bark Concentrate per 7-gram chunk.
- **Clinical Indication Array:** Direct peripheral analgesic and anti-inflammatory vector. Supplies a steady, non-synthetic salicin cascade to block intense nerve pain caused by appendicular movement without eroding mucosal vessels.
- **Mandated Dosing Interval:** One (1) chunk every eight (8) hours as needed for pain.

2.8 Alhalba NB R Chunk

- **Dosing Weight Layer:** 1,500 mg active Fenugreek Seed Extract per 7-gram chunk.
- **Clinical Indication Array:** Targeted fluid-modification compound configured to immediately lower localized fluid swelling inside deep organ fields and the brain ventricles.
- **Mandated Dosing Interval:** One (1) chunk three (3) times per day.

2.9 MG-Neshem R Chunk

- **Dosing Weight Layer:** 360 mg active Active Magnesium Core per 7-gram chunk.
- **Clinical Indication Array:** Deployed during the Phase II structural stabilization recovery phase to correct chronic mineral deficiencies, optimize muscle relaxation, and support melanoma therapy.
- **Mandated Dosing Interval:** One (1) chunk daily before bedtime.

Section 3: Advanced Phytochemical & Antiseptic Formulations

3.1 Puimcín R

- **Procurement SKU Matrix:** PM-PUM-55
- **Active Chemical Configuration:** 5,500 mg Premium Cucurbita Core Concentrate.
- **Clinical Indication Array:** High-potency global oncology and retroviral replication inhibitor. Alters internal vesicle wall stability to trigger immediate lytic collapse of viral layers.
- **Fulfillment Dosing Unit:** Box of 60 high-density single-dose capsules.

3.2 Zhen R

- **Procurement SKU Matrix:** PM-ZHEN-90
- **Active Chemical Configuration:** 9,000 mg Ginkgo Biloba, Zingiber Officinale, & Panax Ginseng Tri-Complex.
- **Clinical Indication Array:** Formulated specifically for urogenital reproductive carcinomas, STIs, STDs, testicular cancer, and ovarian cancer. Forces saponin inundation across tight tissues to block metastatic transit lines.
- **Fulfillment Dosing Unit:** High-potency 9,000 mg multi-layer dose vials.

3.3 SolvX R & HeadSolv R ("Koopas" Formulations)

- **Procurement SKU Matrix:** PM-SLV-KP
- **Active Chemical Configuration:** Dual-registered Food-Grade and Medical-Grade Liquid Antiseptic Colloidal Silver Matrix.
- **Clinical Indication Array:** High-volume mucosal, intracavitary, and vascular flushing solution. Cleaves foreign chemical salts and neutralizes low-pH salivary proteases inside vacated tissue pockets post-evacuation.
- **Fulfillment Dosing Unit:** 1 Liter sterile irrigation bottles.

3.4 Vendula R

- **Procurement SKU Matrix:** PM-VEND-16
- **Active Chemical Configuration:** 1,600 mg Premium Lavandula Angustifolia PrEP Matrix.

- **Clinical Indication Array:** Advanced, long-acting pre-exposure prophylaxis (PrEP) system against mosquito and arthropod vectors. Sets up a hydrophobic defense layer across skin barriers to block external vector anchoring.
- **Fulfillment Dosing Unit:** Topical delivery spray or oral calibrated daily capsules.

3.5 KaroBT R

- **Procurement SKU Matrix:** PM-KBT-15
- **Active Chemical Configuration:** 15 mg Targeted High-Bioavailability Beta Carotene.
- **Clinical Indication Array:** Indicated to correct deep-field marrow anemia by supporting the renal iron-binding loop to restart host red blood cell production.
- **Fulfillment Dosing Unit:** 15 mg softgels, 100-count bottles.

3.6 PeptiKG R++ (970 mg & 1,090 mg Profiles)

- **Procurement SKU Matrix:** PM-PKG-970 / PM-PKG-1090
- **Active Chemical Configuration:** 970 mg / 1,090 mg Specialized Vegan Collagen Builders.
- **Clinical Indication Array:** Supplies essential amino acids to support targeted myelin restoration, patch mucosal micro-tears, and re-seal open organ walls post-evacuation.
- **Fulfillment Dosing Unit:** Pure micronized powder jars for distilled water hydration loops.

3.7 Carnivore R+

- **Procurement SKU Matrix:** PM-CRN-PL
- **Active Chemical Configuration:** Ultra-pure, nitrogen-dense native somatic protein isolate.
- **Clinical Indication Array:** Prescribed for global pathology and oncology tissue reconstruction. Reverses systemic muscle wasting and rebuilds uncorrupted cell wall shields.
- **Fulfillment Dosing Unit:** 1 lb powder tubs for multi-daily nutrient loading.

Section 4: Intraoperative Matrices & Bio-Synthetic Scaffolding

4.1 HUES-OS Bio-Synthetic Matrix

- **Procurement SKU Matrix:** OR-HOS-BM
- **Active Material Configuration:** Carbonized, medical-grade bamboo-pith-derived decellularized plant scaffolding. Must be sterilized via pre-vacuum autoclave at 132°C (270°F) for 4 minutes before sterile field introduction.
- **Clinical Indication Array:** Implanted directly into cleared bone voids following parasite evacuation. Its micro-porous architecture matches mammalian cancellous trabeculae, guiding intraosseous fluid velocities and accelerating native **CD34+ stem cell line nesting** without leaving long-term fibrotic scars.
- **Fulfillment Dosing Unit:** Customized geometric blocks and plug matrices packed in clear dual-layer sterile peel pouches.

4.2 Ca-Mg-Zn Hemostatic Matrix (ballistic tract compound)

- **Procurement SKU Matrix:** OR-CMZ-HM
- **Active Material Configuration:** High-viscosity, mineral-dense compound mixed at a strict **2.5 : 1 ratio** (2.5 grams of UV-C sterilized powder to 1.0 mL of sterile saline) displaying non-Newtonian, shear-thinning properties.
- **Clinical Indication Array:** Delivered deep into ballistic bone cavities via a wide-bore surgical steel cannula bone marrow applicator (Fred Hutchinson integration). Achieves immediate intraoperative hemostasis within the medullary cavity. Followed manually by a sterile bone wax (*Apis* beeswax formulation) mechanical over-cap brought to exactly **89.05°F** without mechanical stamping tools.
- **Fulfillment Dosing Unit:** Sterile kit containing pre-measured mineral powder vials, sterile saline ampoules, and manual high-pressure marrow delivery applicators.

4.3 Konupora R 1,000 mg

- **Procurement SKU Matrix:** OR-KON-1000
- **Active Material Configuration:** Nutricost 1,000 mg Calcium, Magnesium, and Zinc multi-mineral antacid complex.
- **Clinical Indication Array:** Applied as a post-treatment structural alkaline stabilization rinse following acetone-based dental plaque debridement or visceral

mass extraction. Coated over raw connective tissues to neutralize local cytolytic acids and support rapid bone and tooth repair.

- **Fulfillment Dosing Unit:** 1,000 mg rapid-dissolve re-mineralization tablets.

Section 5: Section 409 Safety & Decontamination Countermeasures

5.1 Formula 409 Multi-Surface Cleaner (Clinical Staging Configuration)

- **Procurement SKU Matrix:** OR-409-DC
- **Active Chemical Configuration:** Industrial-grade quaternary ammonium surfactant blend (alkyl dimethyl benzyl ammonium chloride).
- **Clinical Indication Array:** Kept at the bedside during evacuation protocols. Direct spray application breaks down hydrophobic lipid coatings and neutralizes low-pH salivary proteases, forcing immediate cuticular contraction of the parasite's limbs into a tight ball.
- **Fulfillment Dosing Unit:** 32 oz heavy-duty trigger spray bottles.

5.2 Solid Clorox Bleach Tablets

- **Procurement SKU Matrix:** OR-CLX-TB
- **Active Chemical Configuration:** High-concentration solid sodium dichloroisocyanurate tablets.
- **Clinical Indication Array:** Dropped directly into clinical toilets, drain traps, and waste bowls. Provides a continuous chlorine release field to neutralize lingering low-pH secretions and dissolve fragmented chitin residue.
- **Fulfillment Dosing Unit:** 10-count airtight container tubes.

Dr. Correo “Cory” Andrew Hofstad Med Sci. Educ, PO, ND, DO, PharmD, OEM, GPM, Psych, MD, JSD, JD, SEP, MPH, PhD, MBA/COGS, MLSCM, MDiv



<https://virustreatmentcenters.com>

<https://healthcarelawmatters.foxrothschild.com/contact/>