

Cofre de Acceso — TVS

Trinnity Viseron System v5.0 — Autonomous Enterprise
(AEOS) · Español

Español

AEOS Suite

TVS v5.0

DATA · 06/08/2026

www.trinnityviseronssystem.io

TVS v5.0

Todas las contraseñas, comandos y accesos de todas las plataformas del ecosistema. Documento CONFIDENCIAL (no versionado).

Inventario completo de acceso al ecosistema TVS. Mantener fuera de git; compartir solo con el equipo autorizado.

1 Plataformas y Accesos

GitHub <https://github.com/ViseronSystem/trinnity-viseron-system>

OmniRoute (Dashboard) <http://localhost:20128> — login con contraseña (abajo)

n8n (Workflow) <http://localhost:5678> — admin / viseron

TVS Dashboard <http://localhost:3000>

ReportServer <http://localhost:3001>

ViseronWeb <http://localhost:32123>

Dominios trinnityviseron.com · trinnityviseronssystem.io

Ollama local <http://localhost:11434> — modelo qwen2.5:3b

2 Credenciales (entorno .env)

Las claves sensibles se listan abajo. El archivo .env no está versionado.

TWILIO_AUTH_TOKEN 9e7039bf84a948cc68ae66d4d96d52ff

CLOUDFLARE_API_TOKEN cfut_PXBy0dTgZQWiX83GwYnco8EiXDuhcpFuiSGrowgxb02c8566

CLOUDFLARE_R2_ACCESS_KEY_ID 28165c4c9389aa6bee63cf1a866d9a66

CLOUDFLARE_R2_SECRET_ACCESS_KEY 9fb4945622efeae8f85ace451dea345090130d72d13bfdbf32e
df0f1216324

RENDER_API_KEY rnd_arLuyxLkM40ZZ6xGnUGBliz5UXvd

AVIRATO_API_KEY 992e43595de52766f1826c55702bea168020d7e0536a97440cd20498422c94ef

AVIRATO_CLIENT_SECRET 9a452c77828493c1ac5d96085203ca318c7a6fc9750836f474d1c0a8e8f57cee

TVS_JWT_SECRET 3df11996b08864955a865440317b60ee1d61cd3b8c0ce52e7bef6536444d30286f84f234
ee5daa110aad8bb85f05d3dd

N8N_BASIC_AUTH_PASSWORD lgDEtOim-PZa3T3s1hlzPrgk

GOOGLE_CLIENT_SECRET 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

GOOGLE_REFRESH_TOKEN 1//03P-nDi7-CTE0CgYIARAAGAMSNWf-L9lrQpIpRmbucgf_8zqqxi7iKvu2nkQIP
hajRQxy2EzYrZ1ZR82A0UkuUPprOwv9AIFlrk

COMPOSIO_API_KEY ck_va5DX6meRD3-jVILEDeu

3 Variables de entorno (no sensibles)

OLLAMA_HOST <http://localhost:11434>

PORT 3000

REPORT_PORT 3001

OMNIRoute_ENABLED true

OMNIRoute_PORT 20128

OMNIROUTE_DATA_DIR ./data/omniroute
TWILIO_ACCOUNT_SID AC9765cd362646daad2932c75676b8a0c1
TWILIO_PHONE_NUMBER +34617623158
PUBLIC_HOSTNAME localhost
NODE_ENV production
HOSTALIA_FTP_HOST ftp.seusite.com.br
HOSTALIA_FTP_USER usuario
HOSTALIA_FTP_PASS senha
HOSTALIA_FTP_PATH /web
HOSTALIA_FTP_SSL true
CLOUDFLARE_ACCOUNT_ID ec2f740d5c133e7baf546a4757a4fe5f
CLOUDFLARE_ZONE_ID 97a24e685e2ee566d29f911b95dd766d
CLOUDFLARE_R2_ENDPOINT https://ec2f740d5c133e7baf546a4757a4fe5f.r2.cloudflarestorage.com
RENDER_API_URL https://api.render.com/v1
RENDER_SERVICE_ID srv-d9lvqm8u01pc738uig7g
RENDER_WEB_URL https://viseron-web.onrender.com
AVIRATO_WEBCODE 853916B
AVIRATO_ENV live
N8N_BASIC_AUTH_USER n8n_c5dba171
EMAIL_CLIENT_ID 1008059854735-d32ek5o42niigj1dmrjlobj9bqvldl.apps.googleusercontent.com
EMAIL_USER daviicostaaa11@gmail.com
EMAIL_PROVIDER gmail
EMAIL_FROM Trinnity Viseron System <daviicostaaa11@gmail.com>
TVS_PUBLIC_URL https://viseron-web.onrender.com
DATABASE_URL postgresql://neondb_owner:npg_qaoXOc6LHr2C@ep-wild-math-ag7ie1z2.c-2.eu-central-1.aws.neon.tech/neondb?sslmode=require

4 Comandos (npm run ...)

npm run start node --max-old-space-size=8192 dist/src/index.js
npm run restart powershell -ExecutionPolicy Bypass -File scripts/restart.ps1
npm run start:exe build\tvs-standalone\tvs-viseron-win.exe
npm run dev nodemon --exec tsx --max-old-space-size=8192 src/index.ts
npm run build tsc && node -e "const f=require('fs-extra');f.copySync('src/dashboard/public','dist/src/dashboard/public',{overwrite:true});f.copySync('src/omega/agent-runtime/specs','dist/src/omega/agent-runtime/specs',{overwrite:true});f.copySync('src/omega/squads/manifests','dist/src/omega/squads/manifests',{overwrite:true});f.copySync('src/omega/enterprise/manifests','dist/src/omega/enterprise/manifests',{overwrite:true});console.log('[build] public/ + omega specs/ + squads manifests/ + enterprise manifests/ copied)"
npm run test tsx tests/core.test.ts && tsx tests/web.test.ts && tsx tests/omega.test.ts && tsx tests/os.test.ts
npm run test:core tsx tests/core.test.ts
npm run test:web tsx tests/web.test.ts
npm run test:omega tsx tests/omega.test.ts

```

npm run test:os tsx tests/os.test.ts
npm run tvs tsx scripts/tvs.ts
npm run tvs:status tsx scripts/tvs.ts status
npm run tvs:list tsx scripts/tvs.ts list
npm run tvs:install tsx scripts/tvs.ts install
npm run tvs:uninstall tsx scripts/tvs.ts uninstall
npm run tvs:update tsx scripts/tvs.ts update
npm run tvs:doctor tsx scripts/tvs.ts doctor
npm run demo tsx scripts/demo-operacional.ts
npm run test:hyper tsx tests/hyperbrain.test.ts
npm run build:android powershell -ExecutionPolicy Bypass -File scripts/build-all.ps1 -Target android
npm run build:ios powershell -ExecutionPolicy Bypass -File scripts/build-all.ps1 -Target ios
npm run build:all powershell -ExecutionPolicy Bypass -File scripts/build-all.ps1 -Target all
npm run build:eas-android powershell -ExecutionPolicy Bypass -File scripts/build-all.ps1 -Target eas-android
npm run build:apk-installer powershell -ExecutionPolicy Bypass -File scripts/build-apk-installer.ps1
npm run build:eas-ios powershell -ExecutionPolicy Bypass -File scripts/build-all.ps1 -Target eas-ios
npm run mobile:start cd mobile && npx expo start
npm run mobile:android cd mobile && npx expo run:android
npm run mobile:ios cd mobile && npx expo run:ios
npm run launch tsx src/launch/market.ts
npm run setup npm install && cd mobile && npm install
npm run lint tsc --noEmit
npm run omniroute:install npm install omniroute
npm run omniroute:start node -e "const{OmniRouteBridge}=require('./dist/src/integrations/omniroute/OmniRouteBridge');new OmniRouteBridge(null,{port:20128,autoStart:true}).initialize()"
npm run build:exe node scripts/build-standalone.mjs
npm run build:exe:win node scripts/build-standalone.mjs --platform win
npm run build:exe:mac node scripts/build-standalone.mjs --platform mac
npm run build:exe:linux node scripts/build-standalone.mjs --platform linux
npm run build:exe:all node scripts/build-standalone.mjs --platform all
npm run build:electron node scripts/build-standalone.mjs --platform win --electron
npm run build:electron:all node scripts/build-standalone.mjs --platform all --electron
npm run electron:setup cd electron && npm install
npm run electron:start cd electron && npx electron .
npm run electron:build:win cd electron && npm run build:win
npm run electron:build:mac cd electron && npm run build:mac
npm run electron:build:linux cd electron && npm run build:linux
npm run call:start node -e "require('./dist/src/integrations/call-system/CallSystemBridge').startServer()"
npm run jarvis:start node -e "require('./dist/src/integrations/openjarvis/OpenJarvisBridge').startServer()"
npm run asno:start node -e "require('./dist/src/integrations/asno/ASNOBridge').startServer()"
npm run super:start tsx src/index.ts
npm run backup powershell -ExecutionPolicy Bypass -File scripts/backup-system.ps1

```

```

npm run backup:schedule powershell -ExecutionPolicy Bypass -File scripts/schedule-backup.ps1
npm run skills:ts tsx scripts/skills.ts
npm run skills:install tsx scripts/skills.ts install
npm run skills:list tsx scripts/skills.ts list
npm run skills:search tsx scripts/skills.ts search
npm run skills:info tsx scripts/skills.ts info
npm run init powershell -ExecutionPolicy Bypass -File scripts/init-system.ps1
npm run init:full powershell -ExecutionPolicy Bypass -File scripts/init-system.ps1 -Full
npm run deploy powershell -ExecutionPolicy Bypass -File scripts/deploy-all.ps1
npm run deploy:all powershell -ExecutionPolicy Bypass -File scripts/deploy-all.ps1 -Full
npm run deploy:full powershell -ExecutionPolicy Bypass -File scripts/deploy-all.ps1 -Full
npm run deploy:github powershell -ExecutionPolicy Bypass -File scripts/deploy-all.ps1 -GitHub
npm run deploy:render powershell -ExecutionPolicy Bypass -File scripts/deploy-render.ps1
npm run deploy:hostalia powershell -ExecutionPolicy Bypass -File scripts/deploy-hostalia.ps1
npm run deploy:vercel powershell -ExecutionPolicy Bypass -File scripts/deploy-all.ps1 -Vercel
npm run start:web node dist/src/web/standalone-server.js
npm run dev:web tsx src/web/standalone-server.ts
npm run audit:full node scripts/full-audit.mjs
npm run pitch tsx scripts/gerar-pitch-investidores.ts
npm run pitch:startup tsx scripts/gerar-pitch-startup.ts
npm run pitch:v6 tsx scripts/gerar-pitch-v6.ts
npm run roadmap tsx scripts/gerar-roadmap-milionario.ts
npm run docs:100 tsx scripts/gerar-100-melhorias.ts
npm run report:update tsx scripts/gerar-relatorio-update.ts
npm run report:state tsx scripts/gerar-relatorio-estado.ts
npm run docs:revenue tsx scripts/gerar-pipeline-receita.ts
npm run audit:arkom tsx scripts/audit-arkom.ts
npm run demo:jarvis tsx scripts/demo-jarvis.ts
npm run gmail:setup tsx scripts/setup-gmail.ts
npm run demo:email tsx scripts/demo-email.ts
npm run demo:messaging tsx scripts/demo-messaging.ts
npm run pdfs:all powershell -ExecutionPolicy Bypass -File scripts/gerar-todos-pdfs.ps1
npm run squad:scan tsx src/omega/squads/SquadScanner.ts
npm run pdf:comandos tsx scripts/gerar-pdf-comandos-senhas.ts
npm run pdf:ficheiro tsx scripts/gerar-ficheiro-projeto.ts
npm run pdf:all-trilingual tsx scripts/gerar-pdf-comandos-senhas.ts && tsx scripts/gerar-ficheiro-projeto.ts && tsx scripts/gerar-pitch-investidores.ts && tsx scripts/gerar-pitch-startup.ts
npm run cudacyclone tsx scripts/cudacyclone.ts
npm run deploy:domain powershell -ExecutionPolicy Bypass -File scripts/setup-dominio.ps1 -GenEnv
npm run deploy:domain:check powershell -ExecutionPolicy Bypass -File scripts/setup-dominio.ps1 -Validate
npm run domain:check powershell -ExecutionPolicy Bypass -File scripts/setup-dominio.ps1 -Validate

```