## **TASK 3:EMAIL SPAM DETECTION WITH ML**

## • Program:

```
# Import necessary libraries
import pandas as pd
from sklearn.model selection import train test split
from sklearn.preprocessing import LabelEncoder
from sklearn.feature_extraction.text import CountVectorizer
from sklearn.naive_bayes import MultinomialNB
from sklearn.metrics import accuracy score, classification report,
confusion matrix
# Load the dataset
file path = 'C:\\Users\\krith\\Downloads\\Aaron \\spam.csv'
dataset = pd.read csv(file path, encoding='ISO-8859-1')
# Clean the dataset
dataset_cleaned = dataset.drop(columns=['Unnamed: 2', 'Unnamed: 3',
'Unnamed: 4'1)
dataset_cleaned = dataset_cleaned.rename(columns={'v1': 'label', 'v2':
'message'})
# Convert labels to numerical format
label encoder = LabelEncoder()
dataset cleaned['label'] =
label encoder.fit transform(dataset cleaned['label']) # 0 for ham, 1 for spam
# Split the data into training and testing sets
```

```
X_train, X_test, y_train, y_test = train_test_split(dataset_cleaned['message'],
dataset cleaned['label'], test size=0.2, random state=42)
# Convert text data to numerical data using CountVectorizer
vectorizer = CountVectorizer(stop_words='english')
X_train_vectorized = vectorizer.fit_transform(X_train)
X_test_vectorized = vectorizer.transform(X_test)
# Train the Naive Bayes model
model = MultinomialNB()
model.fit(X_train_vectorized, y_train)
# Make predictions on the test data
y_pred = model.predict(X_test_vectorized)
# Evaluate the model
accuracy = accuracy_score(y_test, y_pred)
print(f"Accuracy: {accuracy * 100:.2f}%")
# Detailed classification report
print("\nClassification Report:")
print(classification_report(y_test, y_pred, target_names=['Ham', 'Spam']))
# Confusion matrix
print("\nConfusion Matrix:")
print(confusion_matrix(y_test, y_pred))
```

Output:

