


Final Project: Disease Data Model

By Vishal Daroor, Vidyasagar Gali, Sandeep Reddy

ER Diagram of the Disease Data Model:



Data Dictinoary:

Table Names	Description	Records
Contacts	store contact person information of customers	319 records
Countries	store country information	25 records
Customers	store customer master	319 records
Employees	store employee master	107 records
Inventeroies	store inventory information of products	1112 records
Location	store locations of warehouses	23 records
Orders	store order header information	105 records
Order_items	store order line items	665 records
disease_categories	store disease categories names	10 records
Medicine	store stock medicine information	10 records
Regions	store regions where the company operates	4 records
Warehouses	store warehouse information	9 records

Schema public

standard public schema

Table contacts

Contact details of the customer

Idx	Field Name	Data Type	Description
*🔑	contact_id	integer	Unique contact id of the customer
*	first_name	varchar(255)	First name of the customer
*	last_name	varchar(255)	Last name of the customer
*	email	varchar(255)	Emai-id of the customer
	phone	varchar(20)	Mobile No. of the customer
↗	customer_id	integer	Customer id of the customer
Indexes			
🔑	contacts_pkey	ON contact_id	
Foreign Keys			
↗	fk_contacts_customers	(customer_id) → customers	

Table countries

Idx	Field Name	Data Type	Description
*🔑	country_id	char(2)	Unique country code
*	country_name	varchar(50)	Name of the country
↗	region_id	integer	Unique code of the region
Indexes			
🔑	countries_pkey	ON country_id	
Foreign Keys			
↗	fk_countries_regions	(region_id) → regions	
Referring Foreign Keys			
↖	fk_locations_countries	(country_id) ← locations	

Table customers

Customers Who bought medicines

Idx	Field Name	Data Type	Description
*🔑	customer_id	integer	Unique ID of customer
*	name	varchar(255)	Name of the customer
	address	varchar(255)	Address details of customer
	credit_limit	double precision	Credit limit of the customer
Indexes			
🔑	customers_pkey	ON customer_id	
Referring Foreign Keys			
↖	fk_contacts_customers	(customer_id) ← contacts	
↖	fk_orders_customers	(customer_id) ← orders	

Table disease_categories

Idx	Field Name	Data Type	Description
*🔑	disease_id	integer	Unique id of the disease
*	disease_name	varchar(255)	Name of the disease
Indexes			
🔑	disease_categories_pkey	ON disease_id	
Referring Foreign Keys			
↖	fk_disease_categories	(disease_id) ← medicine (disease_id)	

Table employees

Idx	Field Name	Data Type	Description
*🔑	employee_id	integer	Unique Id of the employee
*	first_name	varchar(255)	First Name of the Employee
*	last_name	varchar(255)	Last name of the employee
*	email	varchar(255)	Email of the employee
*	phone	varchar(50)	Contact No. of the employee
*	hire_date	date	Hire date of the employee
↗	manager_id	integer	Manager Id of the employee
*	job_title	varchar(255)	Job Title of the employee

Indexes

🔑	employees_pkey	ON employee_id
---	----------------	----------------

Foreign Keys

↗	fk_employees_manager	(manager_id) → employees (employee_id)
---	----------------------	--

Referring Foreign Keys

↖	fk_employees_manager	(employee_id) ← employees (manager_id)
↖	fk_orders_employees	(employee_id) ← orders (salesman_id)

Table inventories

Idx	Field Name	Data Type	Description
*🔑↗	medicine_id	integer	Unique medicine id of inventory
*🔑↗	warehouse_id	integer	Unique ware house id of inventory
*	quantity	integer	Quantity of medicine in inventory

Indexes

🔑	pk_inventories	ON medicine_id, warehouse_id
---	----------------	------------------------------

Foreign Keys

↗	fk_inventories_medicine	(medicine_id) → medicine
↗	fk_inventories_warehouses	(warehouse_id) → warehouses

Table locations

Idx	Field Name	Data Type	Description
*🔑	location_id	integer	Unique id of the warehouse location
*	address	varchar(255)	Address of the warehouse.
	postal_code	varchar(20)	Post-code of the ware house
	city	varchar(50)	City name of the ware house
	state	varchar(50)	State name of the ware house
↗	country_id	char(2)	Unique country id of the ware house location

Indexes

🔑	locations_pkey	ON location_id
---	----------------	----------------

Foreign Keys

↗	fk_locations_countries	(country_id) → countries
---	------------------------	--

Referring Foreign Keys

↖	fk_warehouses_locations	(location_id) ← warehouses
---	-------------------------	--

Table medicine

Idx	Field Name	Data Type	Description
*🔑	medicine_id	integer	Unique id of the medicine
*	medicine_name	varchar(255)	Name of the medicine
	standard_cost	double precision	Standard cost of the medicine
	list_price	double precision	List price of the medicine
*↗	disease_id	integer	Unique disease id of the medicine
Indexes			
🔑	medicine_pkey	ON medicine_id	
Foreign Keys			
↗	fk_disease_categories	(disease_id) → disease_categories (disease_id)	
Referring Foreign Keys			
↖	fk_inventories_medicine	(medicine_id) ← inventories	
↖	fk_order_items_medicine	(medicine_id) ← order_items	

Table order_items

Orders of the medicines

Idx	Field Name	Data Type	Description
*🔑↗	order_id	integer	Unique ID of the customer
*🔑	item_id	integer	Item Id of the medicine
*↗	medicine_id	integer	Unique id of medicine
*	quantity	integer	Quantity of medicines bought
*	unit_price	integer	Price value of the medicine
Indexes			
🔑	pk_order_items	ON order_id, item_id	
Foreign Keys			
↗	fk_order_items_medicine	(medicine_id) → medicine	
↗	fk_order_items_orders	(order_id) → orders	

Table orders

Order details of the sales

Idx	Field Name	Data Type	Description
*🔑	order_id	integer	Unique id of order
*↗	customer_id	integer	Unique id of customer
*	status	varchar(20)	Delivery Status of the order
↗	salesman_id	integer	Unique delivery person id
*	order_date	date	Date of the order placed
Indexes			
🔑	orders_pkey	ON order_id	
Foreign Keys			
↗	fk_orders_customers	(customer_id) → customers	
↗	fk_orders_employees	(salesman_id) → employees (employee_id)	
Referring Foreign Keys			
↖	fk_order_items_orders	(order_id) ← order_items	

Table regions

Idx	Field Name	Data Type	Description
*🔑✎	region_id	integer	Unique id of region
*	region_name	varchar(50)	Name of the region
Indexes			
🔑	regions_pkey	ON region_id	
Referring Foreign Keys			
✎	fk_countries_regions	(region_id) ← countries	

Table warehouses

Idx	Field Name	Data Type	Description
*🔑✎	warehouse_id	integer	Unique id of the ware house
	warehouse_name	varchar(255)	Name of the ware house
📍	location_id	integer	Location id of the ware house
Indexes			
🔑	warehouses_pkey	ON warehouse_id	
Foreign Keys			
📍	fk_warehouses_locations	(location_id) → locations	
Referring Foreign Keys			
✎	fk_inventories_warehouses	(warehouse_id) ← inventories	

Creating Transactional Model:

```
-- regions
CREATE TABLE regions
(
    region_id int NOT NULL PRIMARY KEY,
    region_name VARCHAR( 50 ) NOT NULL
);
```

	region_id [PK] integer ✎	region_name character varying (50) ✎
1	1	Europe
2	2	Americas
3	3	Asia
4	4	Middle East and Africa

```

-- countries table
CREATE TABLE countries
(
  country_id CHAR( 2 ) PRIMARY KEY ,
  country_name VARCHAR( 50 ) NOT NULL,
  region_id int , -- fk
  CONSTRAINT fk_countries_regions FOREIGN KEY( region_id )
    REFERENCES regions( region_id )
    ON DELETE CASCADE
);

```

	country_id [PK] character (2) 	country_name character varying (50) 	region_id integer 
1	AR	Argentina	2
2	AU	Australia	3
3	BE	Belgium	1
4	BR	Brazil	2
5	CA	Canada	2
6	CH	Switzerland	1
7	CN	China	3
8	DE	Germany	1
9	DK	Denmark	1

```

-- location
CREATE TABLE locations
(
  location_id int PRIMARY KEY ,
  address VARCHAR( 255 ) NOT NULL,
  postal_code VARCHAR( 20 ) ,
  city VARCHAR( 50 ) ,
  state VARCHAR( 50 ) ,
  country_id CHAR( 2 ) , -- fk
  CONSTRAINT fk_locations_countries
    FOREIGN KEY( country_id )
    REFERENCES countries( country_id )
    ON DELETE CASCADE
);

```

location_id [PK] integer	address character varying (255)	postal_code character varying (20)	city character varying (50)
1	1297 Via Cola di Rie	00989	Roma
2	93091 Calle della Testa	10934	Venice
3	2017 Shinjuku-ku	1689	Tokyo
4	9450 Kamiya-cho	6823	Hiroshima
5	2014 Jabberwocky Rd	26192	Southlake
6	2011 Interiors Blvd	99236	South San Francisco
7	2007 Zagora St	50090	South Brunswick
8	2004 Charade Rd	98199	Seattle

-- warehouses

CREATE TABLE warehouses

```
(
  warehouse_id int PRIMARY KEY,
  warehouse_name VARCHAR( 255 ) ,
  location_id int , -- fk
  CONSTRAINT fk_warehouses_locations
    FOREIGN KEY( location_id )
    REFERENCES locations( location_id )
    ON DELETE CASCADE
);
```

warehouse_id [PK] integer	warehouse_name character varying (255)	location_id integer
1	Southlake, Texas	5
2	San Francisco	6
3	New Jersey	7
4	Seattle, Washington	8
5	Toronto	9
6	Sydney	13
7	Mexico City	23
8	Beijing	11
9	Bombay	12

-- employees

CREATE TABLE employees

```
(
  employee_id int PRIMARY KEY,
  first_name VARCHAR( 255 ) NOT NULL,
  last_name VARCHAR( 255 ) NOT NULL,
  email VARCHAR( 255 ) NOT NULL,
  phone VARCHAR( 50 ) NOT NULL ,
  hire_date DATE NOT NULL ,
  manager_id int , -- fk
  job_title VARCHAR( 255 ) NOT NULL,
```



```

CONSTRAINT fk_employees_manager
FOREIGN KEY( manager_id )
REFERENCES employees( employee_id )
ON DELETE CASCADE
);

```

employee_id	first_name	last_name	email	phone	hire_date	manager_id	job_title
[PK] integer	character varying (255)	character varying (255)	character varying (255)	character varying (50)	date	integer	character varying (255)
1	Tommy	Bailey	tommy.bailey@exampl...	515.123.4567	0001-06-...	[null]	President
2	Jude	Rivera	jude.rivera@example.c...	515.123.4568	0001-09-...	1	Administration Vice Pr...
3	Blake	Cooper	blake.cooper@exampl...	515.123.4569	0001-01-...	1	Administration Vice Pr...
4	Louie	Richardson	louie.richardson@exa...	590.423.4567	0001-01-...	3	Programmer
5	Nathan	Cox	nathan.cox@example...	590.423.4568	0001-05-...	4	Programmer
6	Gabriel	Howard	gabriel.howard@exam...	590.423.4569	0001-06-...	4	Programmer
7	Charles	Ward	charles.ward@exampl...	590.423.4560	0001-02-...	4	Programmer
8	Bobby	Torres	bobby.torres@example...	590.423.5567	0001-02-...	4	Programmer

```

select * from disease_categories
-- disease category
CREATE TABLE disease_categories
(
disease_id int PRIMARY KEY,
disease_name VARCHAR( 255 ) NOT NULL
);

```

disease_id	disease_name
[PK] integer	character varying (255)
1	asthma
2	diabetes
3	hypertension
4	depression
5	neuropathic pain
6	rheumatoid arthritis
7	GERD
8	high cholesterol
9	insomnia

disease_id [PK] integer	disease_name character varying (255)
1	asthma
2	diabetes
3	hypertension
4	depression
5	neuropathic pain
6	rheumatoid arthritis
7	GERD
8	high cholesterol
9	insomnia

-- medicine table

CREATE TABLE medicine

```
(
  medicine_id int PRIMARY KEY,
  medicine_name VARCHAR( 255 ) NOT NULL,
  standard_cost FLOAT ,
  list_price FLOAT ,
  disease_id int NOT NULL ,
  CONSTRAINT fk_disease_categories
  FOREIGN KEY( disease_id )
  REFERENCES disease_categories( disease_id )
  ON DELETE CASCADE
);
```

medicine_id [PK] integer	medicine_name character varying (255)	standard_cost double precision	list_price double precision	disease_id integer
5	gabapentin	450.36	640.99	5
1	s albutamol	2144.4	2554.99	1
2	aspirin	573.51	799.99	2
6	naproxen	535.47	601.99	6
7	omeprazole	633.65	704.99	7
8	simvastatin	601.56	725.99	8
9	zolpidem	792.89	889.89	9
10	isosorbide mononitrate	595.42	699.01	10
3	carvedilol	380.55	469.99	3
4	citalopram	428.89	482.49	4

-- contacts

CREATE TABLE contacts

```
(
  contact_id int PRIMARY KEY,
  first_name VARCHAR( 255 ) NOT NULL,
  last_name VARCHAR( 255 ) NOT NULL,
```

```

email    VARCHAR( 255 ) NOT NULL,
phone    VARCHAR( 20 )      ,
customer_id int             ,
CONSTRAINT fk_contacts_customers
FOREIGN KEY( customer_id )
REFERENCES customers( customer_id )
ON DELETE CASCADE
);

```

contact_id [PK] integer	first_name character varying (255)	last_name character varying (255)	email character varying (255)	phone character varying (20)	customer_id integer
1	Flor	Stone	flor.stone@raytheon.co...	+1 317 123 4104	1
2	Lavera	Emerson	lavera.emerson@plain...	+1 317 123 4111	2
3	Fern	Head	fern.head@usfoods.com	+1 812 123 4115	3
4	Shyla	Ortiz	shyla.ortiz@abbvie.com	+1 317 123 4126	4
5	Jeni	Levy	jeni.levy@centene.com	+1 812 123 4129	5
6	Matthias	Hannah	matthias.hannah@chs...	+1 219 123 4136	6
7	Matthias	Cruise	matthias.cruise@alcoa...	+1 219 123 4138	7
8	Meenakshi	Mason	meenakshi.mason@int...	+1 317 123 4141	8
9	Christian	Cage	christian.cage@emers...	+1 219 123 4142	9
10	Charlie	Sutherland	charlie.sutherland@up....	+1 317 123 4146	10

```

-- orders table
CREATE TABLE orders
(
    order_id int PRIMARY KEY,
    customer_id int NOT NULL, -- fk
    status    VARCHAR( 20 ) NOT NULL ,
    salesman_id int      , -- fk
    order_date DATE NOT NULL      ,
    CONSTRAINT fk_orders_customers
    FOREIGN KEY( customer_id )
    REFERENCES customers( customer_id )
    ON DELETE CASCADE,
    CONSTRAINT fk_orders_employees
    FOREIGN KEY( salesman_id )
    REFERENCES employees( employee_id )
    ON DELETE SET NULL
);

```

	order_id [PK] integer	customer_id integer	status character varying (20)	salesman_id integer	order_date date
1	105	1	Pending	54	2016-11-17
2	44	2	Pending	55	2017-02-20
3	101	3	Pending	55	2017-01-03
4	1	4	Pending	56	2017-10-15
5	5	5	Canceled	56	2017-04-09
6	28	6	Canceled	57	2017-08-15
7	87	7	Canceled	57	2016-12-01
8	4	8	Shipped	59	2015-04-09
9	41	9	Shipped	59	2017-05-11

```

-- order items
CREATE TABLE order_items
(
  order_id int          , -- fk
  item_id  int          ,
  medicine_id int NOT NULL , -- fk
  quantity int NOT NULL   ,
  unit_price int NOT NULL ,
  CONSTRAINT pk_order_items
    PRIMARY KEY( order_id, item_id ),
  CONSTRAINT fk_order_items_medicine
    FOREIGN KEY( medicine_id )
    REFERENCES medicine( medicine_id )
    ON DELETE CASCADE,
  CONSTRAINT fk_order_items_orders
    FOREIGN KEY( order_id )
    REFERENCES orders( order_id )
    ON DELETE CASCADE
);

```

order_id [PK] integer	item_id [PK] integer	medicine_id integer	quantity integer	unit_price integer
70	7	7	132	470
73	5	5	124	520
74	7	7	92	801
75	11	10	128	850
76	10	10	106	110
77	5	5	148	550
81	7	7	127	660
82	9	9	138	55
83	8	10	117	798

```

-- inventories
CREATE TABLE inventories
(
  medicine_id int    , -- fk
  warehouse_id int   , -- fk
  quantity    int NOT NULL,
  CONSTRAINT pk_inventories
    PRIMARY KEY( medicine_id, warehouse_id ),
  CONSTRAINT fk_inventories_medicine
    FOREIGN KEY( medicine_id )
    REFERENCES medicine( medicine_id )
    ON DELETE CASCADE,
  CONSTRAINT fk_inventories_warehouses
    FOREIGN KEY( warehouse_id )
    REFERENCES warehouses( warehouse_id )
    ON DELETE CASCADE
);

```

medicine_id [PK] integer	warehouse_id [PK] integer	quantity integer
8	8	2500
9	9	1500
10	9	6000
1	1	5483
2	2	28613
3	3	7252
4	4	14860
5	5	12969
6	6	20457
7	7	9039

Inserting The Data:

--insert regions

Insert into REGIONS (REGION_ID,REGION_NAME) values (1,'Europe');

Insert into REGIONS (REGION_ID,REGION_NAME) values (2,'Americas');

Insert into REGIONS (REGION_ID,REGION_NAME) values (3,'Asia');

Insert into REGIONS (REGION_ID,REGION_NAME) values (4,'Middle East and Africa');

--countries

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('AR','Argentina',2);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('AU','Australia',3);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('BE','Belgium',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('BR','Brazil',2);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('CA','Canada',2);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('CH','Switzerland',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('CN','China',3);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('DE','Germany',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('DK','Denmark',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('EG','Egypt',4);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('FR','France',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('IL','Israel',4);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('IN','India',3);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('IT','Italy',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('JP','Japan',3);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('KW','Kuwait',4);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('ML','Malaysia',3);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('MX','Mexico',2);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('NG','Nigeria',4);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('NL','Netherlands',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('SG','Singapore',3);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('UK','United Kingdom',1);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('US','United States of America',2);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('ZM','Zambia',4);

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('ZW','Zimbabwe',4);

--locations

Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (1,'1297 Via Cola di Rie','00989','Roma',null,'IT');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (2,'93091 Calle della Testa','10934','Venice',null,'IT');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (3,'2017 Shinjuku-ku','1689','Tokyo','Tokyo Prefecture','JP');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (4,'9450 Kamiya-cho','6823','Hiroshima',null,'JP');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (5,'2014 Jabberwocky Rd','26192','Southlake','Texas','US');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (6,'2011 Interiors Blvd','99236','South San Francisco','California','US');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (7,'2007 Zagora St','50090','South Brunswick','New Jersey','US');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (8,'2004 Charade Rd','98199','Seattle','Washington','US');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (9,'147 Spadina Ave','M5V 2L7','Toronto','Ontario','CA');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (10,'6092 Boxwood St','YSW 9T2','Whitehorse','Yukon','CA');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (11,'40-5-12 Laogianggen','190518','Beijing',null,'CN');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (12,'1298 Vileparle (E)','490231','Bombay','Maharashtra','IN');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (13,'12-98 Victoria Street','2901','Sydney','New South Wales','AU');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (14,'198 Clementi North','540198','Singapore',null,'SG');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (15,'8204 Arthur St',null,'London',null,'UK');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (16,'Magdalen Centre, The Oxford Science Park','OX9 9ZB','Oxford','Oxford','UK');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (17,'9702 Chester Road','09629850293','Stretford','Manchester','UK');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (18,'Schwanthalerstr. 7031','80925','Munich','Bavaria','DE');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (19,'Rua Frei Caneca 1360 ','01307-002','Sao Paulo','Sao Paulo','BR');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (20,'20 Rue des Corps-Saints','1730','Geneva','Geneve','CH');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (21,'Murtenstrasse 921','3095','Bern','BE','CH');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (22,'Pieter Breughelstraat 837','3029SK','Utrecht','Utrecht','NL');
 Insert into LOCATIONS (LOCATION_ID,ADDRESS,POSTAL_CODE,CITY,STATE,COUNTRY_ID) values
 (23,'Mariano Escobedo 9991','11932','Mexico City','Distrito Federal','MX');

--warehouse

Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (1,'Southlake,
 Texas',5);
 Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (2,'San
 Francisco',6);
 Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (3,'New
 Jersey',7);
 Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (4,'Seattle,
 Washington',8);
 Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (5,'Toronto',9);

```
Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (6,'Sydney',13);
Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (7,'Mexico
City',23);
Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values (8,'Beijing',11);
Insert into WAREHOUSES (WAREHOUSE_ID,WAREHOUSE_NAME,LOCATION_ID) values
(9,'Bombay',12);
```

--employees

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(1,'Tommy','Bailey','tommy.bailey@example.com','515.123.4567',to_date('17-JUN-16','DD-MON-
RR'),null,'President');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(2,'Jude','Rivera','jude.rivera@example.com','515.123.4568',to_date('21-SEP-16','DD-MON-
RR'),1,'Administration Vice President');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(3,'Blake','Cooper','blake.cooper@example.com','515.123.4569',to_date('13-JAN-16','DD-MON-
RR'),1,'Administration Vice President');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(4,'Louie','Richardson','louie.richardson@example.com','590.423.4567',to_date('03-JAN-16','DD-
MON-RR'),3,'Programmer');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(5,'Nathan','Cox','nathan.cox@example.com','590.423.4568',to_date('21-MAY-16','DD-MON-
RR'),4,'Programmer');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(6,'Gabriel','Howard','gabriel.howard@example.com','590.423.4569',to_date('25-JUN-16','DD-MON-
RR'),4,'Programmer');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(7,'Charles','Ward','charles.ward@example.com','590.423.4560',to_date('05-FEB-16','DD-MON-
RR'),4,'Programmer');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(8,'Bobby','Torres','bobby.torres@example.com','590.423.5567',to_date('07-FEB-16','DD-MON-
RR'),4,'Programmer');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(9,'Mohammad','Peterson','mohammad.peterson@example.com','515.124.4569',to_date('17-AUG-
16','DD-MON-RR'),2,'Finance Manager');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(10,'Ryan','Gray','ryan.gray@example.com','515.124.4169',to_date('16-AUG-16','DD-MON-
RR'),9,'Accountant');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(11,'Tyler','Ramirez','tyler.ramirez@example.com','515.124.4269',to_date('28-SEP-16','DD-MON-
RR'),9,'Accountant');
```

Insert into EMPLOYEES

```
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(12,'Elliott','James','elliott.james@example.com','515.124.4369',to_date('30-SEP-16','DD-MON-
RR'),9,'Accountant');
```

```

Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(13,'Albert','Watson','albert.watson@example.com','515.124.4469',to_date('07-MAR-16','DD-MON-RR'),9,'Accountant');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(14,'Elliot','Brooks','elliott.brooks@example.com','515.124.4567',to_date('07-DEC-16','DD-MON-RR'),9,'Accountant');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(15,'Rory','Kelly','rory.kelly@example.com','515.127.4561',to_date('07-DEC-16','DD-MON-RR'),1,'Purchasing Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(16,'Alex','Sanders','alex.sanders@example.com','515.127.4562',to_date('18-MAY-16','DD-MON-RR'),15,'Purchasing Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(17,'Frederick','Price','frederick.price@example.com','515.127.4563',to_date('24-DEC-16','DD-MON-RR'),15,'Purchasing Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(18,'Ollie','Bennett','ollie.bennett@example.com','515.127.4564',to_date('24-JUL-16','DD-MON-RR'),15,'Purchasing Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(19,'Louis','Wood','louis.wood@example.com','515.127.4565',to_date('15-NOV-16','DD-MON-RR'),15,'Purchasing Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(20,'Dexter','Barnes','dexter.barnes@example.com','515.127.4566',to_date('10-AUG-16','DD-MON-RR'),15,'Purchasing Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(21,'Jaxon','Ross','jaxon.ross@example.com','650.123.1234',to_date('18-JUL-16','DD-MON-RR'),1,'Stock Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(22,'Liam','Henderson','liam.henderson@example.com','650.123.2234',to_date('10-APR-16','DD-MON-RR'),1,'Stock Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(23,'Jackson','Coleman','jackson.coleman@example.com','650.123.3234',to_date('01-MAY-16','DD-MON-RR'),1,'Stock Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(24,'Callum','Jenkins','callum.jenkins@example.com','650.123.4234',to_date('10-OCT-16','DD-MON-RR'),1,'Stock Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(25,'Ronnie','Perry','ronnie.perry@example.com','650.123.5234',to_date('16-NOV-16','DD-MON-RR'),1,'Stock Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(26,'Leon','Powell','leon.powell@example.com','650.124.1214',to_date('16-JUL-16','DD-MON-RR'),21,'Stock Clerk');

```


Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(27,'Kai','Long','kai.long@example.com','650.124.1224',to_date('28-SEP-16','DD-MON-RR'),21,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(28,'Aaron','Patterson','aaron.patterson@example.com','650.124.1334',to_date('14-JAN-16','DD-MON-RR'),21,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(29,'Roman','Hughes','roman.hughes@example.com','650.124.1434',to_date('08-MAR-16','DD-MON-RR'),21,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(30,'Austin','Flores','austin.flores@example.com','650.124.5234',to_date('20-AUG-16','DD-MON-RR'),22,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(31,'Ellis','Washington','ellis.washington@example.com','650.124.6234',to_date('30-OCT-16','DD-MON-RR'),22,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(32,'Jamie','Butler','jamie.butler@example.com','650.124.7234',to_date('16-FEB-16','DD-MON-RR'),22,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(33,'Reggie','Simmons','reggie.simmons@example.com','650.124.8234',to_date('10-APR-16','DD-MON-RR'),22,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(34,'Seth','Foster','seth.foster@example.com','650.127.1934',to_date('14-JUN-16','DD-MON-RR'),23,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(35,'Carter','Gonzales','carter.gonzales@example.com','650.127.1834',to_date('26-AUG-16','DD-MON-RR'),23,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(36,'Felix','Bryant','felix.bryant@example.com','650.127.1734',to_date('12-DEC-16','DD-MON-RR'),23,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(37,'Ibrahim','Alexander','ibrahim.alexander@example.com','650.127.1634',to_date('06-FEB-16','DD-MON-RR'),23,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(38,'Sonny','Russell','sonny.russell@example.com','650.121.1234',to_date('14-JUL-16','DD-MON-RR'),24,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(39,'Kian','Griffin','kian.griffin@example.com','650.121.2034',to_date('26-OCT-16','DD-MON-RR'),24,'Stock Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(40,'Caleb','Diaz','caleb.diaz@example.com','650.121.2019',to_date('12-FEB-16','DD-MON-RR'),24,'Stock Clerk');

```

Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(41,'Connor','Hayes','connor.hayes@example.com','650.121.1834',to_date('06-APR-16','DD-MON-RR'),24,'Stock Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(42,'Amelia','Myers','amelia.myers@example.com','650.121.8009',to_date('17-OCT-16','DD-MON-RR'),25,'Stock Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(43,'Olivia','Ford','olivia.ford@example.com','650.121.2994',to_date('29-JAN-16','DD-MON-RR'),25,'Stock Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(44,'Emily','Hamilton','emily.hamilton@example.com','650.121.2874',to_date('15-MAR-16','DD-MON-RR'),25,'Stock Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(45,'Isla','Graham','isla.graham@example.com','650.121.2004',to_date('09-JUL-16','DD-MON-RR'),25,'Stock Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(46,'Ava','Sullivan','ava.sullivan@example.com','011.44.1344.429268',to_date('01-OCT-16','DD-MON-RR'),1,'Sales Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(47,'Ella','Wallace','ella.wallace@example.com','011.44.1344.467268',to_date('05-JAN-16','DD-MON-RR'),1,'Sales Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(48,'Jessica','Woods','jessica.woods@example.com','011.44.1344.429278',to_date('10-MAR-16','DD-MON-RR'),1,'Sales Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(49,'Isabella','Cole','isabella.cole@example.com','011.44.1344.619268',to_date('15-OCT-16','DD-MON-RR'),1,'Sales Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(50,'Mia','West','mia.west@example.com','011.44.1344.429018',to_date('29-JAN-16','DD-MON-RR'),1,'Sales Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(51,'Poppy','Jordan','poppy.jordan@example.com','011.44.1344.129268',to_date('30-JAN-16','DD-MON-RR'),46,'Sales Representative');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(52,'Sophie','Owens','sophie.owens@example.com','011.44.1344.345268',to_date('24-MAR-16','DD-MON-RR'),46,'Sales Representative');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(53,'Sophia','Reynolds','sophia.reynolds@example.com','011.44.1344.478968',to_date('20-AUG-16','DD-MON-RR'),46,'Sales Representative');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(54,'Lily','Fisher','lily.fisher@example.com','011.44.1344.498718',to_date('30-MAR-16','DD-MON-RR'),46,'Sales Representative');

```

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(55,'Grace','Ellis','grace.ellis@example.com','011.44.1344.987668',to_date('09-DEC-16','DD-MON-RR'),46,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(56,'Evie','Harrison','evie.harrison@example.com','011.44.1344.486508',to_date('23-NOV-16','DD-MON-RR'),46,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(57,'Scarlett','Gibson','scarlett.gibson@example.com','011.44.1345.429268',to_date('30-JAN-16','DD-MON-RR'),47,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(58,'Ruby','Mcdonald','ruby.mcdonald@example.com','011.44.1345.929268',to_date('04-MAR-16','DD-MON-RR'),47,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(59,'Chloe','Cruz','chloe.cruz@example.com','011.44.1345.829268',to_date('01-AUG-16','DD-MON-RR'),47,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(60,'Isabelle','Marshall','isabelle.marshall@example.com','011.44.1345.729268',to_date('10-MAR-16','DD-MON-RR'),47,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(61,'Daisy','Ortiz','daisy.ortiz@example.com','011.44.1345.629268',to_date('15-DEC-16','DD-MON-RR'),47,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(62,'Freya','Gomez','freya.gomez@example.com','011.44.1345.529268',to_date('03-NOV-16','DD-MON-RR'),47,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(63,'Phoebe','Murray','phoebe.murray@example.com','011.44.1346.129268',to_date('11-NOV-16','DD-MON-RR'),48,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(64,'Florence','Freeman','florence.freeman@example.com','011.44.1346.229268',to_date('19-MAR-16','DD-MON-RR'),48,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(65,'Alice','Wells','alice.wells@example.com','011.44.1346.329268',to_date('24-JAN-16','DD-MON-RR'),48,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(66,'Charlotte','Webb','charlotte.webb@example.com','011.44.1346.529268',to_date('23-FEB-16','DD-MON-RR'),48,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(67,'Sienna','Simpson','sienna.simpson@example.com','011.44.1346.629268',to_date('24-MAR-16','DD-MON-RR'),48,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(68,'Matilda','Stevens','matilda.stevens@example.com','011.44.1346.729268',to_date('21-APR-16','DD-MON-RR'),48,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(69,'Evelyn','Tucker','evelyn.tucker@example.com','011.44.1343.929268',to_date('11-MAR-16','DD-MON-RR'),49,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(70,'Eva','Porter','eva.porter@example.com','011.44.1343.829268',to_date('23-MAR-16','DD-MON-RR'),49,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(71,'Millie','Hunter','millie.hunter@example.com','011.44.1343.729268',to_date('24-JAN-16','DD-MON-RR'),49,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(72,'Sofia','Hicks','sofia.hicks@example.com','011.44.1343.629268',to_date('23-FEB-16','DD-MON-RR'),49,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(73,'Lucy','Crawford','lucy.crawford@example.com','011.44.1343.529268',to_date('24-MAR-16','DD-MON-RR'),49,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(74,'Elsie','Henry','elsie.henry@example.com','011.44.1343.329268',to_date('21-APR-16','DD-MON-RR'),49,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(75,'Imogen','Boyd','imogen.boyd@example.com','011.44.1644.429267',to_date('11-MAY-16','DD-MON-RR'),50,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(76,'Layla','Mason','layla.mason@example.com','011.44.1644.429266',to_date('19-MAR-16','DD-MON-RR'),50,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(77,'Rosie','Morales','rosie.morales@example.com','011.44.1644.429265',to_date('24-MAR-16','DD-MON-RR'),50,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(78,'Maya','Kennedy','maya.kennedy@example.com','011.44.1644.429264',to_date('23-APR-16','DD-MON-RR'),50,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(79,'Esme','Warren','esme.warren@example.com','011.44.1644.429263',to_date('24-MAY-16','DD-MON-RR'),50,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(80,'Elizabeth','Dixon','elizabeth.dixon@example.com','011.44.1644.429262',to_date('04-JAN-16','DD-MON-RR'),50,'Sales Representative');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(81,'Lola','Ramos','lola.ramos@example.com','650.507.9876',to_date('24-JAN-16','DD-MON-RR'),21,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(82,'Willow','Reyes','willow.reyes@example.com','650.507.9877',to_date('23-FEB-16','DD-MON-RR'),21,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(83,'Ivy','Burns','ivy.burns@example.com','650.507.9878',to_date('21-JUN-16','DD-MON-
RR'),21,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(84,'Erin','Gordon','erin.gordon@example.com','650.507.9879',to_date('03-FEB-16','DD-MON-
RR'),21,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(85,'Holly','Shaw','holly.shaw@example.com','650.509.1876',to_date('27-JAN-16','DD-MON-
RR'),22,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(86,'Emilia','Holmes','emilia.holmes@example.com','650.509.2876',to_date('20-FEB-16','DD-MON-
RR'),22,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(87,'Molly','Rice','molly.rice@example.com','650.509.3876',to_date('24-JUN-16','DD-MON-
RR'),22,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(88,'Ellie','Robertson','ellie.robertson@example.com','650.509.4876',to_date('07-FEB-16','DD-MON-
RR'),22,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(89,'Jasmine','Hunt','jasmine.hunt@example.com','650.505.1876',to_date('14-JUN-16','DD-MON-
RR'),23,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(90,'Eliza','Black','eliza.black@example.com','650.505.2876',to_date('13-AUG-16','DD-MON-
RR'),23,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(91,'Lilly','Daniels','lilly.daniels@example.com','650.505.3876',to_date('11-JUL-16','DD-MON-
RR'),23,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(92,'Abigail','Palmer','abigail.palmer@example.com','650.505.4876',to_date('19-DEC-16','DD-MON-
RR'),23,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(93,'Georgia','Mills','georgia.mills@example.com','650.501.1876',to_date('04-FEB-16','DD-MON-
RR'),24,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(94,'Maisie','Nichols','maisie.nichols@example.com','650.501.2876',to_date('03-MAR-16','DD-MON-
RR'),24,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(95,'Eleanor','Grant','eleanor.grant@example.com','650.501.3876',to_date('01-JUL-16','DD-MON-
RR'),24,'Shipping Clerk');

Insert into EMPLOYEES

(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(96,'Hannah','Knight','hannah.knight@example.com','650.501.4876',to_date('17-MAR-16','DD-MON-
RR'),24,'Shipping Clerk');

```

Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(97,'Harriet','Ferguson','harriet.ferguson@example.com','650.507.9811',to_date('24-APR-16','DD-MON-RR'),25,'Shipping Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(98,'Amber','Rose','amber.rose@example.com','650.507.9822',to_date('23-MAY-16','DD-MON-RR'),25,'Shipping Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(99,'Bella','Stone','bella.stone@example.com','650.507.9833',to_date('21-JUN-16','DD-MON-RR'),25,'Shipping Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(100,'Thea','Hawkins','thea.hawkins@example.com','650.507.9844',to_date('13-JAN-16','DD-MON-RR'),25,'Shipping Clerk');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(101,'Annabelle','Dunn','annabelle.dunn@example.com','515.123.4444',to_date('17-SEP-16','DD-MON-RR'),2,'Administration Assistant');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(102,'Emma','Perkins','emma.perkins@example.com','515.123.5555',to_date('17-FEB-16','DD-MON-RR'),1,'Marketing Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(103,'Amelie','Hudson','amelie.hudson@example.com','603.123.6666',to_date('17-AUG-16','DD-MON-RR'),102,'Marketing Representative');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(104,'Harper','Spencer','harper.spencer@example.com','515.123.7777',to_date('07-JUN-16','DD-MON-RR'),2,'Human Resources Representative');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(105,'Gracie','Gardner','gracie.gardner@example.com','515.123.8888',to_date('07-JUN-16','DD-MON-RR'),2,'Public Relations Representative');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(106,'Rose','Stephens','rose.stephens@example.com','515.123.8080',to_date('07-JUN-16','DD-MON-RR'),2,'Accounting Manager');
Insert into EMPLOYEES
(EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,HIRE_DATE,MANAGER_ID,JOB_TITLE) values
(107,'Summer','Payne','summer.payne@example.com','515.123.8181',to_date('07-JUN-16','DD-MON-RR'),106,'Public Accountant');

```

```

Insert into disease_categories (disease_id,disease_name) values (1,'asthma');
Insert into disease_categories (disease_id,disease_name) values (2,'diabetes');
Insert into disease_categories (disease_id,disease_name) values (3,'hypertension');
Insert into disease_categories (disease_id,disease_name) values (4,'depression');
Insert into disease_categories (disease_id,disease_name) values (5,'neuropathic pain');
Insert into disease_categories (disease_id,disease_name) values (6,'rheumatoid arthritis');
Insert into disease_categories (disease_id,disease_name) values (7,'GERD');
Insert into disease_categories (disease_id,disease_name) values (8,'high cholesterol');
Insert into disease_categories (disease_id,disease_name) values (9,'insomnia');
Insert into disease_categories (disease_id,disease_name) values (10,'angina');
select * from regions;

```

```

Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(5,'gabapentin',450.36,640.99,5);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(1,'s albutamol',2144.4,2554.99,1);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(2,'aspirin',573.51,799.99,2);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(6,' naproxen',535.47,601.99,6);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(7,'omeprazole',633.65,704.99,7);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(8,'simvastatin',601.56,725.99,8);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(9,'zolpidem',792.89,889.89,9);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(10,' isosorbide mononitrate',595.42,699.01,10);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(3,' carvedilol',380.55,469.99,3);
Insert into medicine(medicine_id,medicine_name,STANDARD_COST,LIST_PRICE,disease_id)
values(4,' citalopram',428.89,482.49,4);

```

```

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(1,'Raytheon','514 W Superior St, Kokomo, IN',100,'http://www.raytheon.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (2,'Plains GP
Holdings','2515 Bloyd Ave, Indianapolis, IN',100,'http://www.plainsallamerican.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (3,'US Foods
Holding','8768 N State Rd 37, Bloomington, IN',100,'http://www.usfoods.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(4,'AbbVie','6445 Bay Harbor Ln, Indianapolis, IN',100,'http://www.abbvie.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(5,'Centene','4019 W 3Rd St, Bloomington, IN',100,'http://www.centene.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(6,'Community Health Systems','1608 Portage Ave, South Bend, IN',100,'http://www.chs.net');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(7,'Alcoa','23943 Us Highway 33, Elkhart, IN',100,'http://www.alcoa.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(8,'International Paper','136 E Market St # 800, Indianapolis,
IN',100,'http://www.internationalpaper.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (9,'Emerson
Electric','1905 College St, South Bend, IN',100,'http://www.emerson.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (10,'Union
Pacific','3512 Rockville Rd # 137C, Indianapolis, IN',200,'http://www.up.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(11,'Amgen','1303 E University St, Bloomington, IN',200,'http://www.amgen.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (12,'U.S.
Bancorp','115 N Weinbach Ave, Evansville, IN',200,'http://www.usbank.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(13,'Staples','2067 Rollett Ln, Evansville, IN',200,'http://www.staples.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(14,'Danaher','1105 E Allendale Dr, Bloomington, IN',200,'http://www.danaher.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(15,'Whirlpool','18305 Van Dyke St, Detroit, MI',200,'http://www.whirlpoolcorp.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(16,'Aflac','Lucas Dr Bldg 348, Detroit, MI',200,'http://www.aflac.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(17,'AutoNation','1801 Monroe Ave Nw, Grand Rapids, MI',200,'http://www.autonation.com');

```

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (18,'Progressive','4925 Kendrick St Se, Grand Rapids, MI',200,'http://www.progressive.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (19,'Abbott Laboratories','3310 Dixie Ct, Saginaw, MI',200,'http://www.abbott.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (20,'Dollar General','113 Washington Sq N, Lansing, MI',200,'http://www.dollargeneral.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (21,'Tenet Healthcare','2500 S Pennsylvania Ave, Lansing, MI',200,'http://www.tenethealth.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (22,'Eli Lilly','3213 S Cedar St, Lansing, MI',200,'http://www.lilly.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (23,'DTE Energy','8110 Jackson Rd, Ann Arbor, MI',200,'http://www.dteenergy.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (24,'Southwest Airlines','6654 W Lafayette St, Detroit, MI',200,'http://www.southwest.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (25,'Penske Automotive Group','27 Benton Rd, Saginaw, MI',200,'http://www.penskeautomotive.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (26,'ManpowerGroup','8201 Livernois Ave, Detroit, MI',300,'http://www.manpowergroup.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (27,'Assurant','101 N Falahee Rd, Jackson, MI',300,'http://www.assurant.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (28,'Kohl?s','3100 E Eisenhower Pky # 100, Ann Arbor, MI',300,'http://www.kohlscorporation.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (29,'Starbucks','952 Vassar Dr, Kalamazoo, MI',400,'http://www.starbucks.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (30,'Paccar','150 W Jefferson Ave # 2500, Detroit, MI',400,'http://www.paccar.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (31,'Cummins','40 Pearl St Nw # 1020, Grand Rapids, MI',400,'http://www.cummins.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (32,'Global Partners','1135 Catherine St, Ann Arbor, MI',400,'http://www.globalp.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (33,'Altria Group','301 E Genesee Ave, Saginaw, MI',400,'http://www.altria.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (34,'Xerox','9936 Dexter Ave, Detroit, MI',400,'http://www.xerox.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (35,'Kimberly-Clark','1660 University Ter, Ann Arbor, MI',400,'http://www.kimberly-clark.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (36,'Hartford Financial Services Group','15713 N East St, Lansing, MI',400,'http://www.thehartford.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (37,'Huntsman','555 John F Kennedy Rd, Dubuque, IA',500,'http://www.huntsman.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (38,'Kraft Heinz','10315 Hickman Rd, Des Moines, IA',500,'http://www.kraftheinzcompany.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (39,'Lear','2115 N Towne Ln Ne, Cedar Rapids, IA',500,'http://www.lear.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (40,'Fluor','1928 Sherwood Dr, Council Bluffs, IA',500,'http://www.fluor.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (41,'AECOM','2102 E Kimberly Rd, Davenport, IA',500,'http://www.aecom.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (42,'Becton Dickinson','1691 Asbury Rd, Dubuque, IA',500,'http://www.bd.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (43,'Facebook','5112 Sw 9Th St, Des Moines, IA',500,'http://www.facebook.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (44,'Jabil Circuit','221 3Rd Ave Se # 300, Cedar Rapids, IA',500,'http://www.jabil.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (45,'CenturyLink','2120 Heights Dr, Eau Claire, WI',500,'http://www.centurylink.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (46,'Supervalu','8989 N Port Washington Rd, Milwaukee, WI',500,'http://www.supervalu.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (47,'General Mills','6555 W Good Hope Rd, Milwaukee, WI',600,'http://www.generalmills.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (48,'Southern','1314 N Stoughton Rd, Madison, WI',600,'http://www.southerncompany.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (49,'NextEra Energy','4715 Sprecher Rd, Madison, WI',600,'http://www.nexteraenergy.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (50,'Thermo Fisher Scientific','6161 N 64Th St, Milwaukee, WI',700,'http://www.thermofisher.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (51,'American Electric Power','11016 W Lincoln Ave, Milwaukee, WI',700,'http://www.aep.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (52,'PG&E Corp.','8600 W National Ave, Milwaukee, WI',700,'http://www.pge.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (53,'NGL Energy Partners','615 N Sherman Ave, Madison, WI',700,'http://www.nglenergypartners.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (54,'Bristol-Myers Squibb','512 E Grand Ave, Beloit, WI',700,'http://www.bms.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (55,'Goodyear Tire & Rubber','600 N Broadway Fl 1, Milwaukee, WI',700,'http://www.goodyear.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (56,'Nucor','5235 N Ironwood Ln, Milwaukee, WI',700,'http://www.nucor.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (57,'PNC Financial Services Group','322 E Michigan St, Milwaukee, WI',700,'http://www.pnc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (58,'Health Net','1400 Bellinger St Fl 4, Eau Claire, WI',700,'http://www.healthnet.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (59,'Micron Technology','411 E Wisconsin Ave # 2550, Milwaukee, WI',700,'http://www.micron.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (60,'Colgate-Palmolive','808 3Rd St # 100, Wausau, WI',700,'http://www.colgatepalmolive.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (61,'Freeport-McMoRan','300 Crooks St, Green Bay, WI',900,'http://www.fcx.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (62,'ConAgra Foods','122 E Dayton St, Madison, WI',900,'http://www.conagrafoods.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (63,'Sempra Energy','633 S Hawley Rd, Milwaukee, WI',900,'http://www.sempra.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (64,'Gap','2122 Campbell Rd, La Crosse, WI',1200,'http://www.gapinc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (65,'Baker Hughes','3324 N Oakland Ave, Milwaukee, WI',1200,'http://www.bakerhughes.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (66,'Bank of New York Mellon Corp.','666 22Nd Ave Ne, Minneapolis, MN',1200,'http://www.bnymellon.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (67,'Dollar Tree','1501 Lowry Ave N, Minneapolis, MN',1200,'http://www.dollartree.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (68,'AutoZone','113 N 1St St, Minneapolis, MN',1200,'http://www.autozone.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (69,'Whole Foods Market','4200 Yosemite Ave S, Minneapolis, MN',1200,'http://www.wholefoodsmarket.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (70,'PPG Industries','2800 Chicago Ave # 100, Minneapolis, MN',1200,'http://www.ppg.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (71,'Genuine Parts','200 1St St Sw, Rochester, MN',1200,'http://www.genpt.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (72,'Icahn Enterprises','314 W Superior St # 1015, Duluth, MN',1200,'http://www.ielp.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (73,'Navistar International','1409 Willow St # 600, Minneapolis, MN',1200,'http://www.navistar.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (74,'Performance Food Group','2720 Brewerton Rd, Syracuse, NY',1200,'http://www.pfgc.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (75,'Omnicom Group','2134 W Genesee St, Syracuse, NY',1200,'http://www.omnicomgroup.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (76,'DISH
 Network','1522 Main St, Niagara Falls, NY',1200,'http://www.dish.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (77,'FirstEnergy','49 N Pine Ave, Albany, NY',1200,'http://www.firstenergycorp.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (78,'Precision Castparts','726 Union St, Hudson, NY',1200,'http://www.precast.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (79,'Monsanto','137 Lark St, Albany, NY',1200,'http://www.monsanto.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (80,'AES','33
 Fulton St, Poughkeepsie, NY',1200,'http://www.aes.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (81,'CarMax','2360 Maxon Rd, Schenectady, NY',1200,'http://www.carmax.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (82,'Discover
 Financial Services','85 High St, Buffalo, NY',1200,'http://www.discoverfinancial.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (83,'National
 Oilwell Varco','1 Palisade Ave Fl 2, Yonkers, NY',1200,'http://www.nov.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (84,'NRG
 Energy','500 S Salina St # 500, Syracuse, NY',1200,'http://www.nrgenergy.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (85,'Western
 Digital','33 Pine St, Lockport, NY',1200,'http://www.westerndigital.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (86,'Marriott
 International','Po Box 2152, Buffalo, NY',1200,'http://www.marriott.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (87,'Liberty
 Interactive','2979 Hamburg St, Schenectady, NY',1200,'http://www.libertyinteractive.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (88,'Walmart','1790 Grand Blvd, Schenectady, NY',1200,'http://www.walmart.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (89,'Exxon
 Mobil','7 Ingelside Ln, White Plains, NY',1200,'http://www.exxonmobil.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (90,'Apple','18 Glenridge Rd, Schenectady, NY',1200,'http://www.apple.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (91,'Berkshire Hathaway','6432 Rising Sun Ave, Philadelphia,
 PA',1200,'http://www.berkshirehathaway.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (92,'McKesson','Rr 10, Reading, PA',1200,'http://www.mckesson.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (93,'UnitedHealth Group','2455 Rose Garden Rd, Pittsburgh,
 PA',1200,'http://www.unitedhealthgroup.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (94,'CVS
 Health','1812 Timberline Rd, Altoona, PA',1200,'http://www.cvshealth.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (95,'General
 Motors','141 Schiller St, Reading, PA',1200,'http://www.gm.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (96,'Ford
 Motor','1126 Pawlings Rd, Norristown, PA',1200,'http://www.ford.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (97,'AT&T','55 Church Hill Rd, Reading, PA',1200,'http://www.att.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (98,'General
 Electric','354 N Prince St, Lancaster, PA',1200,'http://www.ge.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (99,'AmerisourceBergen','115 Chestnut St, Philadelphia,
 PA',1400,'http://www.amerisourcebergen.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (100,'Verizon','2899 Grand Ave, Pittsburgh, PA',1400,'http://www.verizon.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (101,'Chevron','Po Box 39, Indiana, PA',1400,'http://www.chevron.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (102,'Costco','1604 Broadway Ave, Pittsburgh, PA',1400,'http://www.costco.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (103,'Fannie Mae','4734 Liberty Ave, Pittsburgh, PA',1400,'http://www.fanniemae.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (104,'Kroger','21 Thornwood Rd, Harrisburg, PA',1400,'http://www.thekrogerco.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (105,'Amazon.com','3725 W Lake Rd, Erie, PA',1400,'http://www.amazon.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (106,'Walgreens Boots Alliance','1808 4Th Ave, Altoona, PA',1400,'http://www.walgreensbootsalliance.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (107,'HP','Station Sq, Pittsburgh, PA',1400,'http://www.hp.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (108,'Cardinal Health','4020 Garden Ave, Erie, PA',1400,'http://www.cardinal.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (109,'Express Scripts Holding','100 N Peach St, Philadelphia, PA',1400,'http://www.express-scripts.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (110,'J.P. Morgan Chase','835 Heister Ln, Reading, PA',1400,'http://www.jpmorganchase.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (111,'W.W. Grainger','378 S Negley Ave, Pittsburgh, PA',1500,'http://www.grainger.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (112,'Boeing','5643 N 5Th St, Philadelphia, PA',1500,'http://www.boeing.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (113,'Microsoft','1401 W Warren Rd, Bradford, PA',1500,'http://www.microsoft.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (114,'Bank of America Corp.','815 Freeport Rd, Pittsburgh, PA',1500,'http://www.bankofamerica.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (115,'Wells Fargo','327 N Washington Ave # 300, Scranton, PA',1900,'http://www.wellsfargo.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (116,'Baxter International','810 Race St, Philadelphia, PA',1900,'http://www.baxter.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (117,'Home Depot','4901 Locust Ln, Harrisburg, PA',2300,'http://www.homedepot.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (118,'Citigroup','3376 Perrysville Ave, Pittsburgh, PA',2300,'http://www.citigroup.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (119,'Phillips 66','220 Penn Ave # 300, Scranton, PA',2300,'http://www.phillips66.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (120,'Stryker','135 S 18Th St # 1, Philadelphia, PA',2300,'http://www.stryker.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (121,'IBM','522 Swede St, Norristown, PA',2300,'http://www.ibm.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (122,'Valero Energy','7708 City Ave, Philadelphia, PA',2300,'http://www.valero.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (123,'Anthem','1801 Lititz Pike, Lancaster, PA',2300,'http://www.antheminc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (124,'Procter & Gamble','101 E Olney Ave, Philadelphia, PA',2300,'http://www.pg.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (125,'Air Products & Chemicals','612 Jefferson Ave, Scranton, PA',2300,'http://www.airproducts.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (126,'State Farm Insurance Cos.','223 4Th Ave # 1100, Pittsburgh, PA',2300,'http://www.statefarm.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (127,'Alphabet','36 W 34Th St, Erie, PA',2400,'http://www.google.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (128,'Comcast','1007 Mount Royal Blvd, Pittsburgh, PA',2400,'http://www.comcastcorporation.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (129,'Target','601 Market St, Philadelphia, PA',2400,'http://www.target.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (130,'Western Refining','5565 Baynton St, Philadelphia, PA',2400,'http://www.wnr.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (131,'Johnson & Johnson','5640 Fishers Ln, Rockville, MD',2400,'http://www.jnj.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (132,'MetLife','5122 Sinclair Ln, Baltimore, MD',2400,'http://www.metlife.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (133,'Archer Daniels Midland','680 Bel Air Rd, Bel Air, MD',2400,'http://www.adm.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (134,'Marathon Petroleum','4301 Ashland Ave, Baltimore, MD',2400,'http://www.marathonpetroleum.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (135,'Freddie Mac','8004 Stansbury Rd, Baltimore, MD',2400,'http://www.freddiemac.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (136,'PepsiCo','10209 Yearling Dr, Rockville, MD',2400,'http://www.pepsico.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (137,'United Technologies','3000 Greenmount Ave, Baltimore, MD',2400,'http://www.utc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (138,'Aetna','200 E Fort Ave, Baltimore, MD',2400,'http://www.aetna.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (139,'Lowe's','1262 Vocke Rd, Cumberland, MD',2400,'http://www.lowes.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (140,'UPS','3314 Eastern Ave, Baltimore, MD',2400,'http://www.ups.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (141,'AIG','12817 Coastal Hwy, Ocean City, MD',2400,'http://www.aig.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (142,'Prudential Financial','11200 Scaggsville Rd, Laurel, MD',2400,'http://www.prudential.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (143,'Intel','9435 Washington Blvd N # M, Laurel, MD',2400,'http://www.intel.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (144,'Humana','2300 Harford Rd, Baltimore, MD',2400,'http://www.humana.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (145,'Disney','2 2Nd St # A, Ocean City, MD',2400,'http://www.disney.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (146,'Cisco Systems','6917 W Oklahoma Ave, Milwaukee, WI',2400,'http://www.cisco.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (147,'Pfizer','206 S Broadway # 707, Rochester, MN',2400,'http://www.pfizer.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (148,'Dow Chemical','160 Glenwood Ave, Minneapolis, MN',2400,'http://www.dow.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (149,'Sysco','6915 Grand Ave, Hammond, IN',2400,'http://www.sysco.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (150,'FedEx','2215 Oak Industrial Dr Ne, Grand Rapids, MI',2400,'http://www.fedex.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (151,'Caterpillar','65 Cadillac Sq # 2701, Detroit, MI',2500,'http://www.caterpillar.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (152,'Lockheed Martin','3435 Tuscany Dr Se, Grand Rapids, MI',2500,'http://www.lockheedmartin.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (153,'New York Life Insurance','215 4Th Ave Se, Cedar Rapids, IA',2500,'http://www.newyorklife.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (154,'Universal Health Services','1751 Madison Ave, Council Bluffs, IA',3500,'http://www.uhsinc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (155,'Coca-Cola','810 1St Ave, Council Bluffs, IA',3500,'http://www.coca-colacompany.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (156,'HCA Holdings','500 W Oklahoma Ave, Milwaukee, WI',3500,'http://www.hcahealthcare.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (157,'Ingram Micro','4811 S 76Th St # 205, Milwaukee, WI',3600,'http://www.ingrammicro.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (158,'Owens & Minor','310 Broadway St, Alexandria, MN',3600,'http://www.owens-minor.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (159,'Energy Transfer Equity','1721 E Lake St, Minneapolis, MN',3600,'http://www.energytransfer.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (160,'Tyson Foods','255 Great Arrow Ave, Buffalo, NY',3600,'http://www.tysonfoods.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (161,'American Airlines Group','800 Carter St, Rochester, NY',3600,'http://www.aa.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (162,'Delta Air Lines','6640 Campbell Blvd, Lockport, NY',3600,'http://www.delta.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (163,'Charter Communications','802 North Ave, Pittsburgh, PA',3600,'http://www.charter.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (164,'Nationwide','1136 Arch St, Philadelphia, PA',3600,'http://www.nationwide.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (165,'Johnson Controls','6Th And Master St, Philadelphia, PA',3600,'http://www.johnsoncontrols.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (166,'Best Buy','Rt 6 E, Warren, PA',3700,'http://www.bestbuy.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (167,'Merck','1924 Bedford St, Cumberland, MD',3700,'http://www.merck.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (168,'Advance Auto Parts','2674 Collingwood St, Detroit, MI',3700,'http://www.advanceautoparts.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (169,'Liberty Mutual Insurance Group','2713 N Bendix Dr, South Bend, IN',3700,'http://www.libertymutual.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (170,'Goldman Sachs Group','23985 Bedford Rd N, Battle Creek, MI',3700,'http://www.gs.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (171,'Honeywell International','752 W Huron St, Pontiac, MI',3700,'http://www.honeywell.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (172,'MasterCard','660 Woodward Ave # 2290, Detroit, MI',3700,'http://www.mastercard.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (173,'Massachusetts Mutual Life Insurance','1330 N Memorial Dr, Racine, WI',5000,'http://www.massmutual.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (174,'Oracle','701 Seneca St, Buffalo, NY',5000,'http://www.oracle.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (175,'Morgan Stanley','8 Automation Ln, Albany, NY',5000,'http://www.morganstanley.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (176,'Cigna','811 N Brandywine Ave, Schenectady, NY',5000,'http://www.cigna.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (177,'United Continental Holdings','2904 S Salina St, Syracuse, NY',5000,'http://www.unitedcontinentalholdings.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (178,'Allstate','3025 Sussex Ave, Pittsburgh, PA',5000,'http://www.allstate.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (179,'TIAA','932 High St, Lancaster, PA',5000,'http://www.tiaa.org');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (180,'INTL FCStone','5344 Haverford Ave, Philadelphia, PA',5000,'http://www.intlfcstone.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (181,'CHS','6959 Tulip St, Philadelphia, PA',5000,'http://www.chsinc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (182,'American Express','511 S Central Ave # A, Baltimore, MD',5000,'http://www.americanexpress.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (183,'Gilead Sciences','400 E Joppa Rd, Baltimore, MD',5000,'http://www.gilead.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (184,'Publix Super Markets','1795 Wu Meng, Muang Chonburi, ',1200,'http://www.publix.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (185,'General Dynamics','1796 Tsing Tao, Muang Nonthaburi, ',1200,'http://www.generaldynamics.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (186,'TJX','1810 Tucker Crt, Mumbai, ',5000,'http://www.tjx.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (187,'ConocoPhillips','Walpurgisstr 69, Munich, ',2400,'http://www.conocophillips.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (188,'Nike','Sendlinger Tor 4, Munich, ',2400,'http://www.nike.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (189,'World Fuel Services','Theresienstr 15, Munich, ',2400,'http://www.wfscorp.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (190,'3M','Via Frenzy 6903, Roma, ',1200,'http://www.3m.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (191,'Mondelez International','1822 Ironweed St, Toronto, ONT',1200,'http://www.mondelezinternational.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (192,'Exelon','Via Luminosa 162, Firenze, ',500,'http://www.exeloncorp.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (193,'Twenty-First Century Fox','Via Notoriosa 1932 Rd, Firenze, ',500,'http://www.21cf.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (194,'Deere','Via Notoriosa 1941, Firenze, ',500,'http://www.johndeere.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (195,'Applied Materials','Via Dolorosa 69, Tellaro, ',700,'http://www.appliedmaterials.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (196,'DuPont','Via Notoriosa 1943, Firenze, ',2400,'http://www.dupont.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (197,'Avnet','Via Luminosa 162, Tellaro, ',700,'http://www.avnet.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (198,'Eastman Chemical','2017 Convoy St, Tokyo, ',2400,'http://www.eastman.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (199,'Macy?s','Via Di Firenze 231, Tellaro, ',700,'http://www.macysinc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (200,'Enterprise Products Partners','Via Notoriosa 1949, Firenze, ',2400,'http://www.enterpriseproducts.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (201,'Travelers Cos.','Via Frenzy 6903, Tellaro, ',3600,'http://www.travelers.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (202,'Sonic Automotive','Piazza Del Congresso 22, San Giminiano, ',3600,'http://www.sonicautomotive.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (203,'Philip Morris International','Piazza Quattro Stagioni 4, San Giminiano, ',3600,'http://www.pmi.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (204,'Rite Aid','Piazza Cacchiatore 23, San Giminiano, ',3600,'http://www.riteaid.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (205,'Tech Data','Via Notoriosa 1932, Tellaro, ',3600,'http://www.techdata.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (206,'Ally Financial','Via Notoriosa 1949, Ventimiglia, ',3600,'http://www.ally.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (207,'Northwestern Mutual','1831 No Wong, Peking, ',3600,'http://www.northwesternmutual.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (208,'Tesoro','Via Notoriosa 1942, Firenze, ',500,'http://www.tsocorp.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (209,'Time Warner','Via Delle Grazie 11, Tellaro, ',2400,'http://www.timewarner.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (210,'CST Brands','2033 Spartacus St, Samutprakarn, ',3700,'http://www.cstbrands.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (211,'McDonald?s','2034 Sabrina Rd, Samutprakarn, ',3700,'http://www.aboutmcdonalds.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (212,'Qualcomm','Piazza Svizzera, Milano, ',500,'http://www.qualcomm.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (213,'Sears Holdings','Ruella Delle Spiriti, Milano, ',500,'http://www.searsholdings.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (214,'eBay','Via Del Disegno 194, Milano, ',1500,'http://www.ebay.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (215,'Capital One Financial','Via Delle Capeletti 52, San Gimignano, ',1500,'http://www.capitalone.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (216,'EMC','Via Delle Grazie 11, San Gimignano, ',700,'http://www.emc.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (217,'USAA','Via Delli Capelli 2, San Gimignano, ',700,'http://www.usaa.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (218,'Lennar','1592 Silverado St, Bangalore, Kar',700,'http://www.lennar.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (219,'Duke Energy','1593 Silverado St, Bangalore, Kar',5000,'http://www.duke-energy.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (220,'Time Warner Cable','1597 Legend St, Mysore, Kar',3700,'http://www.twc.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (221,'Halliburton','1602 Sholay St, Chennai, Tam',1500,'http://www.halliburton.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (222,'GameStop','1605 Bazigar Crt, Pune, ',5000,'http://www.gamestopcorp.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (223,'Northrop Grumman','1606 Sangam Blvd, New Delhi, ',5000,'http://www.northropgrumman.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (224,'Arrow Electronics','1607 Sangam Blvd, New Delhi, ',5000,'http://www.arrow.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (225,'Reliance Steel & Aluminum','1609 Pakija Rd, New Delhi, ',3700,'http://www.rsac.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (226,'Office Depot','1612 Talaivar St, Chennai, Tam',5000,'http://www.officedepcom');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (227,'Nordstrom','1613 Victoria St, Calcutta, ',5000,'http://www.nordstrom.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (228,'Kinder Morgan','1614 Gitanjali Rd, Calcutta, ',5000,'http://www.kindermorgan.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (229,'Aramark','1615 Crackers Crt, Chennai - India, ',300,'http://www.aramark.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (230,'DaVita HealthCare Partners','1616 Mr. India Ln, Bombay - India, Kar',300,'http://www.davita.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (231,'Molina Healthcare','1617 Crackers St, Bangalore - India, Kar',300,'http://www.molinahealthcare.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (232,'WellCare Health Plans','1618 Villains St, New Delhi - India, ',1200,'http://www.wellcare.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (233,'CBS','1619 Bowlers Rd, Chandigarh, Har',1200,'http://www.cbcorporation.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (234,'Visa','1620 Sixers Crt, Bombay, Kar',5000,'http://www.visa.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (235,'Lincoln National','1622 Roja St, Chennai, Tam',5000,'http://www.lfg.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (236,'Ecolab','1623 Hey Ram St, Chennai - India, ',5000,'http://www.ecolab.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (237,'Kellogg','1627 Sowdagar St, New Delhi, ',1900,'http://www.kelloggcompany.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (238,'C.H.
 Robinson Worldwide','1628 Pataudi St, New Delhi, ',1900,'http://www.chrobinson.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (239,'Textron','1632 Splash St, Chandigarh, Har',2500,'http://www.textron.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (240,'Loews','1636 Pretty Blvd, Bangalore, Kar',5000,'http://www.loews.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (241,'Illinois
 Tool Works','1646 Brazil Blvd, Chennai, Tam',500,'http://www.itw.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (242,'Synnex','1647 Suspense St, Cochin, Ker',500,'http://www.synnex.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (243,'Hormel
 Foods','1648 Anamika St, Cochin, Ker',500,'http://www.hormelfoods.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (244,'Viacom','1650 Teesri Manjil Crt, Kashmir, ',3700,'http://www.viacom.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (245,'HollyFrontier','1656 Veterans Rd, Chennai, Tam',2500,'http://www.hollyfrontier.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (246,'Land
 O?Lakes','1662 Talaivar St, Chennai, Tam',1500,'http://www.landolakesinc.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (247,'Celgene','1667 2010 St, Batavia, Ker',500,'http://www.celgene.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (248,'Devon
 Energy','Piazza Del Congresso 22, Roma, ',3700,'http://www.devonenergy.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (249,'PBF
 Energy','Piazza Quattro Stagioni 4, Roma, ',3700,'http://www.pbfenergy.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (250,'Genworth Financial','Piazza Svizzera, Roma, ',2400,'http://www.genworth.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (251,'Yum
 Brands','Ruella Delle Spiriti, Roma, ',500,'http://www.yum.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (252,'Texas
 Instruments','Via Del Disegno 194, Roma, ',500,'http://www.ti.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (253,'CDW','Via Delle Capeletti 52, Roma, ',500,'http://www.cdw.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (254,'PayPal
 Holdings','Via Dello Croce 93, Roma, ',1200,'http://www.paypal.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (255,'Waste
 Management','Via Di Firenze 231, Roma, ',2400,'http://www.wm.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (256,'Marsh
 & McLennan','Via Dolorosa 69, Roma, ',2400,'http://www.mmc.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (257,'Chesapeake Energy','Via Notoriosa 1942, Ventimiglia, ',700,'http://www.chk.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (258,'Priceline Group','Via Notoriosa 1943, Ventimiglia, ',700,'http://www.pricelinegroup.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (259,'Parker-
 Hannifin','Canale Grande 2, Roma, ',700,'http://www.parker.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (260,'Occidental Petroleum','Piazza Cacchiatore 23, Roma, ',700,'http://www.oxy.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (261,'Guardian Life Ins. Co. of America','Via Del Disegno 194, San Gimignano,
 ',600,'http://www.guardianlife.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (262,'MGM
 Resorts International','Piazza Svizzera, San Gimignano, ',100,'http://www.mgmresorts.com');
 Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
 (263,'Farmers Insurance Exchange','Via Dello Croce 93, Tellaro, ',100,'http://www.farmers.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (264,'J.C. Penney','Via Dello Croce 93, San Gimignano, ',400,'http://www.jcpenney.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (265,'Consolidated Edison','Ruella Delle Spiriti, San Gimignano, ',400,'http://www.conedison.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (266,'Autoliv','Via Delle Capeletti 52, San Gimignano, ',400,'http://www.autoliv.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (267,'Cognizant Technology Solutions','Via Delli Capelli 2, Tellaro, ',400,'http://www.cognizant.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (268,'VF','1971 Limelight Blvd, Samutprakarn, ',1200,'http://www.vfc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (269,'Ameriprise Financial','Harmoniegasse 3, Baden-Daettwil, AG',500,'http://www.ameriprise.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (270,'Fidelity National Financial','Sonnenberg 4, Baden-Daettwil, AG',500,'http://www.fnf.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (271,'Computer Sciences','Alfred E. Neumann-Weg 3, Baden-Daettwil, AG',500,'http://www.csc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (272,'L Brands','Dr. Herbert Bitto Str 23, Baden-Daettwil, AG',2300,'http://www.lb.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (273,'Jacobs Engineering Group','Taefernstr 4, Baden-Daettwil, AG',2300,'http://www.jacobs.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (274,'Republic Services','Kreuzritterplatz 5, Baden-Daettwil, AG',3500,'http://www.republicservices.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (275,'Principal Financial','Helebardenweg 5, Baden-Daettwil, AG',3500,'http://www.principal.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (276,'Ross Stores','Zum Freundlichen Nachbarn 5, Baden-Daettwil, AG',3500,'http://www.rossstores.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (277,'Bed Bath & Beyond','Ziegenwiese 3, Baden-Daettwil, AG',3500,'http://www.bedbathandbeyond.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (278,'CSX','Am Waldrand 5, Baden-Daettwil, AG',3500,'http://www.csx.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (279,'Toys ?R? Us','Zur Kantine 9, Baden-Daettwil, AG',1200,'http://www.toysrusinc.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (280,'Las Vegas Sands','Grosse Bahnhostrasse 3, Baden-Daettwil, AG',1200,'http://www.sands.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (281,'Leucadia National','Paradeplatz 4, Zuerich, ZH',1200,'http://www.leucadia.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (282,'Dominion Resources','Badenerstr 1941, Zuerich, ZH',3500,'http://www.dom.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (283,'United States Steel','Welschdoerfchen 1941, Chur, ZH',3500,'http://www.ussteel.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (284,'L-3 Communications','Le Reduit, Tschierschen, GR',1400,'http://www.l-3com.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (285,'Edison International','Bendlehn, Trogen, SG',1400,'http://www.edisoninvestor.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (286,'Entergy','Spisertor 3, St. Gallen, SG',1400,'http://www.entergy.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (287,'ADP','Langstr 14, Zuerich, ZH',700,'http://www.adp.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (288,'First Data','Roessligasse 4, Zurich, ZH',700,'http://www.firstdata.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (289,'BlackRock','Zum Froehlichen Schweizer 3, Zurich, ZH',5000,'http://www.blackrock.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (290,'WestRock','Chrottenweg, Bern, BE',5000,'http://www.westrock.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (291,'Voya Financial','Bruppacher Str 3, Baden-Daettwil, AG',5000,'http://www.voya.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (292,'Sherwin-Williams','Limmatquai, Zuerich, ZH',1800,'http://www.sherwin.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (293,'Hilton Worldwide Holdings','Dreikoenigsstr 3, Zurich, ZH',1800,'http://www.hiltonworldwide.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (294,'Corning','Pfannenstilstr 13, Egg, ZH',2300,'http://www.corning.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (295,'R.R. Donnelley & Sons','Kreuzstr 32, Zurich, ZH',2300,'http://www.rrdonnelley.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (296,'Stanley Black & Decker','1539 Stripes Rd, Baden-Daettwil, AG',2300,'http://www.stanleyblackanddecker.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (297,'Xcel Energy','1540 Stripes Crt, Baden-Daettwil, AG',400,'http://www.xcelenergy.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (298,'Peter Kiewit Sons?','1592 Silverado St, Bangalore, Kar',1400,'http://www.kiewit.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (299,'Murphy USA','1593 Silverado St, Bangalore, Kar',1400,'http://corporate.murphyusa.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (300,'CBRE Group','1596 Commando Blvd, Bangalore, Kar',1200,'http://www.cbre.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (301,'Univar','1598 Legend St, Bangalore, Kar',5000,'http://www.univar.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (302,'D.R. Horton','1599 Legend Rd, Bangalore, Kar',5000,'http://www.drhorton.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (303,'Estee Lauder','1600 Target Crt, Bangalore, Kar',5000,'http://www.elcompanies.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (304,'Praxair','1603 Rebel St, Bangalore, Kar',500,'http://www.praxair.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (305,'Biogen','1604 Volunteers Rd, Bangalore, Kar',500,'http://www.biogen.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (306,'Mosaic','1606 Volunteers Blvd, Bangalore, Kar',3500,'http://www.mosaicco.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (307,'State Street Corp.','1607 Abwdrts St, Bangalore, Kar',3500,'http://www.statestreet.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (308,'Unum Group','1608 Amadeus St, Bangalore, Kar',3500,'http://www.unum.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (309,'Reynolds American','1610 Betrayal Crt, Bangalore, Kar',5000,'http://www.reynoldsamerican.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (310,'Core-Mark Holding','1611 Carmen Blvd, Bangalore, Kar',5000,'http://www.core-mark.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (311,'Group 1 Automotive','1614 Crackers Rd, Bangalore - India, Kar',2300,'http://www.group1auto.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (312,'Henry Schein','1615 Crackers Crt, Bangalore - India, Kar',5000,'http://www.henryschein.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (313,'Hertz Global Holdings','1616 Crackers Blvd, Bangalore - India, Kar',5000,'http://www.hertz.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (314,'Thrivent Financial for Lutherans','1617 Crackers St, Bangalore - India, Kar',900,'http://www.thrivent.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (315,'Norfolk Southern','1618 Footloose St, Bangalore - India, Kar',900,'http://www.nscorp.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (316,'Reinsurance Group of America','1619 Footloose Rd, Bangalore - India, Kar',900,'http://www.rgare.com');

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (317,'Public Service Enterprise Group','1621 Gargon! Blvd, Bangalore - India, Kar',600,'http://www.pseg.com');

```

Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values
(318,'Cameron International','1667 2010 St, Batavia, IL',200,'http://www.c-a-m.com');
Insert into CUSTOMERS (CUSTOMER_ID,NAME,ADDRESS,CREDIT_LIMIT,WEBSITE) values (319,'BB&T
Corp.','1668 Chong Tao, Beijing, ',200,'http://www.bbt.com');
select * from contacts;
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(1,'Flor','Stone','flor.stone@raytheon.com','+1 317 123 4104',1);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(2,'Lavera','Emerson','lavera.emerson@plainsallamerican.com','+1 317 123 4111',2);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(3,'Fern','Head','fern.head@usfoods.com','+1 812 123 4115',3);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(4,'Shyla','Ortiz','shyla.ortiz@abbvie.com','+1 317 123 4126',4);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(5,'Jeni','Levy','jeni.levy@centene.com','+1 812 123 4129',5);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(6,'Matthias','Hannah','matthias.hannah@chs.net','+1 219 123 4136',6);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(7,'Matthias','Cruise','matthias.cruise@alcoa.com','+1 219 123 4138',7);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(8,'Meenakshi','Mason','meenakshi.mason@internationalpaper.com','+1 317 123 4141',8);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(9,'Christian','Cage','christian.cage@emerson.com','+1 219 123 4142',9);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(10,'Charlie','Sutherland','charlie.sutherland@up.com','+1 317 123 4146',10);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(11,'Charlie','Pacino','charlie.pacino@amgen.com','+1 812 123 4150',11);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(12,'Guillaume','Jackson','guillaume.jackson@usbank.com','+1 812 123 4151',12);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(13,'Daniel','Costner','daniel.costner@staples.com','+1 812 123 4153',13);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(14,'Dianne','Derek','dianne.derek@danaher.com','+1 812 123 4157',14);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(15,'Geraldine','Schneider','geraldine.schneider@whirlpoolcorp.com','+1 313 123 4159',15);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(16,'Geraldine','Martin','geraldine.martin@aflac.com','+1 313 123 4160',16);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(17,'Guillaume','Edwards','guillaume.edwards@autonation.com','+1 616 123 4162',17);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(18,'Maurice','Mahoney','maurice.mahoney@progressive.com','+1 616 123 4181',18);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(19,'Maurice','Hasan','maurice.hasan@abbott.com','+1 517 123 4191',19);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(20,'Diane','Higgins','diane.higgins@dollargeneral.com','+1 517 123 4199',20);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(21,'Dianne','Sen','dianne.sen@tenethealth.com','+1 517 123 4201',21);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(22,'Maurice','Daltrey','maurice.daltrey@lilly.com','+1 517 123 4206',22);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(23,'Tess','Roth','tess.roth@dteenergy.com','+1 313 123 4219',23);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(24,'Ka','Kaufman','ka.kaufman@southwest.com','+1 313 123 4222',24);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(25,'Sharyl','Montoya','sharyl.montoya@penskeautomotive.com','+1 517 123 4225',25);
Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
(26,'Daniel','Glass','daniel.glass@manpowergroup.com','+1 313 123 4226',26);

```

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (27,'Rena','Arnold','rena.arnold@assurant.com','+1 517 123 4228',27);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (28,'Arlyne','Ingram','arlyne.ingram@kohlscorporation.com','+1 313 123 4230',28);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (29,'Willie','Barrera','willie.barrera@starbucks.com','+1 616 123 4234',29);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (30,'Mireya','Cochran','mireya.cochran@paccar.com','+1 313 123 4242',30);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (31,'Marlene','Odom','marlene.odom@cummins.com','+1 616 123 4245',31);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (32,'Jaclyn','Atkinson','jaclyn.atkinson@globalp.com','+1 313 123 4248',32);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (33,'Al','Schultz','al.schultz@altria.com','+1 517 123 4253',33);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (34,'Felicitas','Riley','felicitas.riley@xerox.com','+1 313 123 4255',34);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (35,'Cora','Calhoun','cora.calhoun@kimberly-clark.com','+1 313 123 4263',35);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (36,'Trula','Buckley','trula.buckley@thehartford.com','+1 517 123 4265',36);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (37,'Sasha','Wallace','sasha.wallace@huntsman.com','+1 319 123 4271',37);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (38,'Caitlin','Hill','caitlin.hill@kraftheinzcompany.com','+1 515 123 4273',38);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (39,'Gino','Pickett','gino.pickett@lear.com','+1 319 123 4278',39);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (40,'Amira','Macdonald','amira.macdonald@fluor.com','+1 712 123 4280',40);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (41,'Mack','Morse','mack.morse@aecom.com','+1 319 123 4282',41);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (42,'Eboni','Jarvis','eboni.jarvis@bd.com','+1 319 123 4288',42);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (43,'Gabrielle','Dennis','gabrielle.dennis@facebook.com','+1 515 123 4290',43);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (44,'Classie','Norris','classie.norris@jabil.com','+1 319 123 4301',44);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (45,'Khalilah','Holman','khalilah.holman@centurylink.com','+1 745 123 4306',45);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (46,'Isreal','Rose','isreal.rose@supervalu.com','+1 414 123 4307',46);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (47,'Verena','Hopper','verena.hopper@generalmills.com','+1 414 123 4308',47);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (48,'Audie','Flores','audie.flores@southerncompany.com','+1 608 123 4309',48);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (49,'Gertrude','Cooke','gertrude.cooke@nexteraenergy.com','+1 608 123 4318',49);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (50,'Princess','Kane','princess.kane@thermofisher.com','+1 414 123 4323',50);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (51,'Jacinta','Faulkner','jacinta.faulkner@aep.com','+1 414 123 4324',51);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (52,'Lashon','Wall','lashon.wall@pge.com','+1 414 123 4328',52);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (53,'Corliss','Mcneil','corliss.mcneil@nglenergypartners.com','+1 608 123 4332',53);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (54,'Brock','Webb','brock.webb@bms.com','+1 608 123 4344',54);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (55,'Melany','Mcmahon','melany.mcmahon@goodyear.com','+1 414 123 4347',55);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (56,'Rogelio','Kirby','rogelio.kirby@nucor.com','+1 414 123 4348',56);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (57,'Wallace','Dillard','wallace.dillard@pnc.com','+1 414 123 4350',57);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (58,'Gia','Boyle','gia.boyle@healthnet.com','+1 745 123 4367',58);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (59,'Tennie','Gay','tennie.gay@micron.com','+1 414 123 4369',59);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (60,'Ophelia','Hurst','ophelia.hurst@colgatepalmolive.com','+1 715 123 4372',60);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (61,'Ciara','Flowers','ciara.flowers@fcx.com','+1 414 123 4373',61);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (62,'Birgit','Stephenson','birgit.stephenson@conagrafoods.com','+1 608 123 4374',62);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (63,'Shameka','Spencer','shameka.spencer@sempra.com','+1 414 123 4376',63);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (64,'Alysa','Kane','alysa.kane@gapinc.com','+1 608 123 4378',64);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (65,'Fransisca','Reeves','fransisca.reeves@bakerhughes.com','+1 414 123 4381',65);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (66,'Jessika','Merritt','jessika.merritt@bnymellon.com','+1 612 123 4397',66);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (67,'Agustina','Conner','agustina.conner@dollartree.com','+1 612 123 4399',67);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (68,'Roxanna','Wade','roxanna.wade@autozone.com','+1 612 123 4408',68);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (69,'Virgie','Mays','virgie.mays@wholefoodsmarket.com','+1 612 123 4417',69);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (70,'Trang','Mcconnell','trang.mcconnell@ppg.com','+1 612 123 4419',70);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (71,'Nada','West','nada.west@genpt.com','+1 507 123 4421',71);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (72,'Catherina','Haney','catherina.haney@ielp.com','+1 218 123 4429',72);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (73,'Harriette','Melton','harriette.melton@navistar.com','+1 612 123 4434',73);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (74,'Willette','Rodgers','willette.rodgers@pfgc.com','+1 315 123 4442',74);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (75,'Calandra','Williamson','calandra.williamson@omnicomgroup.com','+1 315 123 4447',75);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (76,'Tamatha','Delgado','tamatha.delgado@dish.com','+1 716 123 4457',76);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (77,'Felix','Ferguson','felix.ferguson@firstenergycorp.com','+1 518 123 4459',77);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (78,'Elwood','Hampton','elwood.hampton@precast.com','+1 518 123 4464',78);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (79,'Josh','Roach','josh.roach@monsanto.com','+1 518 123 4474',79);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (80,'Luanna','Scott','luanna.scott@aes.com','+1 914 123 4494',80);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (81,'Meryl','Cole','meryl.cole@carmax.com','+1 518 123 4496',81);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (82,'Jannet','Elliott','jannet.elliott@discoverfinancial.com','+1 716 123 4575',82);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (83,'Fae','Glenn','fae.glenn@nov.com','+1 914 123 4578',83);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (84,'Francisco','Cummings','francisco.cummings@nrgenergy.com','+1 315 123 4597',84);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (85,'Ermelinda','Benton','ermelinda.benton@westerndigital.com','+1 716 123 4599',85);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (86,'Lasonya','Beard','lasonya.beard@marriott.com','+1 716 123 4605',86);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (87,'Rayna','Tran','rayna.tran@libertyinteractive.com','+1 518 123 4617',87);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (88,'Annice','Boyer','annice.boyer@walmart.com','+1 518 123 4618',88);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (89,'Ja','Whitfield','ja.whitfield@exxonmobil.com','+1 914 123 4619',89);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (90,'Jaime','Lester','jaime.lester@apple.com','+1 518 123 4624',90);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (91,'Charlsie','Lindsey','charlsie.lindsey@berkshirehathaway.com','+1 215 123 4644',91);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (92,'Jannette','Henry','jannette.henry@mckesson.com','+1 610 123 4657',92);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (93,'Margart','Mccall','margart.mccall@unitedhealthgroup.com','+1 412 123 4662',93);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (94,'Twanna','Cleveland','twanna.cleveland@cvshealth.com','+1 814 123 4663',94);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (95,'Bronwyn','Horn','bronwyn.horn@gm.com','+1 610 123 4664',95);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (96,'Jon','Petersen','jon.petersen@ford.com','+1 610 123 4667',96);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (97,'Denny','Daniel','denny.daniel@att.com','+1 610 123 4669',97);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (98,'Avis','Moore','avis.moore@ge.com','+1 717 123 4674',98);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (99,'Eden','Burke','eden.burke@amerisourcebergen.com','+1 215 123 4676',99);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (100,'Elisha','Lloyd','elisha.lloyd@verizon.com','+1 412 123 4681',100);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (101,'Samara','Barnett','samara.barnett@chevron.com','+1 412 123 4684',101);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (102,'Nadia','Sawyer','nadia.sawyer@costco.com','+1 412 123 4688',102);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (103,'Melita','Holcomb','melita.holcomb@fanniema.com','+1 412 123 4691',103);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (104,'Evita','Dickerson','evita.dickerson@thekrogerco.com','+1 717 123 4692',104);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (105,'Aundrea','Barry','aundrea.barry@amazon.com','+1 814 123 4696',105);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (106,'Irvin','Leach','irvin.leach@walgreensbootsalliance.com','+1 814 123 4697',106);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (107,'Kellee','Molina','kellee.molina@hp.com','+1 412 123 4700',107);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (108,'Ronny','Sykes','ronny.sykes@cardinal.com','+1 814 123 4706',108);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (109,'Ocie','Walton','ocie.walton@express-scripts.com','+1 215 123 4708',109);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (110,'Reva','Fuller','reva.fuller@jpmorganchase.com','+1 610 123 4714',110);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (111,'Marica','Henderson','marica.henderson@grainger.com','+1 412 123 4718',111);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (112,'Vanetta','Gross','vanetta.gross@boeing.com','+1 215 123 4721',112);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (113,'Audrea','Hayden','audrea.hayden@microsoft.com','+1 814 123 4722',113);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (114,'Neda','Mcfadden','neda.mcfadden@bankofamerica.com','+1 412 123 4724',114);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (115,'Dell','Wilkinson','dell.wilkinson@wellsfargo.com','+1 717 123 4730',115);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (116,'Sharee','Carver','sharee.carver@baxter.com','+1 215 123 4738',116);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (117,'Joaquina','Mcconnell','joaquina.mcconnell@homedepcom','+1 717 123 4739',117);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (118,'Carlyn','Calderon','carlyn.calderon@citigroup.com','+1 412 123 4740',118);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (119,'Olga','Wilkins','olga.wilkins@phillips66.com','+1 717 123 4741',119);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (120,'Delpha','Golden','delpha.golden@stryker.com','+1 215 123 4743',120);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (121,'Sharell','Branch','sharell.branch@ibm.com','+1 610 123 4744',121);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (122,'Eleanor','Farley','eleanor.farley@valero.com','+1 215 123 4745',122);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (123,'Justina','Hayes','justina.hayes@antheminc.com','+1 717 123 4746',123);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (124,'Omer','Macdonald','omer.macdonald@pg.com','+1 215 123 4748',124);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (125,'Roseline','Hill','roseline.hill@airproducts.com','+1 717 123 4752',125);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (126,'Janeen','Holt','janeen.holt@statefarm.com','+1 412 123 4763',126);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (127,'Tory','Avila','tory.avila@google.com','+1 814 123 4766',127);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (128,'Keila','Slater','keila.slater@comcastcorporation.com','+1 412 123 4767',128);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (129,'Jazmin','Burch','jazmin.burch@target.com','+1 215 123 4768',129);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (130,'Tandy','Ramsey','tandy.ramsey@wnr.com','+1 215 123 4771',130);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (131,'Debra','Herring','debra.herring@jnj.com','+1 301 123 4794',131);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (132,'Monnie','Walker','monnie.walker@metlife.com','+1 410 123 4795',132);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (133,'Alvaro','Hooper','alvaro.hooper@adm.com','+1 410 123 4800',133);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (134,'Leandro','West','leandro.west@marathonpetroleum.com','+1 410 123 4805',134);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (135,'Lurline','Dennis','lurline.dennis@freddiemac.com','+1 410 012 4715',135);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (136,'Aurea','Sanders','aurea.sanders@pepsico.com','+1 301 123 4809',136);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (137,'Stacia','Rutledge','stacia.rutledge@utc.com','+1 410 123 4812',137);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (138,'Philomena','Elliott','philomena.elliott@aetna.com','+1 410 123 4813',138);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (139,'Gonzalo','Stone','gonzalo.stone@lowes.com','+1 301 123 4814',139);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (140,'So','Hardin','so.hardin@ups.com','+1 410 123 4816',140);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (141,'Lauren','Rodriquez','lauren.rodriquez@aig.com','+1 410 123 4817',141);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (142,'Loan','Patton','loan.patton@prudential.com','+1 301 123 4818',142);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (143,'Ha','Lowe','ha.lowe@intel.com','+1 301 123 4819',143);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (144,'Alexandra','Mcgowan','alexandra.mcgowan@humana.com','+1 410 123 4822',144);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (145,'Melissa','Nichols','melissa.nichols@disney.com','+1 410 123 4840',145);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (146,'Keesha','Cohen','keesha.cohen@cisco.com','+1 414 123 4363',146);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (147,'Elvera','Benson','elvera.benson@pfizer.com','+1 507 123 4387',147);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (148,'Lanora','Ray','lanora.ray@dow.com','+1 612 123 4436',148);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (149,'Jimmy','Weber','jimmy.weber@sysco.com','+1 219 123 4145',149);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (150,'Mae','Wilkinson','mae.wilkinson@fedex.com','+1 616 123 4190',150);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (151,'Lino','Noble','lino.noble@caterpillar.com','+1 313 123 4241',151);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (152,'Kathie','Jordan','kathie.jordan@lockheedmartin.com','+1 616 123 4259',152);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (153,'Heike','Emerson','heike.emerson@newyorklife.com','+1 319 123 4269',153);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (154,'Princess','Jones','princess.jones@uhsinc.com','+1 712 123 4284',154);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (155,'Doretha','Tyler','doretha.tyler@coca-colacompany.com','+1 712 123 4289',155);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (156,'Emilio','Duncan','emilio.duncan@hcahealthcare.com','+1 414 123 4312',156);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (157,'Glinda','Lambert','glinda.lambert@ingrammicro.com','+1 414 123 4364',157);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (158,'Emery','Schneider','emery.schneider@owens-minor.com','+1 320 123 4385',158);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (159,'Amado','Jefferson','amado.jefferson@energytransfer.com','+1 612 123 4407',159);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (160,'Hisako','Herrera','hisako.herrera@tysonfoods.com','+1 716 123 4456',160);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (161,'Jamee','McLaughlin','jamee.mclaughlin@aa.com','+1 716 123 4582',161);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (162,'Audrie','Cannon','audrie.cannon@delta.com','+1 716 123 4627',162);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (163,'Lacey','Walters','lacey.walters@charter.com','+1 412 123 4677',163);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (164,'Weldon','Robinson','weldon.robinson@nationwide.com','+1 215 123 4702',164);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (165,'Solange','Gates','solange.gates@johnsoncontrols.com','+1 215 123 4749',165);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (166,'Jame','Calhoun','jame.calhoun@bestbuy.com','+1 814 123 4755',166);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (167,'Stefan','Walters','stefan.walters@merck.com','+1 301 123 4831',167);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (168,'Arlene','Elliott','arlene.elliott@advanceautoparts.com','+1 313 123 4167',168);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (169,'Sofia','Burnett','sofia.burnett@libertymutual.com','+1 219 123 4116',169);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (170,'Christal','Grant','christal.grant@gs.com','+1 616 123 4166',170);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (171,'Violeta','Stokes','violeta.stokes@honeywell.com','+1 810 123 4212',171);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (172,'Jackeline','Finley','jackeline.finley@mastercard.com','+1 313 123 4240',172);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (173,'Heidy','Massey','heidy.massey@massmutual.com','+1 414 123 4340',173);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (174,'Yolando','Wilkerson','yolando.wilkerson@oracle.com','+1 716 123 4485',174);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (175,'Lucinda','Hurley','lucinda.hurley@morganstanley.com','+1 518 123 4532',175);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (176,'Gita','Logan','gita.logan@cigna.com','+1 518 123 4562',176);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (177,'Felicitia','Alston','felicitia.alston@unitedcontinentalholdings.com','+1 315 123 4585',177);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (178,'Lela','Ewing','lela.ewing@allstate.com','+1 412 123 4659',178);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (179,'Gabriel','Pollard','gabriel.pollard@tiaa.org','+1 717 123 4679',179);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (180,'Vincenza','Walton','vincenza.walton@intlfcstone.com','+1 215 123 4709',180);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (181,'Shandra','Higgins','shandra.higgins@chsinc.com','+1 215 123 4751',181);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (182,'Thomasena','Pickett','thomasena.pickett@americanexpress.com','+1 410 123 4807',182);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (183,'Aaron','Holder','aaron.holder@gilead.com','+1 410 123 4829',183);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (184,'Carlos','Moody','carlos.moody@publix.com','+86 811 012 4093',184);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (185,'Javier','Kim','javier.kim@generaldynamics.com','+86 123 012 4095',185);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (186,'Fran','Battle','fran.battle@tjx.com','+91 80 012 4123',186);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (187,'Shelia','Brewer','shelia.brewer@conocophillips.com','+49 89 012 4129',187);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (188,'Jeri','Randall','jeri.randall@nike.com','+49 90 012 4131',188);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (189,'Jermaine','Cote','jermaine.cote@wfscorp.com','+49 91 012 4133',189);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (190,'Kenneth','Simmons','kenneth.simmons@3m.com','+39 6 012 4543',190);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (191,'Dulce','Matthews','dulce.matthews@mondelezinternational.com','+1 416 012 4147',191);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (192,'Kristle','Cain','kristle.cain@exeloncorp.com','+39 55 012 4547',192);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (193,'Erika','Murray','erika.murray@21cf.com','+39 55 012 4551',193);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (194,'Maud','Cohen','maud.cohen@johndeere.com','+39 55 012 4555',194);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (195,'Rolanda','Vang','rolanda.vang@appliedmaterials.com','+39 10 012 4365',195);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (196,'Renea','Carney','renea.carney@dupont.com','+39 55 012 4565',196);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (197,'Sybil','Harding','sybil.harding@avnet.com','+39 10 012 4367',197);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (198,'Colette','Estrada','colette.estrada@eastman.com','+81 565 012 4567',198);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (199,'Maximo','Ortega','maximo.ortega@macysinc.com','+39 10 012 4369',199);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (200,'Kina','Larsen','kina.larsen@enterpriseproducts.com','+39 55 012 4569',200);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (201,'Jarvis','Allison','jarvis.allison@travelers.com','+39 10 012 4371',201);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (202,'Collene','Newton','collene.newton@sonicautomotive.com','+39 49 012 4373',202);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (203,'Vella','Hancock','vella.hancock@pmi.com','+39 49 012 4375',203);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (204,'Retta','Martinez','retta.martinez@riteaid.com','+39 49 012 4377',204);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (205,'Annelle','Lawrence','annelle.lawrence@techdata.com','+39 10 012 4379',205);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (206,'Sherron','Simon','sherron.simon@ally.com','+39 10 012 4381',206);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (207,'Carita','Mcintyre','carita.mcintyre@northwesternmutual.com','+86 10 012 4165',207);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (208,'Stephaine','Booker','stephaine.booker@tsocorp.com','+39 55 012 4559',208);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (209,'Emilie','Parsons','emilie.parsons@timewarner.com','+39 10 012 4363',209);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (210,'Jaleesa','Bowen','jaleesa.bowen@cstbrands.com','+66 76 012 4633',210);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (211,'Jeannie','Poole','jeannie.poole@aboutmcdonalds.com','+91 80 012 4637',211);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (212,'Adrienne','Lang','adrienne.lang@qualcomm.com','+39 2 012 4771',212);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (213,'Jess','Nguyen','jess.nguyen@searsholdings.com','+39 2 012 4773',213);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (214,'Tandy','House','tandy.house@ebay.com','+39 2 012 4775',214);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (215,'Herman','Stokes','herman.stokes@capitalone.com','+39 49 012 4777',215);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (216,'Keesha','Lambert','keesha.lambert@emc.com','+39 49 012 4779',216);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (217,'Lauren','Williamson','lauren.williamson@usaa.com','+39 49 012 4781',217);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (218,'Lucius','Abbott','lucius.abbott@lennar.com','+91 80 012 4783',218);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (219,'Beatrice','Ford','beatrice.ford@duke-energy.com','+91 80 012 4785',219);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (220,'Tamisha','Vargas','tamisha.vargas@twc.com','+91 80 012 4793',220);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (221,'Dick','Lamb','dick.lamb@halliburton.com','+91 80 012 4803',221);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (222,'Yolanda','Ball','yolanda.ball@gamestopcorp.com','+91 80 012 4809',222);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (223,'Jerica','Brooks','jerica.brooks@northropgrumman.com','+91 11 012 4811',223);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (224,'Nichol','Carter','nichol.carter@arrow.com','+91 11 012 4813',224);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (225,'Bobby','Wilson','bobby.wilson@rsac.com','+91 11 012 4817',225);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (226,'Eve','Saunders','eve.saunders@officedepcom','+91 80 012 4823',226);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (227,'Ginger','Atkinson','ginger.atkinson@nordstrom.com','+91 33 012 4825',227);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (228,'Kenton','Harrell','kenton.harrell@kindermorgan.com','+91 33 012 4827',228);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (229,'Misti','Velazquez','misti.velazquez@aramark.com','+91 80 012 4829',229);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (230,'Brandie','Buchanan','brandie.buchanan@davita.com','+91 22 012 4831',230);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (231,'Kandi','Holden','kandi.holden@molinahealthcare.com','+91 80 012 4833',231);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (232,'Lashonda','Cunningham','lashonda.cunningham@wellcare.com','+91 11 012 4835',232);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (233,'Roxanne','Michalkow','roxanne.michalkow@cbscorporation.com','+91 172 012 4837',233);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (234,'Phuong','Sanders','phuong.sanders@visa.com','+91 22 012 4839',234);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (235,'Vida','Kline','vida.kline@lfg.com','+91 80 012 4841',235);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (236,'Mayola','Houston','mayola.houston@ecolab.com','+91 80 012 4843',236);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (237,'Cristine','Bell','cristine.bell@kelloggcompany.com','+91 11 012 4851',237);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (238,'Shamika','Bauer','shamika.bauer@chrobinson.com','+91 11 012 4853',238);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (239,'Rebbeca','Day','rebbeca.day@textron.com','+91 172 012 4861',239);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (240,'Maryrose','Cain','maryrose.cain@loews.com','+91 80 012 4869',240);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (241,'Johnie','Rojas','johnie.rojas@itw.com','+91 80 012 4887',241);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (242,'Verla','Christian','verla.christian@synnex.com','+91 80 012 4889',242);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (243,'Teresa','Hewitt','teresa.hewitt@hormelfoods.com','+91 80 012 4891',243);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (244,'Shenna','Blair','shenna.blair@viacom.com','+91 141 012 4895',244);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (245,'Latoyia','Burt','latoyia.burt@hollyfrontier.com','+91 80 012 4907',245);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (246,'Shaquita','Norman','shaquita.norman@landolakesinc.com','+91 80 012 4919',246);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (247,'Myrna','Romero','myrna.romero@celgene.com','+91 80 012 4931',247);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (248,'Bill','Stein','bill.stein@devonenergy.com','+39 6 012 4501',248);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (249,'Olivia','Conrad','olivia.conrad@pbfenergy.com','+39 6 012 4503',249);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (250,'Marianne','Bryant','marianne.bryant@genworth.com','+39 6 012 4507',250);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (251,'Dustin','Paul','dustin.paul@yum.com','+39 6 012 4511',251);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (252,'Elroy','Wolf','elroy.wolf@ti.com','+39 6 012 4515',252);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (253,'Jadwiga','Morrison','jadwiga.morrison@cdw.com','+39 6 012 4519',253);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (254,'Isabella','Ortega','isabella.ortega@paypal.com','+39 6 012 4531',254);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (255,'Katia','Case','katia.case@wm.com','+39 6 012 4535',255);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (256,'Enriqueta','Odom','enriqueta.odom@mmc.com','+39 6 012 4539',256);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (257,'Don','Hansen','don.hansen@chk.com','+39 10 012 4385',257);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (258,'Herb','Sloan','herb.sloan@pricelinegroup.com','+39 10 012 4387',258);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (259,'Blanche','Robbins','blanche.robbs@parker.com','+39 6 012 4389',259);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (260,'Gaynell','Burton','gaynell.burton@oxy.com','+39 6 012 4391',260);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (261,'Marhta','Baldwin','marhta.baldwin@guardianlife.com','+39 49 012 4409',261);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (262,'Peter','Gamble','peter.gamble@mgmresorts.com','+39 49 012 4411',262);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (263,'Nathan','Callahan','nathan.callahan@farmers.com','+39 10 012 4413',263);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (264,'Tereasa','Padilla','teresa.padilla@jcpenny.com','+39 49 012 4415',264);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (265,'Merrilee','Phillips','merrilee.phillips@conedison.com','+39 49 012 4417',265);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (266,'Tisha','Mcdonald','tisha.mcdonald@autoliv.com','+39 49 012 4419',266);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (267,'Napoleon','Cruz','napoleon.cruz@cognizant.com','+39 10 012 4421',267);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (268,'Basilia','Downs','basilia.downs@vfc.com','+66 76 012 4441',268);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (269,'Alessandra','Estrada','alessandra.estrada@ameriprise.com','+41 56 012 3527',269);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (270,'Sherron','Flores','sherron.flores@fnf.com','+41 57 012 3529',270);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (271,'Elicia','Townsend','elicia.townsend@csc.com','+41 58 012 3531',271);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (272,'Percy','Hernandez','percy.hernandez@lb.com','+41 59 012 3533',272);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (273,'Shelia','Cain','shelia.cain@jacobs.com','+41 60 012 3535',273);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (274,'Charlene','Booker','charlene.booker@republicservices.com','+41 61 012 3537',274);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (275,'Mac','Mckay','mac.mckay@principal.com','+41 62 012 3539',275);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (276,'Jamison','Merritt','jamison.merritt@rossstores.com','+41 63 012 3541',276);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (277,'Quinton','Woods','quinton.woods@bedbathandbeyond.com','+41 64 012 3543',277);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (278,'Cathey','Mcdowell','cathey.mcdowell@csx.com','+41 65 012 3545',278);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (279,'Deneen','Hays','deneen.hays@toysrusinc.com','+41 66 012 3547',279);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (280,'Jackson','Morin','jackson.morin@sands.com','+41 67 012 3549',280);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (281,'Margo','Hoffman','margo.hoffman@leucadia.com','+41 2 012 3551',281);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (282,'Adah','Myers','adah.myers@dom.com','+41 3 012 3553',282);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (283,'Florene','Craig','florene.craig@ussteel.com','+41 81 012 3555',283);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (284,'Janey','Burris','janey.burris@l-3com.com','+41 81 012 3557',284);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (285,'Evelina','Campbell','evelina.campbell@edisoninvestor.com','+41 71 012 3559',285);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (286,'Thi','Maxwell','thi.maxwell@entergy.com','+41 71 012 3561',286);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (287,'Aleshia','Reese','aleshia.reese@adp.com','+41 4 012 3563',287);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (288,'Dorotha','Wong','dorotha.wong@firstdata.com','+41 6 012 3565',288);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (289,'Estela','Donovan','estela.donovan@blackrock.com','+41 7 012 3567',289);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (290,'Hassan','Rivers','hassan.rivers@westrock.com','+41 31 012 3569',290);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (291,'Jen','Mcmahon','jen.mcmahon@voya.com','+41 68 012 3571',291);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (292,'Barbie','Carter','barbie.carter@sherwin.com','+41 5 012 3573',292);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (293,'Cleo','English','cleo.english@hiltonworldwide.com','+41 8 012 3575',293);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (294,'Liana','Pena','liana.pena@corning.com','+41 1 012 3577',294);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (295,'Francina','Slater','francina.slater@rrdonnelley.com','+41 9 012 3579',295);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (296,'Josie','Steele','josie.steele@stanleyblackanddecker.com','+41 69 012 3581',296);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (297,'Maryrose','Roberson','maryrose.roberson@xcelenergy.com','+41 70 012 3583',297);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (298,'Elly','Salinas','elly.salinas@kiewit.com','+91 80 012 3687',298);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (299,'Ginny','Carlson','ginny.carlson@orate.murphyusa.com','+91 80 012 3689',299);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (300,'Mozelle','Schneider','mozelle.schneider@cbre.com','+91 80 012 3695',300);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (301,'Adam','Jacobs','adam.jacobs@univar.com','+91 80 012 3699',301);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (302,'Vernia','Hayes','vernia.hayes@drhorton.com','+91 80 012 3701',302);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (303,'Ismael','Solomon','ismael.solomon@elcompanies.com','+91 80 012 3703',303);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (304,'Ivey','Rutledge','ivey.rutledge@praxair.com','+91 80 012 3709',304);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (305,'Jame','Terrell','jame.terrell@biogen.com','+91 80 012 3711',305);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (306,'Daina','Combs','daina.combs@mosaicco.com','+91 80 012 3715',306);

Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (307,'Lashunda','Davidson','lashunda.davidson@statestreet.com','+91 80 012 3717',307);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (308,'Arlette','Thornton','arlette.thornton@unum.com','+91 80 012 3719',308);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (309,'Darron','Robertson','darron.robertson@reynoldsamerican.com','+91 80 012 3723',309);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (310,'Maple','Barnett','maple.barnett@core-mark.com','+91 80 012 3725',310);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (311,'Charlsie','Carey','charlsie.carey@group1auto.com','+91 80 012 3731',311);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (312,'Frank','Shannon','frank.shannon@henryschein.com','+91 80 012 3733',312);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (313,'Josiah','Beasley','josiah.beasley@hertz.com','+91 80 012 3735',313);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (314,'Annabelle','Butler','annabelle.butler@thrivent.com','+91 80 012 3737',314);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (315,'Ed','Mueller','ed.mueller@nscorp.com','+91 80 012 3739',315);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (316,'Colleen','Estrada','colleen.estrada@rgare.com','+91 80 012 3741',316);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (317,'Nikia','Kent','nikia.kent@pseg.com','+91 80 012 3745',317);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (318,'Amber','Brady','amber.brady@c-a-m.com','+91 80 012 3837',318);
 Insert into CONTACTS (CONTACT_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE,CUSTOMER_ID) values
 (319,'Wendell','Massey','wendell.massey@bbt.com','+86 10 012 3839',319);

Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (105,1,'Pending',54,to_date('17-NOV-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (44,2,'Pending',55,to_date('20-FEB-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (101,3,'Pending',55,to_date('03-JAN-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (1,4,'Pending',56,to_date('15-OCT-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (5,5,'Canceled',56,to_date('09-APR-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (28,6,'Canceled',57,to_date('15-AUG-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (87,7,'Canceled',57,to_date('01-DEC-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (4,8,'Shipped',59,to_date('09-APR-15','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (41,9,'Shipped',59,to_date('11-MAY-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (82,44,'Shipped',60,to_date('03-DEC-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (102,45,'Shipped',61,to_date('20-DEC-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (26,46,'Shipped',62,to_date('16-AUG-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (43,47,'Shipped',62,to_date('02-MAY-15','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (53,48,'Shipped',62,to_date('29-SEP-16','DD-MON-RR'));

```

Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(81,49,'Shipped',62,to_date('13-DEC-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(83,16,'Shipped',62,to_date('02-DEC-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(93,17,'Shipped',62,to_date('27-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(94,1,'Shipped',62,to_date('27-OCT-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(79,2,'Shipped',64,to_date('14-DEC-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(80,3,'Shipped',64,to_date('13-DEC-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(2,4,'Shipped',null,to_date('26-APR-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(3,5,'Shipped',null,to_date('26-APR-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(6,6,'Shipped',null,to_date('09-APR-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(7,7,'Shipped',null,to_date('15-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(8,8,'Shipped',null,to_date('14-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(9,9,'Shipped',null,to_date('14-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(10,44,'Pending',null,to_date('24-JAN-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(11,45,'Shipped',null,to_date('29-NOV-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(12,46,'Shipped',null,to_date('29-NOV-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(13,47,'Shipped',null,to_date('29-NOV-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(14,48,'Shipped',null,to_date('28-SEP-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(15,49,'Shipped',null,to_date('27-SEP-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(16,16,'Pending',null,to_date('27-SEP-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(17,17,'Shipped',null,to_date('27-SEP-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(18,18,'Shipped',null,to_date('16-AUG-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(19,19,'Shipped',null,to_date('27-MAY-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(20,20,'Shipped',null,to_date('27-MAY-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(21,21,'Pending',null,to_date('27-MAY-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(22,22,'Canceled',null,to_date('26-MAY-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(23,23,'Shipped',null,to_date('07-SEP-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(24,41,'Shipped',null,to_date('07-SEP-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(25,42,'Shipped',null,to_date('24-AUG-16','DD-MON-RR'));

```

```

Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(27,43,'Canceled',null,to_date('16-AUG-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(29,44,'Shipped',null,to_date('14-AUG-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(30,45,'Shipped',null,to_date('12-AUG-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(31,46,'Canceled',null,to_date('12-AUG-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(32,47,'Shipped',null,to_date('09-MAR-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(33,48,'Shipped',null,to_date('07-MAR-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(34,49,'Shipped',null,to_date('12-JUN-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(35,50,'Shipped',null,to_date('05-SEP-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(36,51,'Shipped',null,to_date('05-SEP-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(37,52,'Shipped',null,to_date('19-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(38,53,'Canceled',57,to_date('31-MAY-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(39,54,'Shipped',62,to_date('22-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(40,55,'Shipped',62,to_date('11-MAY-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(42,56,'Canceled',64,to_date('03-MAY-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(45,57,'Shipped',64,to_date('20-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(46,58,'Pending',62,to_date('20-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(47,59,'Canceled',62,to_date('10-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(48,60,'Canceled',64,to_date('10-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(49,61,'Shipped',55,to_date('02-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(50,62,'Pending',55,to_date('02-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(51,63,'Shipped',59,to_date('02-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(52,64,'Shipped',60,to_date('02-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(54,65,'Shipped',56,to_date('29-SEP-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(55,66,'Pending',59,to_date('29-SEP-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(56,67,'Canceled',55,to_date('29-SEP-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(57,68,'Shipped',57,to_date('24-AUG-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(58,69,'Shipped',57,to_date('24-AUG-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(59,70,'Shipped',59,to_date('29-JUN-15','DD-MON-RR'));

```



```

Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(60,1,'Shipped',62,to_date('30-JUN-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(61,2,'Shipped',54,to_date('30-JUN-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(62,3,'Shipped',62,to_date('30-JUN-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(63,4,'Shipped',61,to_date('30-JUN-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(64,5,'Shipped',64,to_date('21-JUN-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(65,6,'Shipped',64,to_date('21-JUN-13','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(66,7,'Canceled',61,to_date('21-JUN-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(67,8,'Canceled',61,to_date('14-JUN-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(68,9,'Pending',null,to_date('13-JUN-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(69,44,'Canceled',54,to_date('17-MAR-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(70,45,'Canceled',61,to_date('21-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(71,46,'Shipped',54,to_date('21-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(72,47,'Shipped',64,to_date('17-FEB-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(73,48,'Shipped',null,to_date('17-FEB-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(74,49,'Shipped',64,to_date('10-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(75,16,'Shipped',null,to_date('10-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(76,17,'Shipped',55,to_date('10-FEB-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(77,1,'Shipped',60,to_date('02-JAN-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(78,2,'Pending',64,to_date('14-DEC-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(84,3,'Shipped',64,to_date('01-DEC-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(85,4,'Pending',55,to_date('01-DEC-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(86,5,'Pending',60,to_date('30-NOV-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(88,6,'Shipped',61,to_date('01-NOV-17','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(89,7,'Shipped',55,to_date('27-OCT-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(90,8,'Pending',55,to_date('28-OCT-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(91,9,'Pending',56,to_date('28-OCT-16','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(92,44,'Shipped',59,to_date('28-OCT-15','DD-MON-RR'));
Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
(95,45,'Shipped',59,to_date('19-SEP-16','DD-MON-RR'));

```

Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (96,46,'Shipped',56,to_date('14-SEP-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (97,47,'Canceled',60,to_date('12-JUL-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (98,48,'Shipped',55,to_date('18-MAR-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (99,49,'Shipped',60,to_date('07-JAN-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (100,16,'Pending',54,to_date('05-JAN-17','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (103,17,'Pending',64,to_date('08-FEB-16','DD-MON-RR'));
 Insert into ORDERS (ORDER_ID,CUSTOMER_ID,STATUS,SALESMAN_ID,ORDER_DATE) values
 (104,18,'Shipped',60,to_date('01-FEB-17','DD-MON-RR'));

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (70,7,7,132,470);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (73,5,5,124,520);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (74,7,7,92,801);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (75,11,10,128,850);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (76,10,10,106,110);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (77,5,5,148,550);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (81,7,7,127,660);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (82,9,9,138,55);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (83,8,10,117,798);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (84,6,6,34,280);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (87,11,10,58,550);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (90,8,10,49,2200);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (91,11,10,77,310);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (93,5,5,141,722);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (94,9,9,33,825);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (99,9,9,144,699);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (102,3,3,149,340);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (104,7,7,145,2000);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (105,6,6,79,900);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (2,9,9,75,621);
 Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
 (4,8,10,116,799);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(6,7,7,119,681);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,9,9,148,48);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,1,1,111,299);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(3,1,1,111,67);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(4,1,1,47,150);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(5,1,1,70,283);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(6,1,1,67,648);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(7,1,1,74,305);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,1,1,92,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(9,1,1,139,850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,1,1,118,287);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(11,1,1,113,142);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,1,1,41,574);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,1,1,46,440);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,1,1,98,735);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,1,1,116,470);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,1,1,60,330);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,1,1,70,1639);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(17,1,1,51,283);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,1,1,105,1470);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,1,1,53,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(20,1,1,105,641);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(21,1,1,79,1300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,1,1,44,830);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,1,1,104,714);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(24,1,1,129,722);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,1,1,109,299);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(26,1,1,114,621);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,1,1,38,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,1,1,61,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,1,1,38,681);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(30,1,1,70,42);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(31,1,1,68,636);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(32,1,1,83,338);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,1,1,93,151);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(34,1,1,141,874);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(35,1,1,133,798);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,1,1,45,687);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(37,1,1,150,1315);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(38,1,1,90,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,1,1,116,1450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,1,1,106,420);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,1,1,80,48);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(42,1,1,45,418);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,1,1,74,863);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(44,1,1,118,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(45,1,1,43,702);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,1,1,51,892);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(47,1,1,73,2000);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(48,1,1,46,1667);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(49,1,1,104,358);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(50,1,1,49,830);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(51,1,1,34,750);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(52,1,1,123,42);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(53,1,1,130,98);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(54,1,1,73,1200);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(55,1,1,127,2043);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(56,1,1,70,440);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(57,1,1,75,350);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,1,1,55,526);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,1,1,101,2000);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(60,1,1,74,650);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(61,1,1,114,798);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(62,1,1,130,482);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(63,1,1,72,711);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(64,1,1,61,648);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(65,1,1,104,150);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,1,1,143,696);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,1,1,61,330);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,1,1,98,1900);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,1,1,57,4139);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(70,1,1,146,874);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(71,1,1,146,1704);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(72,1,1,101,735);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(73,1,1,120,1699);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(74,1,1,97,84);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,1,1,73,785);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,1,1,92,714);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(77,1,1,65,671);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(78,1,1,147,2200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(79,1,1,145,340);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(80,1,1,63,1470);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(81,1,1,133,742);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,1,1,42,2260);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (83,1,1,35,89);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (84,1,1,137,609);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (85,1,1,114,589);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (86,1,1,46,714);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (87,1,1,123,2377);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (88,1,1,139,678);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (89,1,1,45,340);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (90,1,1,84,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (91,1,1,89,723);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (92,1,1,114,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (93,1,1,70,85);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (94,1,1,38,91);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (95,1,1,138,1677);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (96,1,1,34,268);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (97,1,1,39,3193);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (98,1,1,104,400);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (99,1,1,66,110);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (100,1,1,70,150);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (101,1,1,47,699);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (102,1,1,69,1100);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (103,1,1,117,850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (104,1,1,74,735);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (105,1,1,116,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (1,2,2,77,687);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (3,2,2,65,17);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (5,2,2,45,726);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (8,2,2,70,825);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values (9,2,2,123,68);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,2,2,102,812);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,2,2,58,573);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,2,2,67,1205);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,2,2,106,589);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,2,2,62,67);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(20,2,2,78,300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(21,2,2,146,636);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,2,2,45,732);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,2,2,50,949);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,2,2,119,740);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,2,2,77,420);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,2,2,120,722);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,2,2,62,1500);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(31,2,2,97,939);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,2,2,33,1249);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(35,2,2,134,711);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,2,2,105,636);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(37,2,2,129,863);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(38,2,2,52,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,2,2,108,1249);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,2,2,131,636);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,2,2,82,1300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,2,2,66,330);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,2,2,112,2700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(47,2,2,107,151);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(48,2,2,98,2009);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(53,2,2,89,44);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(55,2,2,70,470);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,2,2,32,892);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,2,2,34,1639);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(60,2,2,138,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(61,2,2,75,17);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(63,2,2,47,1020);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(65,2,2,83,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,2,2,40,1389);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,2,2,121,290);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,2,2,42,2775);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,2,2,66,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(70,2,2,52,830);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(71,2,2,38,1756);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(72,2,2,123,1065);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(74,2,2,86,339);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,2,2,74,354);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,2,2,98,1760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(77,2,2,136,44);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(78,2,2,50,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(79,2,2,53,1432);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,2,2,71,644);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(83,2,2,54,1100);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(84,2,2,137,648);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(85,2,2,35,137);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(86,2,2,47,395);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,2,2,96,60);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(88,2,2,106,2015);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(89,2,2,84,2043);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(90,2,2,60,526);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,2,2,127,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(92,2,2,126,418);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(94,2,2,146,1450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(95,2,2,64,403);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(97,2,2,82,3255);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(101,2,2,134,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(104,2,2,90,383);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(105,2,2,67,1752);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,3,3,52,526);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,3,3,87,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(9,3,3,90,1432);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,3,3,75,300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,3,3,133,344);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,3,3,56,42);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,3,3,142,90);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,3,3,77,67);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,3,3,65,646);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,3,3,96,766);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,3,3,56,300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,3,3,118,48);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,3,3,102,98);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(38,3,3,89,89);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,3,3,33,714);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,3,3,131,339);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,3,3,86,679);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,3,3,94,3193);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,3,3,86,354);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(47,3,3,99,1200);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(57,2,2,110,1760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,3,3,73,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,3,3,105,700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(60,3,3,144,1074);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(61,3,3,59,284);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(65,3,3,35,732);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,3,3,35,234);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,3,3,94,1010);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,3,3,50,900);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,3,3,112,580);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(71,3,3,75,1056);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(72,3,3,145,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,3,3,143,53);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,3,3,134,1900);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(77,3,3,143,1389);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(78,3,3,119,769);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(83,3,3,76,732);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(86,3,3,45,330);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,3,3,119,117);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(89,3,3,89,350);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,3,3,83,1419);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(97,3,3,61,770);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(101,3,3,134,128);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(104,3,3,48,2502);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(105,3,3,45,400);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,4,4,87,1030);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,4,4,40,105);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(9,4,4,62,320);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,4,4,70,290);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,2,2,82,1275);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,2,2,133,4139);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,4,4,42,110);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,2,2,57,310);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,4,4,44,320);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(24,2,2,61,305);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,4,4,80,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(26,2,2,92,1450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,4,4,95,90);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,4,4,139,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,4,4,32,420);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(30,2,2,137,621);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,3,3,67,402);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,4,4,72,812);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(38,4,4,59,487);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,4,4,80,137);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,4,4,49,58);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,4,4,86,2800);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(44,2,2,148,830);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,4,4,104,89);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(57,3,3,122,742);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,4,4,70,1450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,4,4,138,2377);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(60,4,4,125,2200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(61,4,4,71,418);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,4,4,117,714);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,4,4,125,1900);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(73,2,2,130,1315);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,4,4,115,2999);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,4,4,56,1074);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(77,4,4,99,2555);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(78,4,4,87,621);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(79,3,3,138,687);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(83,4,4,106,1505);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(86,4,4,76,722);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(89,4,4,126,580);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(90,3,3,106,296);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,4,4,75,397);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(94,3,3,86,1389);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(105,4,4,80,646);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,5,5,131,646);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,2,2,121,1432);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(3,3,3,63,480);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(5,3,3,82,864);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(6,2,2,41,646);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,5,5,118,55);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,5,5,133,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,3,3,80,1806);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,4,4,71,740);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,4,4,46,81);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(21,3,3,120,339);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,5,5,59,1909);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,3,3,80,1030);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(24,3,3,51,2377);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,5,5,45,42);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,5,5,122,700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,5,5,99,801);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,5,5,137,58);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(30,3,3,37,268);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(32,2,2,130,2999);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(35,3,3,87,1065);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(38,5,5,149,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,5,5,149,2065);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,5,5,83,313);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,5,5,94,1000);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(55,3,3,79,268);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(57,4,4,114,1850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,5,5,143,790);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,5,5,117,671);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(60,5,5,114,678);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,5,5,129,565);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,5,5,150,850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,4,4,58,1500);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(74,3,3,61,1752);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,5,5,37,520);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,5,5,133,750);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(78,5,5,37,1000);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,3,3,121,120);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(89,5,5,55,49);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,5,5,111,1074);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(94,4,4,133,565);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,6,6,95,641);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,3,3,39,1056);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(3,4,4,46,526);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(5,4,4,77,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,6,6,114,745);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,4,4,60,645);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,3,3,87,450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,5,5,92,137);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,3,3,83,2117);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,5,5,106,644);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,6,6,43,17);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,4,4,74,732);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,6,6,85,480);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,6,6,133,646);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,6,6,75,645);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(30,4,4,50,745);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(31,3,3,147,574);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(38,6,6,76,678);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,4,4,128,1004);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,6,6,82,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,6,6,112,330);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,6,6,80,60);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(47,4,4,98,53);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,6,6,77,1470);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,6,6,126,1205);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(65,4,4,42,2775);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,4,4,88,810);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,6,6,141,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,5,5,71,678);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(70,3,3,84,2043);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(74,4,4,82,609);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,6,6,81,110);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,6,6,46,1010);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(78,6,6,145,4139);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(81,2,2,134,1756);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,4,4,113,389);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,4,4,59,720);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(89,6,6,140,723);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,6,6,37,3177);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(92,3,3,132,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(95,3,3,69,550);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(99,2,2,37,700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,7,7,41,645);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,4,4,49,799);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(3,5,5,112,644);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(4,2,2,75,470);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(5,5,5,78,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(9,5,5,58,287);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,3,3,83,950);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,7,7,110,420);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,5,5,89,1010);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,6,6,83,580);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,6,6,105,810);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,7,7,60,699);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,5,5,59,2291);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(26,3,3,71,1319);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,7,7,51,589);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,7,7,103,1639);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(30,5,5,68,299);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(31,4,4,34,310);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(34,2,2,113,280);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(38,7,7,139,1500);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,5,5,144,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,7,7,99,58);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,7,7,101,105);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(42,2,2,147,812);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(44,3,3,37,550);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,7,7,114,589);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(47,5,5,123,283);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,7,7,82,281);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(61,5,5,32,726);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,5,5,66,798);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,6,6,82,850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(70,4,4,139,1500);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(74,5,5,101,800);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,7,7,74,609);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,7,7,125,1100);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(79,4,4,146,573);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(81,3,3,104,679);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,5,5,59,1219);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(83,5,5,122,636);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(84,3,3,147,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,5,5,74,1432);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(90,4,4,146,2117);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,7,7,113,700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(92,4,4,111,3193);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(95,4,4,123,805);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(97,4,4,67,53);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(99,3,3,98,440);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(101,4,4,52,55);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(102,2,2,117,110);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(103,2,2,142,58);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,8,10,129,384);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,5,5,30,1909);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(3,6,6,81,1300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(4,3,3,140,681);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,6,6,34,720);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(9,6,6,48,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,4,4,133,358);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,8,10,85,27);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,6,6,127,641);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,5,5,80,2502);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,7,7,94,645);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(21,4,4,135,641);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,8,10,99,755);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,6,6,40,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,8,10,127,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,8,10,81,812);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(31,5,5,56,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(32,3,3,134,799);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(34,3,3,100,302);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,5,5,143,91);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(37,3,3,100,284);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,6,6,112,720);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,8,10,30,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(42,3,3,76,2661);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(44,4,4,100,2009);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,8,10,116,3177);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(54,2,2,136,2700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,7,7,49,850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(61,6,6,50,2291);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,7,7,124,687);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(70,5,5,106,595);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(73,3,3,102,444);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,8,10,82,67);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(81,4,4,83,1500);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,6,6,56,280);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(83,6,6,86,60);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(84,4,4,36,110);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,6,6,84,798);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(90,5,5,129,799);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,8,10,102,1100);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(95,5,5,76,644);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(97,5,5,48,68);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(98,2,2,44,1219);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(99,4,4,71,1300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(101,5,5,36,282);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(104,4,4,51,1219);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(105,5,5,77,810);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,9,9,139,1100);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,6,6,95,950);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(3,7,7,73,769);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(4,4,4,60,330);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(7,2,2,49,137);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,7,7,135,890);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(9,7,7,117,595);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,5,5,68,1389);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(11,2,2,79,300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,9,9,117,805);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,7,7,67,302);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,4,4,40,821);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,6,6,53,280);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,4,4,141,2260);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,9,9,89,602);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,7,7,36,234);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(24,4,4,59,67);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,9,9,132,2117);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,6,6,120,1030);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,9,9,71,60);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(32,4,4,105,645);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,4,4,93,151);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(34,4,4,106,403);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,6,6,33,650);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,7,7,101,874);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,9,9,31,384);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,5,5,114,805);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,9,9,65,2555);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(53,3,3,106,900);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(54,3,3,134,766);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(57,5,5,77,555);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,8,10,65,389);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(61,7,7,45,1677);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,8,10,39,340);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,6,6,46,800);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(70,6,6,68,8868);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,9,9,34,720);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,8,10,91,654);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(81,5,5,144,151);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,7,7,31,711);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(83,7,7,49,799);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(84,5,5,119,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,7,7,66,681);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(89,7,7,109,630);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(90,6,6,147,874);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(94,5,5,143,1000);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(95,6,6,135,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(97,6,6,132,1300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(99,5,5,58,621);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(101,6,6,138,720);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(104,5,5,85,865);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,10,10,147,526);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,7,7,100,687);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(3,8,10,127,949);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(4,5,5,80,720);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(6,3,3,90,16);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,6,6,96,526);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,10,10,37,1030);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,8,1,95,641);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,5,5,125,740);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,7,7,118,830);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,7,7,44,27);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,5,5,103,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,10,10,95,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,8,10,126,1756);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(24,5,5,83,300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(26,4,4,78,1850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,10,10,58,282);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(30,6,6,82,2700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,5,5,84,790);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(34,5,5,37,766);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(35,4,4,79,300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,8,10,102,313);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,10,10,36,830);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,8,10,31,750);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(42,4,4,103,1470);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,6,6,86,42);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,10,10,91,1010);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,9,9,134,827);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,6,6,130,60);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,7,7,139,649);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,7,7,49,660);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(81,6,6,61,1200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(82,8,10,56,1470);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,8,10,110,85);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(89,8,10,127,282);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(90,7,7,125,339);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(92,5,5,112,821);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(93,2,2,46,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(94,6,6,111,2700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(99,6,6,43,641);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(101,7,7,123,2043);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,11,10,105,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(2,8,10,97,420);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(4,6,6,96,1994);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(6,4,4,145,58);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,7,7,52,720);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,11,10,114,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,9,9,137,504);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,6,6,79,482);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(15,8,10,77,1756);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,8,10,142,646);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,6,6,60,81);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,8,10,130,2260);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,11,10,144,151);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,9,9,86,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(24,6,6,99,1164);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(26,5,5,36,282);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,11,10,67,732);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(30,7,7,64,589);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,6,6,70,949);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(42,5,5,85,500);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,7,7,57,641);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(45,2,2,126,400);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,10,10,31,1900);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(60,6,6,79,2270);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(65,5,5,141,900);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,7,7,78,1500);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,8,10,56,687);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,9,9,142,722);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,9,9,44,299);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(92,6,6,91,1850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(93,3,3,30,338);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(94,7,7,37,358);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(99,7,7,31,654);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,12,10,103,310);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(6,5,5,74,2015);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,8,10,124,799);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(12,12,10,120,142);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(13,10,10,138,1699);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,7,7,32,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,7,7,133,482);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,9,9,83,573);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,12,10,45,850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(23,10,10,110,354);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,7,7,132,128);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,12,10,105,2200);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,7,7,131,1020);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,10,10,62,630);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(32,5,5,148,1275);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,7,7,41,799);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,7,7,45,281);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(42,6,6,47,687);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(43,8,10,73,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(45,3,3,88,766);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(57,6,6,44,1850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,11,10,51,281);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,8,10,96,330);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(60,7,7,146,649);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,8,10,122,624);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,9,9,138,2260);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,8,10,67,1845);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(73,4,4,54,2502);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(74,6,6,137,354);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(75,10,10,86,590);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(76,9,9,78,589);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(87,10,10,96,630);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(91,10,10,104,760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(92,7,7,104,850);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(93,4,4,113,299);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(94,8,10,73,58);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(99,8,10,101,2043);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(104,6,6,139,2270);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(1,13,10,121,2000);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(4,7,7,79,1450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(6,6,6,150,750);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(8,8,10,68,98);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(9,8,10,132,2117);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(10,9,9,107,900);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(14,8,10,64,742);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(16,9,9,76,128);

Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(18,8,10,32,827);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(19,10,10,93,621);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(22,13,10,73,865);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(25,8,2,65,2555);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(27,13,10,102,827);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(28,8,10,105,300);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(29,11,10,52,700);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(31,6,6,103,383);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(32,6,6,147,2043);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(33,8,10,75,705);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(34,6,6,62,636);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(35,5,5,41,1450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(36,8,10,144,420);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(39,9,9,125,290);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(40,11,10,88,1000);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(41,9,9,61,151);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(42,7,7,149,66);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(46,11,10,119,750);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(51,2,2,64,681);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(53,4,4,96,1760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(58,12,10,148,790);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(59,9,9,82,1205);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(64,2,2,52,641);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(65,6,6,118,1450);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(66,9,9,90,1319);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(67,10,10,45,740);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(68,9,9,84,1760);
Insert into ORDER_ITEMS (ORDER_ID,ITEM_ID,medicine_id,QUANTITY,UNIT_PRICE) values
(69,9,9,55,1505);

```
select * from order_items;
select * from medicine
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (8,8,2500);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (9,9,1500);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (10,9,6000);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (1,1,5483);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (2,2,28613);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (3,3,7252);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (4,4,14860);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (5,5,12969);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (6,6,20457);
Insert into INVENTORIES (medicine_id,WAREHOUSE_ID,QUANTITY) values (7,7,9039);
```

```
select * from warehouses
select * from orders;
```

```
update orders set order_date='2016-11-17' where order_id =105;
update orders set order_date='2017-2-20' where order_id =44;
update orders set order_date='2017-1-3' where order_id =101;
update orders set order_date='2017-10-15' where order_id =1;
update orders set order_date='2017-4-9' where order_id =5;
update orders set order_date='2017-8-15' where order_id =28;
update orders set order_date='2016-12-1' where order_id =87;
update orders set order_date='2015-4-9' where order_id =4;
update orders set order_date='2017-5-11' where order_id =41;
update orders set order_date='2016-12-3' where order_id =82;
update orders set order_date='2016-12-20' where order_id =102;
update orders set order_date='2016-8-16' where order_id =26;
update orders set order_date='2015-5-2' where order_id =43;
update orders set order_date='2016-9-29' where order_id =53;
update orders set order_date='2016-12-13' where order_id =81;
update orders set order_date='2016-12-2' where order_id =83;
update orders set order_date='2016-10-27' where order_id =93;
update orders set order_date='2017-10-27' where order_id =94;
update orders set order_date='2016-12-14' where order_id =79;
update orders set order_date='2016-12-13' where order_id =80;
update orders set order_date='2015-4-26' where order_id =2;
update orders set order_date='2017-4-26' where order_id =3;
update orders set order_date='2015-4-9' where order_id =6;
update orders set order_date='2017-2-15' where order_id =7;
update orders set order_date='2017-2-14' where order_id =8;
update orders set order_date='2017-2-14' where order_id =9;
update orders set order_date='2017-1-24' where order_id =10;
update orders set order_date='2016-11-29' where order_id =11;
update orders set order_date='2016-11-29' where order_id =12;
update orders set order_date='2016-11-29' where order_id =13;
update orders set order_date='2017-9-28' where order_id =14;
update orders set order_date='2017-9-27' where order_id =15;
update orders set order_date='2016-9-27' where order_id =16;
update orders set order_date='2017-9-27' where order_id =17;
update orders set order_date='2016-8-16' where order_id =18;
update orders set order_date='2016-5-27' where order_id =19;
update orders set order_date='2017-5-27' where order_id =20;
update orders set order_date='2017-5-27' where order_id =21;
update orders set order_date='2016-5-26' where order_id =22;
update orders set order_date='2016-9-7' where order_id =23;
update orders set order_date='2016-9-7' where order_id =24;
```

update orders set order_date='2016-8-24' where order_id =25;
update orders set order_date='2016-8-16' where order_id =27;
update orders set order_date='2017-8-14' where order_id =29;
update orders set order_date='2017-8-12' where order_id =30;
update orders set order_date='2017-8-12' where order_id =31;
update orders set order_date='2017-3-9' where order_id =32;
update orders set order_date='2017-3-7' where order_id =33;
update orders set order_date='2016-6-12' where order_id =34;
update orders set order_date='2016-9-5' where order_id =35;
update orders set order_date='2017-9-5' where order_id =36;
update orders set order_date='2017-2-19' where order_id =37;
update orders set order_date='2015-5-31' where order_id =38;
update orders set order_date='2016-10-22' where order_id =39;
update orders set order_date='2017-5-11' where order_id =40;
update orders set order_date='2015-5-3' where order_id =42;
update orders set order_date='2017-2-20' where order_id =45;
update orders set order_date='2017-2-20' where order_id =46;
update orders set order_date='2016-10-10' where order_id =47;
update orders set order_date='2016-10-10' where order_id =48;
update orders set order_date='2016-10-2' where order_id =49;
update orders set order_date='2016-10-2' where order_id =50;
update orders set order_date='2016-10-2' where order_id =51;
update orders set order_date='2016-10-2' where order_id =52;
update orders set order_date='2016-9-29' where order_id =54;
update orders set order_date='2016-9-29' where order_id =55;
update orders set order_date='2016-9-29' where order_id =56;
update orders set order_date='2017-8-24' where order_id =57;
update orders set order_date='2016-8-24' where order_id =58;
update orders set order_date='2015-6-29' where order_id =59;
update orders set order_date='2017-6-30' where order_id =60;
update orders set order_date='2016-6-30' where order_id =61;
update orders set order_date='2015-6-30' where order_id =62;
update orders set order_date='2016-6-30' where order_id =63;
update orders set order_date='2016-6-21' where order_id =64;
update orders set order_date='2013-6-21' where order_id =65;
update orders set order_date='2016-6-21' where order_id =66;
update orders set order_date='2016-6-14' where order_id =67;
update orders set order_date='2016-6-13' where order_id =68;
update orders set order_date='2017-3-17' where order_id =69;
update orders set order_date='2017-2-21' where order_id =70;
update orders set order_date='2017-2-21' where order_id =71;
update orders set order_date='2016-2-17' where order_id =72;
update orders set order_date='2016-2-17' where order_id =73;
update orders set order_date='2017-2-10' where order_id =74;
update orders set order_date='2017-2-10' where order_id =75;
update orders set order_date='2017-2-10' where order_id =76;
update orders set order_date='2017-1-2' where order_id =77;
update orders set order_date='2015-12-14' where order_id =78;
update orders set order_date='2015-12-1' where order_id =84;
update orders set order_date='2016-12-1' where order_id =85;
update orders set order_date='2016-11-30' where order_id =86;
update orders set order_date='2017-11-1' where order_id =88;
update orders set order_date='2015-10-27' where order_id =89;
update orders set order_date='2015-10-28' where order_id =90;
update orders set order_date='2016-10-28' where order_id =91;
update orders set order_date='2015-10-28' where order_id =92;
update orders set order_date='2016-9-19' where order_id =95;

```

update orders set order_date='2016-9-14' where order_id =96;
update orders set order_date='2016-7-12' where order_id =97;
update orders set order_date='2017-3-18' where order_id =98;
update orders set order_date='2017-1-7' where order_id =99;
update orders set order_date='2017-1-5' where order_id =100;
update orders set order_date='2016-2-8' where order_id =103;
update orders set order_date='2017-2-1' where order_id =104;

```

Operational Queries And Reports:

1. How many products are available in each category whose list price is greater than 100\$

```

Select dc.disease_name, count(oi.medicine_id) as Medicines_sold
from medicine m
inner join disease_categories dc on dc.disease_id = m.disease_id
inner join order_items oi on oi.medicine_id = m.medicine_id
where list_price > 100
group by disease_name, medicine_name;

```

Output:

disease_name character varying (255) 🔒	medicines_sold bigint 🔒
hypertension	85
rheumatoid arthritis	66
insomnia	29
diabetes	97
neuropathic pain	73
asthma	106
GERD	55
angina	76
depression	78

2. Give me list of customers have maximum credit limit of the customer in the month of march.

```

Select name, max(credit_limit) as max_limit
From customers as c
Left join orders as o

```

On c.customer_id=o.customer_id
Where extract(month from order_date) = 03
group by name;

Output:

	name character varying (255) 🔒	max_limit double precision 🔒
1	General Mills	600
2	Jabil Circuit	500
3	Southern	600

Referential Integrity

Inserting the values in Child Table:

Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values
('NE','NEPAL',5)

Output:

```
46 -- Referential integrity integrity
47 -- updating the child table
48
49 Insert into COUNTRIES (COUNTRY_ID,COUNTRY_NAME,REGION_ID) values ('NE','NEPAL',5)
50
51
```

Data output

Messages

Notifications

ERROR: insert or update on table "countries" violates foreign key constraint "fk_countries_regions"
DETAIL: Key (region_id)=(5) is not present in table "regions".
SQL state: 23503

Dropping Table:

DROP TABLE if exists disease_categories;

Output:

```
76
77 DROP TABLE if exists disease_categories;
78
79
80
```

Data output Messages Notifications

ERROR: cannot drop table disease_categories because other objects depend on it
DETAIL: constraint fk_disease_categories on table medicine depends on table disease_categories
HINT: Use DROP ... CASCADE to drop the dependent objects too.
SQL state: 2BP01

Updating the cascade:

Before Update:

```
select w.warehouse_name,l.city, l.state, l.country_id
from locations l
inner join warehouses w on w.location_id = l.location_id
where city = 'Beijing'
```

Output:

	warehouse_name character varying (255)	city character varying (50)	state character varying (50)	country_id character (2)
1	Beijing	Beijing	[null]	CN

After Update:

```
update locations set state = 'Peking' where city = 'Beijing'
```

```
select w.warehouse_name,l.city, l.state, l.country_id
from locations l
inner join warehouses w on w.location_id = l.location_id
where city = 'Beijing'
```

	warehouse_name character varying (255)	city character varying (50)	state character varying (50)	country_id character (2)
1	Beijing	Beijing	Peking	CN

Creating Dimensional Model:

Identifying The Business Process:

This model is designed for a pharmaceutical company that wants to track its business sales and analyze the data using data modeling.
The pharmaceutical company wants to know how much medicine is sold for each disease and keep the track of all shipments.

Identifying The Grain:

The pharmaceutical company wants to analyze medicine sales by disease and track its orders. We are selecting tables that will aid in analysis to make the dimensional model more reliable.

Medicine

Disease_Categories

Employees

Countries

Regions

Customers

Fact table containg details of orders

Creating Dimensional Model:

-- regions

```
CREATE TABLE dimensional.regions_dim
(
    region_id int NOT NULL PRIMARY KEY,
    region_name VARCHAR( 50 ) NOT NULL
);
```

```
insert into dimensional.regions_dim(region_id,region_name)
(select distinct region_id,region_name from public.regions);
```

	region_id [PK] integer	region_name character varying (50)
1	3	Asia
2	4	Middle East and Africa
3	2	Americas
4	1	Europe

-- countries

```
CREATE TABLE dimensional.countries_dim
(
    country_id CHAR( 2 ) PRIMARY KEY ,
    country_name VARCHAR( 50 ) NOT NULL
);
```

```
select * from dimensional.countries_dim;
```

```
insert into dimensional.countries_dim(country_id,country_name)
(select distinct country_id,country_name from public.countries);
```

	country_id [PK] character (2)	country_name character varying (50)
1	MX	Mexico
2	ML	Malaysia
3	KW	Kuwait
4	JP	Japan
5	CN	China
6	CH	Switzerland
7	IN	India
8	AR	Argentina
9	AU	Australia
10	NL	Netherlands
11	DK	Denmark
12	DE	Germany

-- employees

CREATE TABLE dimensional.employees_dim

```
(
  employee_id int PRIMARY KEY,
  first_name VARCHAR( 255 ) NOT NULL,
  last_name  VARCHAR( 255 ) NOT NULL,
  email     VARCHAR( 255 ) NOT NULL,
  phone     VARCHAR( 50 ) NOT NULL ,
  hire_date DATE NOT NULL      ,
  manager_id int    , -- fk
  job_title  VARCHAR( 255 ) NOT NULL
);
```

select * from dimensional.employees_dim;

insert into

dimensional.employees_dim(employee_id,first_name,last_name,email,phone,hire_date,manager_id,job_title)

(select distinct employee_id,first_name,last_name,email,phone,hire_date,manager_id,job_title from public.regions);

Output:

employee_id [PK] integer	first_name character varying (255)	last_name character varying (255)	email character varying (255)	phone character varying (50)	hire_date date	manager_id integer	job_title character varying (255)
1	Tommy	Bailey	tommy.bailey@exampl...	515.123.4567	0001-06-...	[null]	President
2	Jude	Rivera	jude.rivera@example.c...	515.123.4568	0001-09-...	1	Administration Vice Pr...
3	Blake	Cooper	blake.cooper@exampl...	515.123.4569	0001-01-...	1	Administration Vice Pr...
4	Louie	Richardson	louie.richardson@exa...	590.423.4567	0001-01-...	3	Programmer
5	Nathan	Cox	nathan.cox@example...	590.423.4568	0001-05-...	4	Programmer
6	Gabriel	Howard	gabriel.howard@exam...	590.423.4569	0001-06-...	4	Programmer
7	Charles	Ward	charles.ward@exampl...	590.423.4560	0001-02-...	4	Programmer
8	Bobby	Torres	bobby.torres@example...	590.423.5567	0001-02-...	4	Programmer
9	Mohammad	Peterson	mohammad.peterson...	515.124.4569	0001-08-...	2	Finance Manager

-- disease category

CREATE TABLE dimensional.disease_categories_dim


```
(
  disease_id int PRIMARY KEY,
  disease_name VARCHAR( 255 ) NOT NULL
);
select * from dimensional.disease_categories_dim;

insert into dimensional.disease_categories_dim(disease_id,disease_name)
(select distinct disease_id,disease_name from public.disease_categories);
```

disease_id [PK] integer	disease_name character varying (255)
2	diabetes
1	asthma
3	hypertension
7	GERD
4	depression
5	neuropathic pain
8	high cholesterol
9	insomnia

```
-- medicine table
CREATE TABLE dimensional.medicine_dim
(
  medicine_id int PRIMARY KEY,
  medicine_name VARCHAR( 255 ) NOT NULL
);
insert into dimensional.medicine_dim(medicine_id,medicine_name)
(select medicine_id,medicine_name from public.medicine);
```

medicine_id [PK] integer	medicine_name character varying (255)
5	gabapentin
1	s albutamol
2	aspirin
6	naproxen
7	omeprazole
8	simvastatin
9	zolpidem

```
-- customers
CREATE TABLE dimensional.customers_dim
(
  customer_id int PRIMARY KEY,
  name VARCHAR( 255 ) NOT NULL,
  address VARCHAR( 255 )
);

insert into dimensional.customers_dim(customer_id,name,address)
(select customer_id,name,address from public.customers)
```

```
select * from dimensional.customers_dim;
```

customer_id [PK] integer	name character varying (255)	address character varying (255)
1	Raytheon	514 W Superior St, Kok...
2	Plains GP Holdings	2515 Bloyd Ave, Indian...
3	US Foods Holding	8768 N State Rd 37, Bl...
4	AbbVie	6445 Bay Harbor Ln, In...
5	Centene	4019 W 3Rd St, Bloomi...
6	Community Health Sys...	1608 Portage Ave, Sou...
7	Alcoa	23943 Us Highway 33, ...
8	International Paper	136 E Market St # 800, ...
9	Emerson Electric	1905 College St South

```
CREATE TABLE dimensional.Order_Fact_Table
```

```
(
  fact_id BIGINT GENERATED ALWAYS AS IDENTITY primary key,
  customer_id int references dimensional.customers_dim(customer_id),
  order_id int,
  region_id int NOT NULL references dimensional.regions_dim(region_id),
  country_id CHAR( 2 ) references dimensional.countries_dim(country_id),
  disease_id int references dimensional.disease_categories_dim(disease_id),
  medicine_id int references dimensional.medicine_dim(medicine_id),
  status VARCHAR( 20 ) NOT NULL ,
  salesman_id int references dimensional.employees_dim(employee_id) ,
  order_month int NOT NULL ,
  order_year int NOT NULL ,
  quantity int NOT NULL ,
  unit_price int NOT NULL

```

```
);
```

```
insert into dimensional.Order_Fact_Table(
customer_id,order_id,region_id,country_id,disease_id,medicine_id,status,salesman_id,order_month,
order_year,quantity,unit_price)
```

```
(select
c.customer_id,o.order_id,r.region_id,co.country_id,dc.disease_id,m.medicine_id,o.status,salesman_id,
EXTRACT(month from o.order_date),EXTRACT(year from o.order_date),oi.quantity,oi.unit_price
from public.orders o
```

```
inner join order_items oi on oi.order_id = o.order_id
```

```
inner join medicine m on m.medicine_id = oi.medicine_id
```

```
inner join disease_categories dc on dc.disease_id = m.disease_id
```

```
inner join inventories i on i.medicine_id = m.medicine_id
```

```
inner join warehouses w on w.warehouse_id = i.warehouse_id
```

```
inner join locations l on l.location_id = w.location_id
```

```
inner join countries co on co.country_id = l.country_id
```

```
inner join regions r on r.region_id = co.region_id
```

```
inner join employees e on e.employee_id = o.salesman_id
```

```
inner join customers c on c.customer_id = o.customer_id
```

```
);
```

	fact_id [PK] bigint	customer_id integer	order_id integer	region_id integer	country_id character (2)	disease_id integer	medicine_id integer	status character varying (20)	salesman_id integer	order_month integer	order_year integer	quantity integer	unit_price integer
1	1	44	69	3	IN	9	9	Canceled	54	3	2017	55	1
2	2	7	66	3	IN	9	9	Canceled	61	6	2016	90	1
3	3	70	59	3	IN	9	9	Shipped	59	6	2015	82	1
4	4	9	41	3	IN	9	9	Shipped	59	5	2017	61	
5	5	54	39	3	IN	9	9	Shipped	62	10	2016	125	
6	6	17	76	3	IN	9	9	Shipped	55	2	2017	78	
7	7	8	67	3	IN	9	9	Canceled	61	6	2016	138	2
8	8	9	91	3	IN	9	9	Pending	56	10	2016	44	

Research Questions:

What are the top 10 medicines that generated highest income whose sales value is not less than 20000?

```
SELECT medicine_name,order_month, order_year,
SUM(quantity * unit_price) as sales_amount
FROM dimensional.Order_Fact_Table
inner join dimensional.medicine_dim
ON medicine_dim.medicine_id = Order_Fact_Table.medicine_id
where quantity * unit_price > 200000
Group by 1,2,3
order by sales_amount desc
limit 10;
```

	medicine_name character varying (255)	order_month integer	order_year integer	sales_amount bigint
1	naproxen	2	2017	918554
2	citalopram	10	2015	663505
3	naproxen	12	2015	600155
4	carvedilol	5	2015	502378
5	s albutamol	9	2016	490887
6	citalopram	2	2017	409400
7	isosorbide mononitrate	2	2017	368532
8	aspirin	9	2016	367200
9	citalopram	6	2015	328026
10	s albutamol	12	2015	323400

How many orders exist for each Disease Category?

Query:

```


Select c.country_name, count(medicine_id)
as Medicines_sold
From dimensional.order_fact_table
inner join dimensional.countries_dim c
on c.country_id = order_fact_table.country_id
Group by country_name;

```

Output:

country_name character varying (50)	medicines_sold bigint
Australia	39
Canada	44
India	55
United States of Amer...	234
Mexico	32

Visualization Analytics of the Dimensional Model:



Introduction to No SQL:

NoSQL ("non SQL" or "not only SQL") databases were created in the late 2000s with an emphasis on scaling, quick queries, enabling frequent application updates, and simplifying programming for developers. The 1970s saw the development of relational databases that could be accessed using SQL (Structured Query Language), with a focus on minimizing data duplication because storage was far

more expensive than developer time. The tabular structures in SQL databases are frequently stiff, intricate, and expensive to scale vertically.

A NoSQL database is a database that uses a non-relational model and has many of the characteristics of key-value stores or document databases. NoSQL databases include all kinds of tools, including relational database engines and distributed, scale-out, clustered, and peer-to-peer architectures. NoSQL databases are in contrast to traditional relational databases, which model data as rows with columns. NoSQL databases use the concept of "objects," similar to object-oriented databases and frameworks.

Compared to relational databases, noSQL databases have several advantages. NoSQL databases are simple for developers to use, feature flexible data models, scale horizontally, and have exceptionally quick queries.

Data Structure of NO SQL and Relational data base:

The very big difference between relational and NO SQL is in its DATA STRUCTURE. Relational data base systems use structured tables, where data must follow predefined rules but in NO SQL there are no confined pre defined rules. In NO SQL, we can access input and search functions using the parameters we like as there is no pre defined data structures. Sales teams might, for instance, organize the data in a relational system into predefined product categories, such as entering "status of delivery" under a predefined list of "orders" within the relational database.

A relational database has rows that each correspond to a single database object. Commonly, each item in the database is identified by a special indicator in the first column. However, this initial column is crucial and serves as a marker for the row even though there may be further columns that contain unique data. It typically consists of an ID with a special number.

For data structures with several levels, a relational database is not the best option. Although there may be several elements linked to each row's individual indication, the elements themselves cannot have their own sub-elements.

Relational databases, like SQL, use structured query language. Here the data needs to be organised according to the standard language. Although the structured language of relational databases means these systems are versatile, pre-defined language structure also means relational databases can be restrictive to changes in the structure.

However, in NoSQL we can store the data in several ways. This implies that we can use a variety of programming languages to input and sort data sets in accordance with your preferred structural choices. Since NoSQL is an open-source technology, we can script non-relational databases using a syntax specific to each system and modify or update the data structures.

Scalability is the ability to hold more data without sacrificing performance. A relational database can be expanded by vertically scaling the data in accordance with the system's predetermined data structure. As a result, you can only scale up in a constrained setting, which over time reduces database storage.

In a NoSQL environment, you can scale data horizontally by creating new data structures and schemas that are most suitable for our purposes. This means that in a NoSQL system, we can keep modifying and updating the unstructured data, whereas the vertical scalability of relational databases prevents modifications or updates to data without changing the entire structure.

Architecture of AWS :

Limitations Of Traditional Data Base:

Traditional DBMS have been reliable for many years and are an essential part of practically all software programs. Traditional DBMS steadily fall short of expectations as the Cloud becomes more prevalent and scalability, dependability, and availability requirements increased rapidly.

- Scalability

A traditional DBMS runs only on a single machine. We can only scale it by using more powerful computers. This approach is expensive and not so scalable. The number of IO operations per second (IOPS) a disk supports can quickly become the bottleneck of the system.

- Reliability

Although the traditional DBMS uses methods like changelogs to increase its reliability, it is still not very trustworthy. The DBMS could lose all the data if the disk becomes corrupt.

- Availability

The traditional DBMS is not very available as well. If the machine crashes, the DBMS won't be able to serve user requests until the machine is fixed and all the DBMS recovery completes.


AMAZON AURORA:

The Traditional DBMS serves as the foundation for Aurora Database. The majority of the standard DBMS's parts, including the Query Execution Engine, Transaction Manager, and Recovery Manager, are reused. However, it adds a number of adjustments to the conventional DBMS to enhance its scalability, availability, and reliability.

Those changes are


- Replicating the data to remote storage
- Storing only change log to the remote disk
- Employing a primary-replica setup

Aurora started by storing the data remotely rather than on the local disk. The Disk Manager is enhanced by Aurora Database to work with remote storages, as seen in the figure below.



ally replicated six times across three distinct data centers. With these many replications, it is extremely unlikely that user data will be lost.


One copy of the data is managed by Aurora Database using a single virtual machine (Amazon EC2). The EC2 instance's local disk is where the data is kept. In our instance, Aurora Database manages the replicated data using 6 EC2s spread over 3 separate data centers.



A potential problem with this configuration is that the disk manager must ensure that data is successfully transferred to 6 distinct EC2s. If any of the EC2 is slow or overloaded with other requests, the latency may increase.


With six instances, the latency is more likely to rise because it is more possible that one of the instances will be slow. In order to handle this, Aurora database only needs to hear back from a portion of EC2s before returning to the user application. This is expressed as the Vw number of EC2s.

In the same way, only a small portion of EC2s are used by Aurora database for read operations, Vr. We can ensure that read operations will view the results of the prior write operations if $Vw + Vr >$ total number of replications. It is assured that there will be at least one machine that has seen the write and served the read, as indicated in the image below. $Vw = 4$; $Vr = 3$. This is the quorum-based replication technique employed by Aurora Database;



To make the system more efficient, Aurora Database only reads data from 1 replica since it knows which replica has the data. These are the EC2 instances from which it has received the response.


In order to increase the system's effectiveness, Aurora Database goes one step farther by changing the changelog is kept in the remote storage. Aurora Database only saves the changelog to 6 EC2 instances in our write example. When an EC2 instance receives a request to persist a changelog, as shown in the following diagram, it first stores the request to the disk's changelog. The changelog is then applied to the pages. This can save a lot of traffic on the network.



It acts in the same way as a conventional DBMS when performing read operations. The disk management requests the page from the EC2 if it isn't already in the buffer, and the EC2 then sends the page back to the disk manager.

Up to now, Aurora Database has improved the data's dependability. The database's performance is still constrained by a single machine, though.

The Aurora database provides a primary-replica arrangement, as seen in the diagram below, to increase system scalability.



The main instance is capable of handling both read and write requests. All 6 EC2 instances located in 3 distinct data centers receive the changelog.

Only read requests are served by a replica instance. The primary instance notifies the replica instance that the page is out-of-date whenever a page is updated. The page will be removed from the replica instance's buffer if it is there. If the requested page is not in the buffer when the replica instance receives a read request, it will send a request to the EC2 instance to fetch the page.

Aurora Database supports numerous instances running simultaneously without a lot of inter-instance synchronization thanks to remote storage. The Aurora database may sustain a higher throughput than the conventional DBMS thanks to its primary-replica configuration.

AWS 'Lambda Architecture to to load both batch and real time data:

Amazon Elastic MapReduce is the AWS product that is most typically used to handle massive amounts of semi-structured or unstructured data (Amazon EMR). A Lambda Architecture solution that uses Amazon Kinesis, Amazon Simple Storage Service (Amazon S3), Spark Streaming, and Spark SQL on top of an Amazon EMR cluster makes it feasible to process streams of data in real time.

An technique using the Lambda Architecture combines batch and stream (real-time) data processing. According to the following diagram, it is divided into three processing layers: the batch layer, serving layer, and speed layer.




Figure 1: Lambda Architecture

All fresh data is provided to both the speed layer (Amazon Kinesis, Amazon EMR, and Spark Streaming) and the batch layer (Amazon Kinesis, Amazon EMR, and Amazon S3) in JSON format. The master data set, a collection of files containing information that is not derived from any other information, is updated with fresh data in the batch layer. An Amazon S3 bucket has this set of append-only, immutable data. In a while (true) loop, the batch layer continually precomputes query functions. This procedure is comparable to the extract, transform, and load (ETL) processing carried out by Spark SQL on Amazon EMR.

Batch layer:

The output of the batch layer, referred to as batch views, is saved on Amazon S3 as a tab-separated value file.

Serving layer:

This layer organizes the batch views the batch layer generates.

The serving layer is essentially a scalable database that replaces existing batch views with new ones as they become available. The serving layer's results are always a few hours behind due to the batch layer's latency.


Speed layer:

The speed layer makes up for the serving layer updates' significant latency. To handle data that was not processed in the most recent batch of the batch layer, it makes use of a quick, in-memory Spark engine. Amazon Web Services This layer creates the real-time views, which are constantly updated, and saves them in databases for read-only and write-access. The real-time views are continuously

deleted as data passes between the batch and serving levels, making the speed layer more complex than the batch layer.

Using a Spark application, AWS Services like DynamoDB, RDS, Redshift, Amazon EMR running HBase, and open-source tools, queries are handled by integrating the batch and real-time views. The granularity of the data can be changed in relation to its age because the batch views are always totally recomputed. As the main data set is appendonly, it is simple to restart and recover from the unstable state. This is another advantage of recalculating data from scratch. The speed layer makes the most recent version of the data always accessible to the end user.

Combining Hadoop and Apache Storm is one well-developed method for fusing real-time data with historical data. Applications can run a query that combines the results of each engine into a table in the serving database, as seen in the following image.



How Snow Flake help my model:

Snowflake can handle even the most robust peak demand with virtually unlimited computing capacity.

By leveraging the ability to run JSON queries more efficiently, Snowflake provides a holistic view of your organization with more advanced insights.

By leveraging the ability to run JSON queries more efficiently, Snowflake provides a holistic view of your organization with more advanced insights.

elastically scale up the Snowflake data warehouse resources easily and without affecting queries that are currently running.

Snowflake is provided as a service, which eliminates the time and effort required to manage data warehouse infrastructure.

Snowflake enables organizations to make the most of their valuable data engineering resources by removing time-consuming tasks and allowing them to focus their limited time on higher-value data engineering projects.

Snowflake is a robust, enterprise-grade ANSI SQL that offers the best compatibility with your enterprise data warehouse applications, as well as multi-statement transaction support.

Snowflake can retain and recover data for up to 90 days, protecting your organization from node failures, human errors, unfortunate events, and malicious attacks.