



OpenAPI definition v0 OAS3

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

Authorize



user-controller



GET

/user



PUT

/user



DELETE

/user



GET

/user/cart



PUT

/user/cart



POST

/user/cart



GET

/user/wishlist



POST

/user/wishlist



POST

/user/set-profile



POST

/user/product/review



GET


/user/order




POST /user/order



POST /user/change-email



GET /user/order/{id}



DELETE /user/cart/{itemId}



product-controller




PUT /admin/product/{id}




DELETE /admin/product/{id}




POST /admin/product



POST /admin/product/create-discounts



GET /admin/product/user-wishlist




order-controller




PUT /admin/order/update-status



GET /admin/order



GET /admin/order/{id}



GET /admin/order/profits



category-controller




PUT /admin/category/{name}



DELETE /admin/category/{name}



POST /admin/category



authentication-controller



POST

/auth/verify



POST

/auth/updatePrivilege/{id}



POST

/auth/reset-password



POST

/auth/reset-password-request



POST

/auth/register



POST

/auth/logout



POST

/auth/email-verify



POST

/auth/dynamic-verify



POST

/auth/change-password



POST

/auth/authenticate



GET

/auth/city-details/{pinCode}



public-controller



GET

/products



GET

/product/{id}



GET

/category



GET

/category/{name}



Schemas





OpenAPI definition v0 OAS3

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

Authorize



user-controller



GET

/user



Parameters

Try it out

No parameters

Responses

Code

Description

Links

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "id": "string",
  "username": "string",
  "name": "string",
  "mobile": "string",
  "addresses": [
    {
      "addressType": "string",
      "addressLine1": "string",
      "addressLine2": "string",
      "pinCode": "string",
    }
  ]
}
```

Code	Description	Links
	<pre>"state": "string", "district": "string", "city": "string", "country": "string" }, "photo": { "fileName": "string", "data": ["string"], "contentType": "string" }, "email": "string" }</pre>	

PUT

/user

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value | Schema

```
{
  "name": "string",
  "mobile": "string",
  "addresses": [
    {
      "addressType": "string",
      "addressLine1": "string",
      "addressLine2": "string",
      "pinCode": "string",
      "state": "string",
      "district": "string",
      "city": "string",
      "country": "string"
    }
  ],
  "photo": "string"
}
```

Responses

Code	Description	Links
200	OK	No links
	Media type	

Code	Description	Links
	<div><div>*/*</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	

DELETE	/user	^	🔒
Parameters		Try it out	
No parameters			
Responses			
Code	Description	Links	
200	OK <div><div>Media type</div><div><div>*/*</div><div>Controls Accept header.</div></div><div>Example Value Schema</div><div><pre>{ "response": "string" }</pre></div></div>	No links	

GET	/user/cart	^	🔒
Parameters		Try it out	
No parameters			
Responses			

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "itemId": "string", "name": "string", "price": 0, "image": { "fileName": "string", "data": ["string"], "contentType": "string" }, "size": "string", "color": "string", "model": "string", "quantity": 0 }]</pre></div>	No links

PUT

/user/cart

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "itemId": "string",
  "size": "string",
  "quantity": 0,
  "color": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "response": "string" }</pre></div></div>	No links

POST

/user/cart

⌵ 🔒

Parameters

Try it out

No parameters

Request body required

application/json ⌵

Example Value | Schema

```
{  
  "productId": "string",  
  "size": "string",  
  "quantity": 0,  
  "color": "string"  
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div>	No links

Code	Description	Links
	<pre>{ "response": "string" }</pre>	

GET

/user/wishlist

^

🔒

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <pre>[{ "productId": "string", "productName": "string", "category": "string", "image": { "fileName": "string", "data": ["string"], "contentType": "string" } }]</pre>	No links

POST

/user/wishlist

^

🔒

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "productId": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

▼

Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

POST

/user/set-profile



Parameters

Try it out

No parameters

Request body

application/json ▼

Example Value | Schema

```
{
  "name": "string",
  "mobile": "string",
  "addresses": [
    {
      "addressType": "string",
      "addressLine1": "string",
      "addressLine2": "string",
      "pinCode": "string",
      "state": "string",
      "district": "string",
      "city": "string",
      "country": "string"
    }
  ],
}
```

```
"photo": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

POST

/user/product/review

^

🔒

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "productId": "string",
  "review": "string",
  "rating": 0
}
```

Responses

Code	Description	Links
200	<div>OK</div>	No links

Code	Description	Links
	<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	

GET	/user/order	⌵ 🔒
Parameters		Try it out
Name	Description	
date string(\$date-time) (query)	<div>date</div>	
Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "orderId": "string", "amount": 0, "orderDate": "2023-06-11T05:05:31.341Z", "orderStatus": "string", "items": [{ "itemId": "string", "name": "string", "price": 0, "image": { "fileName": "string", </pre></div>	No links

Code	Description	Links
	<pre>"data": ["string"], "contentType": "string" }, "size": "string", "color": "string", "model": "string", "quantity": 0 }] }</pre>	

POST

/user/order

^

🔒

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{  
  "items": [  
    "string"  
  ],  
  "billingAddress": "string",  
  "coupon": "string",  
  "shippingAddress": "string"  
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div><div>▾</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

CodeDescriptionLinks

POST

/user/change-email

^

🔒

Parameters

Try it out

No parameters

Request body

required

application/json

▼

Example Value

Schema

```
{  "newMail": "string"}  
```

Responses

CodeDescriptionLinks

200OKNo links

Media type

/

▼

Controls Accept header.

Example Value

Schema

```
{  "response": "string"}  
```

GET

/user/order/{id}

^

🔒

Parameters

Try it out



Name	Description
id * required string (path)	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div> <div><pre>{ "orderId": "string", "amount": 0, "orderDate": "2023-06-11T05:05:31.352Z", "orderStatus": "string", "buildingAddress": "string", "shippingAddress": "string", "paymentMethod": "string", "items": [{ "itemId": "string", "name": "string", "price": 0, "image": { "fileName": "string", "data": ["string"], "contentType": "string" }, "size": "string", "color": "string", "model": "string", "quantity": 0 }]}</pre></div>	No links

DELETE

/user/cart/{itemId}



Parameters

Try it out

Name

Description

itemId * required

string

(path)

itemId

Responses

Code

Description

Links

200

OK

No links

Media type

/

▼

Controls Accept header.

Example Value

Schema

{
 "response": "string"
}

product-controller

^

PUT

/admin/product/{id}

^

🔒

Parameters

Try it out

Name

Description

id * required

string

(path)

id

Request body

application/json

▼

Example Value

Schema

{
 "productName": "string",
 "productDescription": "string",


```
"costPrice": 0,
"profitPercentage": 0,
"discountPercentage": 0,
"category": "string",
"quantity": 0,
"productPics": [
  "string"
],
"model": "string",
"sizes": [
  "string"
],
"colors": [
  "string"
],
"mrp": 0
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

DELETE

/admin/product/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

string

(path)

id

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string"}</pre></div>	No links

POST

/admin/product

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value | Schema



```
{  "productName": "string",  "productDescription": "string",  "costPrice": 0,  "profitPercentage": 0,  "discountPercentage": 0,  "category": "string",  "quantity": 0,  "productPics": [    "string"  ],  "model": "string",  "sizes": [    "string"  ],  "colors": [    "string"  ],  "mrp": 0}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "response": "string" }</pre></div></div>	No links

POST

/admin/product/create-discounts



Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  
  "couponCode": "string",  
  "discountPercentage": 0,  
  "products": [  
    "string"  
  ],  
  "validity": "2023-06-11T05:05:31.369Z"  
}
```

Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code	Description	Links
<div>Example Value Schema</div> <pre>{ "response": "string" }</pre>		

GET

/admin/product/user-wishlist

^

🔒

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <pre>{ "products": { "additionalProp1": 0, "additionalProp2": 0, "additionalProp3": 0 } }</pre>	No links

order-controller

^

PUT

/admin/order/update-status

^

🔒

Parameters

Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{
  "orderId": "string",
  "updatedAt": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

GET

/admin/order



Parameters

Try it out

Name	Description
------	-------------

date
string(\$date-time)
(query)

date

userId
string
(query)

userId

Responses

Code

Description

Links

200

OK

Media type

/

Controls Accept header.

Example Value | Schema

```
[
  {
    "orderId": "string",
    "amount": 0,
    "orderDate": "2023-06-11T05:05:31.379Z",
    "orderStatus": "string",
    "items": [
      {
        "itemId": "string",
        "name": "string",
        "price": 0,
        "image": {
          "fileName": "string",
          "data": [
            "string"
          ],
          "contentType": "string"
        },
        "size": "string",
        "color": "string",
        "model": "string",
        "quantity": 0
      }
    ]
  }
]
```

No links

GET /admin/order/{id}



Parameters

Try it out

Name	Description
id * required string (path)	id

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "orderId": "string", "amount": 0, "orderDate": "2023-06-11T05:05:31.383Z", "orderStatus": "string", "buildingAddress": "string", "shippingAddress": "string", "paymentMethod": "string", "items": [{ "itemId": "string", "name": "string", "price": 0, "image": { "fileName": "string", "data": ["string"], "contentType": "string" }, "size": "string", "color": "string", "model": "string", "quantity": 0 }]}</pre></div>	No links

GET	/admin/order/profits	 
Parameters		Try it out
Name	Description	
dateFrom * required string(\$date-time) (query)	dateFrom	
dateTo * required string(\$date-time) (query)	dateTo	

Responses

Code

Description

Links

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "profit": {
    "additionalProp1": 0,
    "additionalProp2": 0,
    "additionalProp3": 0
  }
}
```

category-controller



PUT

/admin/category/{name}



Parameters

Try it out

Name

Description

name * required

string

(path)

name

Request body **required**

application/json



Example Value | Schema

```
{
  "category": "string"
}
```

Responses

Code	Description	Links
200	OK	No links
<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>		

DELETE	/admin/category/{name}	⌵ 🔒
Parameters		Try it out
Name	Description	
name * required string (path)	<div>name</div>	
Responses		
Code	Description	Links
200	OK	No links
<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>		

POST

/admin/category

^

🔒

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{  "category": "string"}

```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/* ▾</div><div>Controls Accept header.</div></div> <div>Example Value Schema</div> <div><pre>{ "response": "string"} </pre></div>	

 No links |

authentication-controller

^

POST

/auth/verify

^

Parameters

Try it out

Name	Description
code * required	<div>code</div>

Name	Description
<i>(query)</i>	

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

POST

/auth/updatePrivilege/{id}

^

🔒

Parameters

Try it out

Name	Description
<div>id <div>* required</div></div> <div>string</div> <div>(path)</div>	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code	Description	Links
<div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>		

POST

/auth/reset-password

^

Parameters

Try it out

Name	Description
code * required string (query)	<div>code</div>

Request body required

application/json

Example Value Schema
<div><pre>{ "newPassword": "string" }</pre></div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "response": "string" }</pre></div></div>	No links

POST

/auth/reset-password-request

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  
  "usernameOrEmail": "string"  
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div>	No links

Code	Description	Links
	<pre>{ "response": "string" }</pre>	

POST

/auth/register

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{  
  "username": "string",  
  "password": "string",  
  "email": "string"  
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>*/* ▾</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

POST

/auth/logout

^

🔒

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

POST

/auth/email-verify



Parameters

Try it out

Name	Description
<div>code * required</div> <div>string</div> <div>(query)</div>	<div>code</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div>	No links

Code	Description	Links
	<pre>{ "response": "string" }</pre>	

POST

/auth/dynamic-verify

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{  
  "usernameOrEmail": "string"  
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>*/* ▾</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

POST

/auth/change-password

^

🔒

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "oldPassword": "string",
  "newPassword": "string"
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/ ▾

Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

POST

/auth/authenticate



Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "usernameOrEmail": "string",
  "password": "string"
}
```

Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "token": "string", "role": "string"}</pre></div></div>	No links

GET /auth/city-details/{pinCode}		
Parameters		Try it out
Name	Description	
pinCode * required string (path)	<div>pinCode</div>	
Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "city": [</pre></div></div>	No links

Code	Description	Links
	<pre>"string"], "state": "string", "country": "string", "district": "string" }</pre>	

public-controller

GET

/products

^

Parameters

Cancel

Name	Description
category array[string] (query)	<div>Add string item</div>
name string (query)	<div>name</div>
priceFrom number(\$double) (query)	<div>priceFrom</div>
priceTo number(\$double) (query)	<div>priceTo</div>
availability string (query)	<div>availability</div>
color array[string] (query)	<div>Add string item</div>
size array[string] (query)	<div>Add string item</div>

Execute

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>"category": "string", "productPics": [{ "fileName": "string", "data": ["string"], "contentType": "string" }], "model": "string", "sizes": ["string"], "colors": ["string"], "reviewRating": [{ "username": "string", "rating": 0, "review": "string" }], "rating": 0, "mrp": 0 }]</pre></div>	No links

GET	/product/{id}	
Parameters		Try it out
Name	Description	
id * required		
string	id	
(path)		
Responses		

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "discountPercentage": 0, "category": "string", "productPics": [{ "fileName": "string", "data": ["string"], "contentType": "string" }], "model": "string", "sizes": ["string"], "colors": ["string"], "reviewRating": [{ "username": "string", "rating": 0, "review": "string" }], "rating": 0, "mrp": 0}</pre></div>	No links

GET /category		
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	OK	No links

Code	Description	Links
	<div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "categoryName": "string" }]</pre></div>	

GET	/category/{name}	^
Parameters		Try it out
Name	Description	
name * required string (path)	<div>name</div>	
Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "categoryName": "string" }</pre></div>	No links

Schemas	^