



OpenAPI definition v0 OAS3

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

Authorize



user-controller



GET

/user



Parameters

Try it out

No parameters

Responses

Code

Description

Links

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "id": "string",
  "username": "string",
  "name": "string",
  "mobile": "string",
  "addresses": [
    "string"
  ],
  "photo": {
    "fileName": "string",
    "data": [
```

Code	Description	Links
	<pre>"string"], "contentType": "string" }, "email": "string" }</pre>	

PUT

/user

^

🔒

Parameters

Try it out

No parameters

Request body

application/json ▾

Example Value | Schema

```
{
  "username": "string",
  "name": "string",
  "password": "string",
  "mobile": "string",
  "addresses": [
    "string"
  ],
  "photo": "string",
  "email": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

▾

Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

DELETE

/user

^

🔒

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string"}</pre></div>	No links

GET

/user/cart

^

🔒

Parameters


Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div>	No links

Code	Description	Links
<div>Example Value Schema</div> <pre>[{ "itemId": "string", "name": "string", "price": 0, "image": { "fileName": "string", "data": ["string"], "contentType": "string" }, "size": "string", "color": "string", "model": "string", "quantity": 0 }]</pre>		

PUT /user/cart ⌵ 		
Parameters		Try it out
No parameters		
Request body required		application/json ⌵
<div>Example Value Schema</div> <pre>{ "itemId": "string", "size": "string", "quantity": 0, "color": "string" }</pre>		
Responses		
Code	Description	Links
200	OK	No links
Media type <div>*/* ⌵</div> Controls Accept header.		

Code	Description	Links
<div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>		

POST /user/cart ^

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{  
  "productId": "string",  
  "size": "string",  
  "quantity": 0,  
  "color": "string"  
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type */* </div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

POST /user/product/review ^

Parameters

[Try it out](#)

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "productId": "string",
  "review": "string",
  "rating": 0
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

GET

/user/order



Parameters

[Try it out](#)

No parameters

Responses

Code**Description****Links**

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
[
  {
    "orderId": "string",
    "amount": 0,
    "orderDate": "2023-06-08T15:47:19.555Z",
    "orderStatus": "string",
    "items": [
      {
        "itemId": "string",
        "name": "string",
        "price": 0,
        "image": {
          "fileName": "string",
          "data": [
            "string"
          ],
          "contentType": "string"
        },
        "size": "string",
        "color": "string",
        "model": "string",
        "quantity": 0
      }
    ]
  }
]
```

POST

/user/order

**Parameters****Try it out**

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "items": [
    "string"
  ],
  "billingAddress": "string",
  "coupon": "string",
  "shippingAddress": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string"}</pre></div>	No links

GET

/user/order/{id}

^

🔒

Parameters

Try it out

Name	Description
<div>id * required</div> <div>string</div> <div>(path)</div>	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "orderId": "string",</pre></div>	No links

Code	Description	Links
	<pre>"amount": 0, "orderDate": "2023-06-08T15:47:19.561Z", "orderStatus": "string", "buildingAddress": "string", "shippingAddress": "string", "paymentMethod": "string", "items": [{ "itemId": "string", "name": "string", "price": 0, "image": { "fileName": "string", "data": ["string"], "contentType": "string" }, "size": "string", "color": "string", "model": "string", "quantity": 0 }]</pre>	

DELETE

/user/cart/{itemId}

Parameters

Try it out

Name	Description
itemId * required string (path)	<div>itemId</div>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

{
 "response": "string"

Code	Description	Links
	}	

product-controller



PUT

/admin/product/{id}

^

🔒

Parameters

Try it out

Name	Description
id * required	
string	id
(path)	

Request body

application/json ▾

Example Value | Schema

```
{
  "productName": "string",
  "productDescription": "string",
  "costPrice": 0,
  "profitPercentage": 0,
  "discountPercentage": 0,
  "category": "string",
  "quantity": 0,
  "productPics": [
    "string"
  ],
  "model": "string",
  "sizes": [
    "string"
  ],
  "colors": [
    "string"
  ],
  "mrp": 0
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

Code

Description

Links

/

Controls Accept header.

Example Value | Schema

```
{  
  "response": "string"  
}
```

DELETE

/admin/product/{id}

Parameters

Try it out

Name

Description

id * required

string
(path)

id

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{  
  "response": "string"  
}
```

POST

/admin/product

Parameters

Try it out

No parameters

Request body

application/json ▾

Example Value | Schema

```
{
  "productName": "string",
  "productDescription": "string",
  "costPrice": 0,
  "profitPercentage": 0,
  "discountPercentage": 0,
  "category": "string",
  "quantity": 0,
  "productPics": [
    "string"
  ],
  "model": "string",
  "sizes": [
    "string"
  ],
  "colors": [
    "string"
  ],
  "mrp": 0
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

POST

/admin/product/create-discounts



Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "couponCode": "string",
  "discountPercentage": 0,
  "products": [
    "string"
  ],
  "validity": "2023-06-08T15:47:19.577Z"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/ ▾

Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

order-controller



PUT

/admin/order/update-status



Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "orderId": "string",
```

```
"updatedAtStatus": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><div>{</div><div> "response": "string"</div><div>}</div></div>	No links

GET

/admin/order



Parameters

Try it out

Name	Description
date string(\$date-time) (query)	<div>date</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code

Description

Links

Example Value | Schema

```
[
  {
    "orderId": "string",
    "amount": 0,
    "orderDate": "2023-06-08T15:47:19.584Z",
    "orderStatus": "string",
    "items": [
      {
        "itemId": "string",
        "name": "string",
        "price": 0,
        "image": {
          "fileName": "string",
          "data": [
            "string"
          ],
          "contentType": "string"
        },
        "size": "string",
        "color": "string",
        "model": "string",
        "quantity": 0
      }
    ]
  }
]
```

GET

/admin/order/{id}

^

🔒

Parameters

Try it out

Name	Description
id * required	
string	id
(path)	

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Code	Description	Links
<div>Example Value Schema</div> <pre>{ "orderId": "string", "amount": 0, "orderDate": "2023-06-08T15:47:19.586Z", "orderStatus": "string", "buildingAddress": "string", "shippingAddress": "string", "paymentMethod": "string", "items": [{ "itemId": "string", "name": "string", "price": 0, "image": { "fileName": "string", "data": ["string"], "contentType": "string" }, "size": "string", "color": "string", "model": "string", "quantity": 0 }]}</pre>		

category-controller

PUT

/admin/category/{name}

^

🔒

Parameters

Try it out

Name	Description
name * required	
string	name
(path)	

Request body required

application/json ▾

Example Value | Schema

```
{  "category": "string"}
```


Responses

Code

Description

Links

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

DELETE

/admin/category/{name}



Parameters

Try it out

Name

Description

name * required

string

(path)

name

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "response": "string" }</pre></div></div>	No links

POST

/admin/category

^

🔒

Parameters

Try it out

No parameters

Request body

required

application/json

▼

Example Value | Schema

```
{  
  "category": "string"  
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div>	No links

Code	Description	Links
	<pre>{ "response": "string" }</pre>	

authentication-controller



POST

/auth/verify

Parameters

Try it out

Name	Description
code * required string (query)	<input type="text" value="code"/>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string" }</pre></div>	No links

POST

/auth/updatePrivilege/{id}

Parameters

Try it out

Name	Description
id * required	
string	id
(path)	

Responses

Code	Description	Links
200	OK	No links
	Media type	
	<div>*/*</div>	
	Controls Accept header.	
	Example Value Schema	
	<div>{ "response": "string" }</div>	

POST /auth/reset-password

Parameters

Try it out

Name	Description
code * required	
string	code
(query)	

Request body required

application/json

Example Value Schema
<div>{ "newPassword": "string" }</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "response": "string"}</pre></div>	No links

POST

/auth/reset-password-request



Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  "usernameOrEmail": "string"}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div>	No links

Code	Description	Links
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "response": "string" }</pre>	

POST

/auth/register

^

Parameters

Try it out

No parameters

Request body

application/json ▾

Example Value | Schema

```
{
  "username": "string",
  "name": "string",
  "password": "string",
  "mobile": "string",
  "addresses": [
    "string"
  ],
  "photo": "string",
  "email": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "response": "string" }</pre></div></div>	No links

POST

/auth/logout

^

🔒

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "response": "string" }</pre></div></div>	No links

POST

/auth/dynamic-verify

^

Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "usernameOrEmail": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/ ▾

Controls Accept header.

Example Value | Schema

```
{
  "response": "string"
}
```

POST

/auth/change-password



Parameters

Try it out

No parameters

Request body required

application/json ▾

Example Value | Schema

```
{
  "oldPassword": "string",
  "newPassword": "string"
}
```


Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div><div>*/*</div><div>▼</div></div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "response": "string"}</pre>	No links

POST

/auth/authenticate



Parameters

Try it out

No parameters

Request body required

application/json ▼

Example Value | Schema

```
{  "usernameOrEmail": "string",  "password": "string"}
```

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div><div>*/*</div><div>▼</div></div>	No links

Code	Description	Links
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "token": "string", "role": "string" }</pre>	

public-controller



GET

/products

^

Parameters

Cancel

Name	Description
category array[string] (query)	<div>Add string item</div>
name string (query)	<div>name</div>
priceFrom number(\$double) (query)	<div>priceFrom</div>
priceTo number(\$double) (query)	<div>priceTo</div>
availability string (query)	<div>availability</div>
color array[string] (query)	<div>Add string item</div>
size array[string] (query)	<div>Add string item</div>

Execute

Responses

Code

Description

Links

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
[{"category": "string",
  "productPics": [
    {
      "fileName": "string",
      "data": [
        "string"
      ],
      "contentType": "string"
    }
  ],
  "model": "string",
  "sizes": [
    "string"
  ],
  "colors": [
    "string"
  ],
  "reviewRating": [
    {
      "username": "string",
      "rating": 0,
      "review": "string"
    }
  ],
  "rating": 0,
  "mrp": 0
}]
```

GET

/product/{id}



Parameters

Try it out

Name

Description

id * required

string

(path)

id

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": "string", "productName": "string", "productDescription": "string", "productPrice": 0, "discountPercentage": 0, "category": "string", "productPics": [{ "fileName": "string", "data": ["string"], "contentType": "string" }], "model": "string", "sizes": ["string"], "colors": ["string"], "reviewRating": [{ "username": "string", "rating": 0, "review": "string" }]}</pre></div>	No links

GET	/category	
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	OK	No links

Code	Description	Links
	<div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "categoryName": "string" }]</pre></div>	

GET	/category/{name}	^
Parameters		Try it out
Name	Description	
name * required string (path)	<div>name</div>	
Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "categoryName": "string" }</pre></div>	No links

Schemas	^